

HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897

M. Ian Cooper

University of Cape Town, South Africa.

Abstract- Hours of sunshine throughout the year was tested for a correlation with moments of inertia in red millipedes *Centrobolus*. Hours of sunshine throughout the year were correlated with moments of inertia ($r = -0.6709$, $r^2 = 0.4501$, $n = 10$, $p = 0.033665$).

Keywords: Red Millipedes, sunshine, moments.

I. INTRODUCTION

Red millipedes are found in the southern African subregion with northern limits on the east coast being about -17° latitude S and southern limits being -35° latitude S. They are well represented in the littoral forests of the eastern half of the subcontinent [1-297]. It consists of taxonomically important species with 12 species considered threatened and includes nine vulnerable and three endangered species [226]. It occurs in all the forests of the coastal belt from the Cape Peninsula to Beira in Mocambique [225]. These worm-like millipedes have female-biased sexual size dimorphism [57].

Here, the moments of inertia was tested for a correlation with hours of sunshine throughout the year in *Centrobolus* Cook, 1897.

II. MATERIALS AND METHODS

Horizontal tergite width measurements for 22 species of southern African *Centrobolus* were obtained from published material [57]. These were halved to get radii (r). The surface areas (mm^2) were calculated based on the equation $2 \cdot \pi \cdot r \cdot (r + h)$ for males and females. A correlation between moments of inertia with hours of sunshine throughout the year was generated at <https://www.socscistatistics.com/tests/pearson/default2.aspx> (Appendix 1 & 2 respectively).

III. RESULTS

Hours of sunshine throughout the year were correlated with moments of inertia (Fig. 1: $r = -0.6709$, $r^2 = 0.4501$, $n = 10$, $p = 0.033665$).




Fig. 1. Correlation between moments of inertia (Y) and hours of sunshine throughout the year (X) across the range of *Centrobolus* Cook, 1897.

IV. DISCUSSION

There is a correlation between moments of inertia with hours of sunshine throughout the year in *Centrobolus*.

REFERENCES

1. O. F. Cook, "New relatives of *Spirobolus giganteus*," *Brandtia* (A series of occasional papers on Diplopoda and other Arthropoda), vol. 18, pp. 73-75, 1897.
2. M. COOPER, "Sperm competition in the millipede *Chersastus ruber* (Diplopoda: Pachybolidae)," The University of Cape Town, pp. 1-29, 1995.
3. M. I. Cooper, S. R. Telford, "Sperm competition in three *Chersastus* millipedes (Diplopoda, Trigonulidae)," 26th Symposium of the Zoological

- Society of Southern Africa (Integrating Zoology: Subdisciplines and the Subcontinent), University of Pretoria, Pretoria, 8-12 July, p. 13, 1996. ISBN: 1-86854-059-6..
4. M. I. Cooper, "Ectoparasite-mediated sexual selection in spirobolid millipedes," In: Robertson, Hamish (ed.) Proceedings of the joint congress of the Entomological Society of Southern Africa (11th congress) and the African Association of Insect Scientists (12th congress), Stellenbosch, 30 June-4 July, pp. 223-224, 1997. ISBN : WISC:89058769605. (poster).
 5. M. I. Cooper, "Indiscriminate male mating behaviour in spirobolid millipedes," 27th Symposium of the Zoological Society of Southern Africa, University of Cape Town, Cape Town, 7-11 July, p. 105, 1997.
 6. M. Cooper, "MILLIPEDES AND THE "MINIATURE FIVE MILLION"," African Wildlife, vol. 52, no. 5, pp. 30-31, 1998..
 7. M. I. COOPER, "MATING DYNAMICS OF SOUTH AFRICAN FOREST MILLIPEDES CENTROBOLUS (DIPLOPODA: PACHYBOLIDAE)," THE UNIVERSITY OF CAPE TOWN, pp. 1-141, 1998. <https://hdl.handle.net/11427/17555>.
 8. M. Cooper, "Sexual selection in sympatric spirobolid millipedes," 28th Symposium of the Zoological Society of Southern Africa, University of Cape Town, 1998. (poster).
 9. M. I. Cooper, M. A. du Plessis, "Biodiversity hotspots in the developing world," Trends in Ecology & Evolution, vol. 13, no. 10, pp. 409, 1998. ISSN 0169-5347, [https://doi.org/10.1016/S0169-5347\(98\)01469-4](https://doi.org/10.1016/S0169-5347(98)01469-4).
 10. M. Cooper, "P2 or not P2?" 29th Symposium of the Zoological Society of Southern Africa, University of the North, Limpopo Province, July, 1999. (poster).
 11. M. I. Cooper, S. R. Telford, "Copulatory Sequences and Sexual Struggles in Millipedes," Journal of Insect Behavior vol. 13, pp. 217-230, 2000. <https://doi.org/10.1023/A:1007736214299>.
 12. M. I. Cooper, "Sex ratios, mating frequencies and relative abundance of sympatric millipedes in the genus Chersastus (Diplopoda: Pachybolidae)," Arthropods, vol. 3, no. 4, pp. 174-176, 2014.
 13. M. I. Cooper, "Sexual size dimorphism and corroboration of Rensch's rule in Chersastus millipedes (Diplopoda: Pachybolidae)," J. Entomol. Zool. Stud. vol. 2, no. 6, pp. 264-266, 2014. DOI: 10.22271/j.ento.2014.v2.i6e.452 <http://www.entomoljournal.com/archives/2014/vol2issue6/PartE/47.pdf>.
 14. M. I. Cooper, "Competition affected by re-mating interval in a myriapod," J. Entomol. Zool. Stud. vol. 3, no. 4, pp. 77-78, 2015. DOI: 10.22271/j.ento.2015.v3.i4b.550 <http://www.entomoljournal.com/archives/2015/vol3issue4/PartB/3-4-3.pdf>.
 15. M. I. Cooper, "Elaborate gonopods in the myriapod genus Chersastus (Diplopoda: Trigoniulidae)," J. Entomol. Zool. Stud. vol. 3, no. 4, pp. 235-238, 2015. DOI: 10.22271/j.ento.2015.v3.i4d.573 <http://www.entomoljournal.com/archives/2015/vol3issue4/PartD/3-3-110.pdf>.
 16. M. I. Cooper, "Sperm storage in Centrobolus spp. and observational evidence for egg simulation," J. Entomol. Zool. Stud. vol. 4, no. 1, pp. 127-129, 2016. DOI: 10.22271/j.ento.2016.v4.i1b.797 <https://www.entomoljournal.com/archives/2016/vol4issue1/PartB/3-6-81.pdf>.
 17. M. I. Cooper, "Symmetry in ejaculate volumes of Centrobolus inscriptus Attems (Spirobolidae: Trigoniulidae)," International Journal of Entomological Research, vol. 1, no. 2, pp. 14-15, 2016. <http://www.entomologyjournals.com/archives/2016/vol1/issue2>.
 18. M. I. Cooper, "Confirmation of four species of Centrobolus Cook (Spirobolida: Trigoniulidae) based on gonopod ultrastructure," Int. J. Entomol. Res. vol. 1, no. 3, pp. 07-09, 2016. <http://www.entomologyjournals.com/archives/2016/vol1/issue3>.
 19. M. I. Cooper, "Fire millipedes obey the female sooner norm in cross mating Centrobolus (Myriapoda)," J. Entomol. Zool. Stud. vol. 4, no. 1, pp. 173-174, 2016. DOI: 10.22271/j.ento.2016.v4.i1c.802 <http://www.entomoljournal.com/archives/2016/vol4issue1/PartC/3-5-82.pdf>.
 20. M. I. Cooper, "Symmetry in ejaculate volumes of Centrobolus inscriptus Attems (Spirobolidae: Trigoniulidae)," J. Entomol. Zool. Stud. vol. 4, no. 1, pp. 386-387, 2016. DOI: 10.22271/j.ento.2016.v4.i1f.833 <http://www.entomoljournal.com/archives/2016/vol4issue1/PartF/4-1-21.pdf>.
 21. M. I. Cooper, "Instantaneous insemination in the millipede Centrobolus inscriptus (Spirobolidae: Trigoniulidae) determined by artificially-terminated mating," J. Entomol. Zool. Stud. vol. 4, no. 1, pp. 487-490, 2016. DOI: 10.22271/j.ento.2016.v4.i1g.847 <http://www.entomoljournal.com/archives/2016/vol4issue1/PartG/4-1-50-695.pdf>.
 22. M. I. Cooper, "Gonopod mechanics in Centrobolus Cook (Spirobolidae: Trigoniulidae) II. Images," J. Entomol. Zool. Stud. vol. 4, no. 2, pp. 152-154, 2016. DOI: 10.22271/j.ento.2016.v4.i2c.890 <http://www.entomoljournal.com/archives/2016/vol4issue2/PartC/4-2-55.pdf>.
 23. M. Cooper, "Post-insemination associations between males and females in Diplopoda," J. Entomol. Zool. Stud. vol. 4, no. 2, pp. 283-285, 2016. DOI: 10.22271/j.ento.2016.v4.i2d.908 <http://www.entomoljournal.com/archives/2016/vol4issue2/PartD/4-2-63.pdf>.

24. M. I. Cooper, "Heavier-shorter-wider females in the millipede *Centrobolus inscriptus* Attems (Spirobolida: Trigonulidae)," *J. Entomol. Zool. Stud.* vol. 4, no. 2, pp. 509-510, 2016. DOI: 10.22271/j.ento.2016.v4.i2g.937
<http://www.entomoljournal.com/archives/2016/vol4issue2/PartG/4-3-60.pdf>.
25. M. I. Cooper, "Sexual bimaturism in the millipede *Centrobolus inscriptus* Attems (Spirobolida: Trigonulidae)," *J. Entomol. Zool. Stud.* vol. 4, no. 3, pp. 86-87, 2016. DOI: 10.22271/j.ento.2016.v4.i3b.961
<http://www.entomoljournal.com/archives/2016/vol4issue3/PartB/4-3-44.pdf>.
26. M. I. Cooper, "Tarsal pads of *Centrobolus* Cook (Spirobolida: Trigonulidae)," *J. Entomol. Zool. Stud.* vol. 4, no. 3, pp. 385-386, 2016. DOI: 10.22271/j.ento.2016.v4.i3f.1008
<http://www.entomoljournal.com/archives/2016/vol4issue3/PartF/4-3-40-751.pdf>.
27. M. I. Cooper, "Confirmation of four species of *Centrobolus* Cook (Spirobolida: Trigonulidae) based on gonopod ultrastructure," *J. Entomol. Zool. Stud.* vol. 4, no. 4, pp. 389-391, 2016. DOI: 10.22271/j.ento.2016.v4.i4f.1065
<http://www.entomoljournal.com/archives/2016/vol4issue4/PartF/4-3-118-307.pdf>.
28. M. I. Cooper, "Sperm storage in *Centrobolus inscriptus* Attems (Spirobolida: Trigonulidae)," *J. Entomol. Zool. Stud.* vol. 4, no. 4, pp. 392-393, 2016. DOI: 10.22271/j.ento.2016.v4.i4f.1066
<http://www.entomoljournal.com/archives/2016/vol4issue4/PartF/4-4-16-207.pdf>.
29. M. I. Cooper, "Sperm dumping in *Centrobolus inscriptus* Attems (Spirobolida: Trigonulidae)," *J. Entomol. Zool. Stud.* vol. 4, no. 4, pp. 394-395, 2016. DOI: 10.22271/j.ento.2016.v4.i4f.1067
<http://www.entomoljournal.com/archives/2016/vol4issue4/PartF/4-4-17-663.pdf>.
30. M. I. Cooper, "Syncopulatory mate-guarding affected by predation in the aposematic millipede *Centrobolus inscriptus* in a swamp forest," *J. Entomol. Zool. Stud.* vol. 4, no. 6, pp. 483-484, 2016. DOI: 10.22271/j.ento.2016.v4.i6g.1376
<http://www.entomoljournal.com/archives/2016/vol4issue6/PartG/4-6-114-767.pdf>.
31. M. I. Cooper, "The relative sexual size dimorphism of *Centrobolus inscriptus* compared to 18 congenics," *J. Entomol. Zool. Stud.* vol. 4, no. 6, pp. 504-505, 2016. DOI: 10.22271/j.ento.2016.v4.i6g.1381
<http://www.entomoljournal.com/archives/2016/vol4issue6/PartG/4-6-123-254.pdf>.
32. M. I. Cooper, "Do females control the duration of copulation in the aposematic millipede *Centrobolus inscriptus*?" *J. Entomol. Zool. Stud.* vol. 4, no. 6, pp. 623-625, 2016. DOI: 10.22271/j.ento.2016.v4.i6i.1396
<http://www.entomoljournal.com/archives/2016/vol4issue6/PartI/4-6-133-214.pdf>.
33. M. I. Cooper, "The influence of male body mass on copulation duration in *Centrobolus inscriptus* (Attems)," *J. Entomol. Zool. Stud.* vol. 4, no. 6, pp. 804-805, 2016. DOI: 10.22271/j.ento.2016.v4.i6k.08
<http://www.entomoljournal.com/archives/2016/vol4issue6/PartK/4-6-166-899.pdf>.
34. M. I. Cooper, "Sexual conflict over the duration of copulation in *Centrobolus inscriptus* (Attems)," *J. Entomol. Zool. Stud.* vol. 4, no. 6, pp. 852-854, 2016. DOI: 10.22271/j.ento.2016.v4.i6l.04
<http://www.entomoljournal.com/archives/2016/vol4issue6/PartL/4-6-155-599.pdf>.
35. M. I. Cooper, "The affect of female body width on copulation duration in *Centrobolus inscriptus* (Attems)," *J. Entomol. Zool. Stud.* vol. 5, no. 1, pp. 732-733, 2017. DOI: 10.22271/j.ento.2017.v5.i1j.10
<http://www.entomoljournal.com/archives/2017/vol5issue1/PartJ/5-1-92-221.pdf>.
36. M. I. Cooper, "Size matters in myriapod copulation," *J. Entomol. Zool. Stud.* vol. 5, no. 2, pp. 207-208, 2017. DOI: 10.22271/j.ento.2017.v5.i2c.10
<http://www.entomoljournal.com/archives/2017/vol5issue2/PartC/4-6-108-171.pdf>.
37. M. I. Cooper, "Relative sexual size dimorphism in *Centrobolus digrammus* (Pocock) compared to 18 congenics," *J. Entomol. Zool. Stud.* vol. 5, no. 2, pp. 1558-1560, 2017. DOI: 10.22271/j.ento.2017.v5.i2u.04
<http://www.entomoljournal.com/archives/2017/vol5issue2/PartU/5-2-199-639.pdf>.
38. M. I. Cooper, "Relative sexual size dimorphism in *Centrobolus fulgidus* (Lawrence) compared to 18 congenics," *J. Entomol. Zool. Stud.* vol. 5, no. 3, pp. 77-79, 2017. DOI: 10.22271/j.ento.2017.v5.i3b.01
<http://www.entomoljournal.com/archives/2017/vol5issue3/PartB/5-2-198-656.pdf>.
39. Cooper, "Relative sexual size dimorphism *Centrobolus ruber* (Attems) compared to 18 congenics," *J. Entomol. Zool. Stud.* vol. 5, no. 3, pp. 180-182, 2017. DOI: 10.22271/j.ento.2017.v5.i3c.07
<http://www.entomoljournal.com/archives/2017/vol5issue3/PartC/5-2-187-598.pdf>.
40. M. I. Cooper, "Copulation and sexual size dimorphism in worm-like millipedes," *J. Entomol. Zool. Stud.* vol. 5, no. 3, pp. 1264-1266, 2017. DOI: 10.22271/j.ento.2017.v5.i3r.03 available at <https://www.coursehero.com/file/56889696>.
41. M. I. Cooper, "Allometry of copulation in worm-like millipedes," *J. Entomol. Zool. Stud.* vol. 5, no. 3, pp. 1720-1722, 2017. DOI: 10.22271/j.ento.2017.v5.i3x.03
<http://www.entomoljournal.com/archives/2017/vol5issue3/PartX/5-3-233-698.pdf>.

42. M. Cooper, "Re-assessment of Rensch's rule in Centrobolus," J. Entomol. Zool. Stud. vol. 5, no. 6, pp. 2408-2410, 2017. DOI: 10.22271/j.ento.2017.v5.i6ag.04
<http://www.entomoljournal.com/archives/2017/vol5issue6/PartAG/5-6-355-856.pdf>.
43. M. I. Cooper, "Allometry for sexual dimorphism in millipedes (Diplopoda)," J. Entomol. Zool. Stud. vol. 6, no. 1, pp. 91-96, 2018. DOI: 10.22271/j.ento.2018.v6.i1b.03
<http://www.entomoljournal.com/archives/2018/vol6issue1/PartB/5-6-327-547.pdf>.
44. M. I. Cooper, "Sexual dimorphism in pill millipedes (Diplopoda)," J. Entomol. Zool. Stud. vol. 6, no. 1, pp. 613-616, 2018. DOI: 10.22271/j.ento.2018.v6.i1i.03
<http://www.entomoljournal.com/archives/2018/vol6issue1/PartI/5-6-352-508.pdf>.
45. M. I. Cooper, "Sexual size dimorphism and the rejection of Rensch's rule in Diplopoda (Arthropoda)," J. Entomol. Zool. Stud. vol. 6, no. 1, pp. 1582-1587, 2018. DOI: 10.22271/j.ento.2018.v6.i1v.07
<http://www.entomoljournal.com/archives/2018/vol6issue1/PartV/5-6-290-837.pdf>.
46. M. I. Cooper, "Trigoniulid size dimorphism breaks Rensch," J. Entomol. Zool. Stud. vol. 6, no. 3, pp. 1232-1234, 2018. DOI: 10.22271/j.ento.2018.v6.i3.9.09
<http://www.entomoljournal.com/archives/2018/vol6issue3/PartQ/6-3-170-722.pdf>.
47. M. I. Cooper, "Volumes of Centrobolus albitarsus (Lawrence, 1967)," Int. J. Entomol. Res. vol. 3, no. 4, pp. 20-21, 2018.
<http://www.entomologyjournals.com/archives/2018/vol3/issue4>.
48. M. Cooper, "A review of studies on the fire millipede genus centrobolus (diplopoda: trigoniulidae)," J. Entomol. Zool. Stud. vol. 6, no. 4, pp. 126-129, 2018. DOI: 10.22271/j.ento.2018.v6.i4.2.06
<http://www.entomoljournal.com/archives/2018/vol6issue4/PartC/6-3-87-275.pdf>.
49. M. Cooper, "Centrobolus anulatus (Attems, 1934) reversed sexual size dimorphism," J. Entomol. Zool. Stud. vol. 6, no. 4, pp. 1569-1572, 2018. DOI: 10.22271/j.ento.2018.v6.i4.13.16
<http://www.entomoljournal.com/archives/2018/vol6issue4/PartZ/6-4-277-483.pdf>.
50. M. Cooper, "Allometry in Centrobolus," J. Entomol. Zool. Stud. vol. 6, no. 6, pp. 284-286, 2018. DOI: 10.22271/j.ento.2018.v6.i6.3.07
<http://www.entomoljournal.com/archives/2018/vol6issue6/PartE/6-5-322-417.pdf>.
51. M. Cooper, "Centrobolus size dimorphism breaks Rensch's rule," Scholars' Press, Mauritius. pp. 1-48, 2018. ISBN: 978-3-659-83990-0.
<https://www.academia.edu/77887053>.
52. M. Cooper, "Centrobolus size dimorphism breaks Rensch's rule," Arthropod., vol. 7, no. 3, pp. 48-52, 2018.
53. M. Cooper, "Centrobolus dubius (Schubart, 1966) Monomorphism," International Journal of Research Studies in Zoology, vol 4, no. 3, pp. 17-21, 2018.
<http://arcjournals.org/pdfs/ijrsz/v4-i3/3.pdf>.
54. M. Cooper, "Centrobolus lawrencei (Schubart, 1966) monomorphism," Arthropod., vol. 7, no. 4, pp. 82-86, 2018.
[http://www.iaees.org/publications/journals/arthropods/articles/2018-7\(4\)/Centrobolus-lawrencei-monomorphism.pdf](http://www.iaees.org/publications/journals/arthropods/articles/2018-7(4)/Centrobolus-lawrencei-monomorphism.pdf).
55. M. Cooper, "Confirmation of twenty-one species of Centrobolus Cook (Diplopoda: Pachybolidae) based on length and width data," 2018.
56. M. Cooper, "Centrobolus sagatinus sexual size dimorphism based on differences in horizontal tergite widths," J. Entomol. Zool. Stud. vol. 6, no. 6, pp. 275-277, 2018. DOI: 10.22271/j.ento.2018.v6.i6.3.05
<http://www.entomoljournal.com/archives/2018/vol6issue6/PartE/6-5-323-505.pdf>.
57. M. Cooper, "Centrobolus silvanus dimorphism based on tergite width," Glob. J. Zool. vol. 3, no. 1, pp. 003-005, 2018. <https://doi.org/10.17352/gjz.000010>.
58. M. Cooper, "A review on studies of behavioural ecology of Centrobolus (Diplopoda, Spirobolida, Pachybolidae) in southern Africa," Arthropod., vol. 8, no. 1, pp. 38-44, 2019.
59. M. I. Cooper, "Lawrence's red millipede Centrobolus lawrencei shows length-based variability and size dimorphism," J. Entomol. Zool. Stud. vol. 7, no. 2, pp. 1037-1039, 2019. DOI: 10.22271/j.ento.2019.v7.i2.9.07
<http://www.entomoljournal.com/archives/2019/vol7issue2/PartQ/7-2-114-662.pdf>.
60. M. Cooper, "Centrobolus titanophilus size dimorphism shows width-based variability," Arthropod., vol. 8, no. 2, pp. 80-86, 2019.
61. M. Cooper, "Non-significant intersexual differences in millipede mass," J. Entomol. Zool. Stud. vol. 7, no. 3, pp. 763-765, 2019. DOI: 10.22271/j.ento.2019.v7.i3m.5267
<http://www.entomoljournal.com/archives/2019/vol7issue3/PartM/7-3-90-458.pdf>.
62. M. I Cooper, "Quasi-experimental determination of a mass standard in the forest millipede Centrobolus inscriptus," J. Entomol. Zool. Stud. vol. 7, no. 3, pp. 772-774, 2019. DOI: 10.22271/j.ento.2019.v7.i3m.5269
<http://www.entomoljournal.com/archives/2019/vol7issue3/PartM/7-3-58-913.pdf>.
63. M. I. Cooper, "Underlying sperm precedence pattern in the millipede Centrobolus inscriptus (Attems, 1928) (Diplopoda, Pachybolidae)," J. Entomol. Zool. Stud. vol. 7, no. 3, pp. 1066-1069, 2019. DOI:

- 10.22271/j.ento.2019.v7.i3r.5319
<http://www.entomoljournal.com/archives/2019/vol7issue3/PartR/7-3-106-957.pdf>.
64. M. Cooper, "When is the change in sperm precedence in the millipede *Centrobolus inscriptus*(Attems, 1928) (Diplopoda, Pachybolidae)?" *J. Entomol. Zool. Stud.* vol. 7, no. 4, pp. 183-186, 2019. DOI: 10.22271/j.ento.2019.v7.i4c.5439
<http://www.entomoljournal.com/archives/2019/vol7issue4/PartC/7-3-311-692.pdf>.
65. M. Cooper, "Julid millipede and spirobolid millipede gonopod functional equivalents," *J. Entomol. Zool. Stud.* vol. 7, no. 4, pp. 333-335, 2019. DOI: 10.22271/j.ento.2019.v7.i4f.5465
<http://www.entomoljournal.com/archives/2019/vol7issue4/PartF/7-3-329-431.pdf>.
66. M. Cooper, "Size dimorphism and directional selection in forest millipedes," *Arthropod.*, vol. 8, no. 3, pp. 102-109, 2019.
[http://www.iaees.org/publications/journals/arthropods/articles/2019-8\(3\)/size-dimorphism-and-directional-selection-in-forest-millipedes.pdf](http://www.iaees.org/publications/journals/arthropods/articles/2019-8(3)/size-dimorphism-and-directional-selection-in-forest-millipedes.pdf).
67. M. Cooper, "Xylophagous millipede surface area to volume ratios are size dependent in forests," *Arthropod.*, vol. 8, no. 4, pp. 127-136, 2019.
68. M. Cooper, "Size dimorphism in six juliform millipedes," *Arthropod.*, vol. 8, no. 4, pp. 137-142, 2019.
69. M. Cooper, "Year-round correlation between mass and copulation duration in forest millipedes," *Arthropod.*, vol. 9, no. 1, pp. 15-20, 2020.
70. M. Cooper, "Kurtosis and skew show longer males in *Centrobolus*," *Arthropod.*, vol. 9, no. 1, pp. 21-26, 2020.
71. M. Cooper, "Studies of behavioural ecology of *Centrobolus*," LAP LAMBERT Academic Publishing, Mauritius. pp. 1-420, 2020. ISBN: 978-620-2-52046-1.
72. M. Cooper, "Mating dynamics of South African forest millipedes," LAP LAMBERT Academic Publishing, Mauritius. pp. 1-164, 2020. ISBN: 978-620-0-58569-1.
73. M. Cooper, "Behavioural ecology of *Centrobolus*," LAP LAMBERT Academic Publishing, Mauritius. pp. 1-520, 2020. ISBN: 978-620-0-50406-7.
74. M. Cooper, "Zoomorphic variation with copulation duration in *Centrobolus*," *Arthropod.*, vol. 9, no. 2, pp. 63-67, 2020.
[http://www.iaees.org/publications/journals/arthropods/articles/2020-9\(2\)/zoomorphic-variation-with-copulation-duration-in-Centrobolus.pdf](http://www.iaees.org/publications/journals/arthropods/articles/2020-9(2)/zoomorphic-variation-with-copulation-duration-in-Centrobolus.pdf).
75. M. Cooper, "Latitudinal-size trend in eight species of *Centrobolus*," *J. Entomol. Zool. Stud.* vol. 8, no. 2, pp. 122-127, 2020.
<http://www.entomoljournal.com/archives/2020/vol8issue2/PartC/8-1-381-253.pdf>.
76. M. Cooper, "Longitudinal-size trend in eight species of *Centrobolus*," *Intern. J. Zool. Invest.* vol. 6, no. 1, pp. 58-64, 2020.
<https://doi.org/10.33745/ijzi.2020.v06i01.005>.
77. M. Cooper, "Correction: *Centrobolus dubius* (Schubart, 1966) Monomorphism," *Int. J. Res. Stud. Zool.* vol. 6, no. 2, pp. 25-28, 2020.
<http://www.arcjournals.org/pdfs/ijrsz/v6-i2/3.pdf>.
78. M. Cooper, "Latitudinal and longitudinal gradients in Old World forest millipedes," LAP LAMBERT Academic Publishing: pp. 77, 2021 ISBN: 978-620-3-02454-8.
79. M. Cooper, "Intrasexual and intersexual size variation in *Centrobolus Cook*, 1897," Scholars' Press, Mauritius. pp. 1-56, 2021. ISBN: 978-613-8-95101-8.
80. M. Cooper, "Size-assortment in *Centrobolus Cook*, 1897," Scholars' Press, Mauritius. pp. 1-52, 2021. ISBN: 978-613-8-95118-6.
<http://www.megabooks.sk/p/18255119>.
81. M. Cooper, "Wewnątrzplciowa i międzypłciowa zmienność wielkości u *Centrobolus Cook*, 1897," *Scienca Scripts*, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-50733-1.
<http://www.megabooks.cz/p/17829353>.
82. M. Cooper, "Variedade de tamanhos no *Centrobolus Cook*, 1897," *Novas Edições Acadêmicas*, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-46650-8.
83. M. Cooper, "Variação de tamanho intrasexual e intersexual no *Centrobolus Cook*, 1897," *Edições Nosso Conhecimento*, *Scienca Scripts*, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-50735-5.
84. M. Cooper, "Variazione di taglia intrasessuale e intersessuale in *Centrobolus Cook*, 1897," *Scienca Scripts*, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-50731-7. <http://www.megabooks.sk/p/18462116>.
85. M. Cooper, "Variation de taille intrasexuelle et intersexuelle chez *Centrobolus Cook*, 1897," *Scienca Scripts*, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-50730-0. <http://www.megabooks.sk/p/18462115>.
86. M. Cooper, "Intrasexuelle und intersexuelle größenvariation bei *Centrobolus Cook*, 1897," *Scienca Scripts*, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-50729-4. <http://www.megabooks.cz/p/17470313>.
87. M. Cooper, "Size-assortment in *Centrobolus Cook*, 1897 (Diplopoda: Pachybolidae)," Scholars' Press, Mauritius. pp. 1-52, 2021. ISBN: 978-613-8-95105-6.
<http://www.megabooks.sk/p/18254871>.
88. M. Cooper, "Variação da duração da cópula em milípedes semelhantes a vermes," *Novas Edições Acadêmicas*, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-46666-9.
89. M. Cooper, "Surtido de tamaño en *Centrobolus Cook*, 1897," *Editorial Académica Española*, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-03960-3.
90. M. Cooper, "Größen-Sortierung bei *Centrobolus Cook*, 1897 (Diplopoda: Pachybolidae)," *Südwestdeutscher Verlag für Hochschulschriften*, *Scienca Scripts*, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-54955-3.

- <http://www.dodax.co.uk/en-gb/books-audiobooks/zoology/cooper-mark-groessensortierung-bei-centrobolus-cook-1897-diplopoda-pachybolidae-dp3Q15G7L5H49>.
91. M. Cooper, "Cambio en la duración de la cópula en ciempiés gusano," Editorial Académica Española, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-03965-8.
92. M. Cooper, "Размерный ассортимент в Centrobolus Cook, 1897 г," Scienca Scripts, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59606-9. <http://my-shop.ru/shop/product/4534060.html>.
93. M. Cooper, "Variation de durée de copulation dans les mille-pattes vermifuges," Presses Académiques Francophones, Mauritius. pp. 1-52, 2021. ISBN: 978-3-8416-3326-2.
94. M. Cooper, "Sortimento de tamanhos em Centrobolus Cook, 1897," Edições Nosso Conhecimento, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59608-3. <http://www.megabooks.sk/p/18456483>.
95. M. Cooper, "Size assortment in Centrobolus Cook, 1897," Our Knowledge Publishing, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59602-1. <http://www.megabooks.sk/p/18456478>.
96. M. Cooper, "Größensortierung bei Centrobolus Cook, 1897," Verlag Unser Wissen, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59601-4. <http://www.megabooks.sk/p/18192206>.
97. M. Cooper, "Groottesortering bij Centrobolus Cook, 1897," Uitgeverij Onze Kennis, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59605-2.
98. M. Cooper, "Assortimento di dimensioni in Centrobolus Cook, 1897," Edizioni Sapienza, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59604-5. <http://www.megabooks.sk/p/18456480>.
99. M. Cooper, "Assortiment de tailles chez Centrobolus Cook, 1897," Editions Notre Savoir, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59603-8. <http://www.megabooks.sk/p/18456479>.
100. M. Cooper, "Asortyment wielkości u Centrobolus Cook, 1897 (Diplopoda: Pachybolidae)," Wydawnictwo Nasza Wiedza, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59607-6.
101. M. Cooper, "Zmiana czasu trwania kopulacji w krocionogach przypominających robaki," Wydawnictwo Nasza Wiedza, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-62161-7. <http://www.megabooks.sk/p/18456980>.
102. M. Cooper, "Verandering in copulatieduur bij wormduizendpoten: (Juliformes)," Uitgeverij Onze Kennis. pp. 1-56, 2021. ISBN: 978-6203621600.
103. M. Cooper, "Veränderung der Kopulationsdauer bei Wurmtausendfüßern," Verlag Unser Wissen. pp. 1-52, 2021. ISBN: 978-620-3-62156-3. <http://www.megabooks.sk/p/18258985>.
104. M. Cooper, "Modification de la durée de la copulation chez les millipedes vermiformes," Editions Notre Savoir, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-62158-7. <http://www.megabooks.sk/p/18456978>.
105. M. Cooper, "Modifica della durata della copolazione nei millepiedi vermi," Edizioni Sapienza, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-62159-4. <http://www.megabooks.sk/p/18456979>.
106. M. Cooper, "Copulation duration variation in worm-like millipedes," Our Knowledge Publishing, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-62157-0. <http://www.megabooks.sk/p/18456977>.
107. M. Cooper, "Alteracao na duracao da copula nas centopeias de minhocas," Edicoes Nosso Conhecimento, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-62162-4. <http://www.megabooks.sk/p/18456981>.
108. M. Cooper, "Zmiana czasu trwania kopulacji w krocionogach przypominających robaki," Globe Edit, Latvia. pp. 1-56, 2021. ISBN: 978-620-0-62248-8.
109. M. Cooper, "Variasjon i kokulasjonsvariasjon i ormlignende millipeder," Globe Edit, Latvia. pp. 1-52, 2021. ISBN: 978-620-0-62250-1.
110. M. Cooper, "Copulation duration variation in worm-like millipedes," Scholars' Press, Mauritius. pp. 1-52, 2021. ISBN: 978-3-639-66208-5.
111. M. Cooper, "Variatie in copulatieduur in wormachtige duizendpoten," Globe Edit, Latvia. pp. 1-52, 2021. ISBN: 978-620-0-62258-7.
112. M. Cooper, "Variation i kopulationsvarighed i ormlignende tusindben," Globe Edit, Latvia. pp. 1-56, 2021. ISBN: 978-620-0-62257-0.
113. M. Cooper, "İçeriği Centrobolus Cook boyut aralığı, 1897 (Diplopoda: Pachybolidae)," LAP LAMBERT Academic Publishing, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-83963-0.
114. M. Cooper, "Kopuleringstidsvariation i maskliknande millipeder," Globe Edit, Latvia. pp. 1-52, 2021. ISBN: 978-620-0-62277-8.
115. M. Cooper, "Variation de durée de copulation dans les mille-pattes vermifuges," Blessed Hope Publishing. pp. 1-56, 2021. ISBN: 978-3841633269. <http://www.megabooks.sk/p/18361163>.
116. M. Cooper, "ワーム様ミリペデスにおける交尾期間変動," Globe Edit, Latvia. pp. 1-56, 2021. ISBN: 978-620-0-62260-0.
117. M. Cooper, "Parittelun keston vaihtelu matomaisten millipedes," Globe Edit, Latvia. pp. 1-52, 2021. ISBN: 978-620-0-62259-4.
118. M. Cooper, "Variația duratei copulării în milipelele asemănătoare viermilor," Globe Edit, Latvia. pp. 1-56, 2021. ISBN: 978-620-0-62255-6.
119. M. Cooper, "A pázás időtartama a féreg-szerű millipedek változása," Globe Edit, Latvia. pp. 1-52, 2021. ISBN: 978-620-0-62261-7.

- 120.M. Cooper, "蠕蟲狀千足蟲的複製持續時間變化," pp. 1-52, 2021. Goldenlight publishing, Republic of Moldova. ISBN: 978-620-2-41290-2.
- 121.M. Cooper, "웜과 같은 밀리페드의 교화 지속 시간 변화 (줄리포미아)," Globe Edit, Latvia. pp. 1-52, 2021. ISBN: 978-620-0-62533-5.
- 122.M. Cooper, "Mass covaries with volume in forest millipedes *Centrobolus* Cook, 1897," J. Entomol. Zool. Stud. vol. 9, no. 6, pp. 190-192, 2021. <http://www.entomoljournal.com/archives/2021/vol9issue6/PartC/9-6-36-202.pdf>.
- 123.M. Cooper, "The inverse latitudinal gradient in species richness of forest millipedes: *Pentazonia* Brandt, 1833," J. Entomol. Zool. Stud. vol. 10, no. 1, pp. 01-04, 2022. <http://www.entomoljournal.com/archives/2022/vol10issue1/PartA/9-6-47-884.pdf>.
- 124.M. Cooper, "The inverse latitudinal gradient in species richness of forest millipedes: *Pachybolidae* Cook, 1897," J. Entomol. Zool. Stud. vol. 10, no. 1, pp. 05-08, 2022. <http://www.entomoljournal.com/archives/2022/vol10issue1/PartA/9-6-49-906.pdf>.
- 125.M. Cooper, "Longer Males Determined with Positive Skew and Kurtosis in *Centrobolus* (Diplopoda: Spirobolida: *Pachybolidae*)," New Visions in Biological Science Vol. 8, pp. 102-106, 2022. <http://doi.org/10.9734/bpi/nvbs/v8/1876A>.
- 126.M. Cooper, "Study on Year-round Correlation between Mass and Copulation Duration in Forest Millipedes," New Visions in Biological Science Vol. 8, pp. 107-112, 2022. <http://doi.org/10.9734/bpi/nvbs/v8/1877A>.
- 127.M. Cooper, "Study on Size Dimorphism in Six Juliform Millipedes," New Visions in Biological Science Vol. 8, pp. 113-119, 2022. <http://doi.org/10.9734/bpi/nvbs/v8/1878A>.
- 128.M. Cooper, "Xylophagous Millipede Surface Area to Volume Ratios are Size-dependent in Forests: A Brief Study," New Visions in Biological Science Vol. 8, pp. 120-128, 2022. <http://doi.org/10.9734/bpi/nvbs/v8/1879A>.
- 129.M. Cooper, "A Study on *Centrobolus titanophilus* Size Dimorphism Shows Width-Based Variability," New Visions in Biological Science Vol. 8, pp. 129-135, 2022. <http://doi.org/10.9734/bpi/nvbs/v8/1880A>.
- 130.M. Cooper, "Study on Zoomorphic Variation with Copulation Duration in *Centrobolus*," New Visions in Biological Science Vol. 8, pp. 144-149, 2022. <http://doi.org/10.9734/bpi/nvbs/v8/1882A>.
- 131.M. Cooper, "The copulation duration allometry in *Centrobolus* (Diplopoda: Spirobolida: *Pachybolidae*)," J. Entomol. Zool. Stud. vol. 10, no. 1, pp. 63-68, 2022. <https://doi.org/10.22271/j.ento.2022.v10.i1a.8925>.
- 132.M. Cooper, "Behavioral ecology of *Centrobolus* (Diplopoda, Spirobolida, *Pachybolidae*) in Southern Africa," New Visions in Biological Science Vol. 9, pp. 1-6, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1883A>.
- 133.M. Cooper, "Study About Size Dimorphism and Directional Selection in Forest Millipedes," New Visions in Biological Science Vol. 9, pp. 7-13, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1884A>.
- 134.M. Cooper, "The Copulation duration Allometry in *Centrobolus* (Diplopoda: Spirobolida: *Pachybolidae*)," New Visions in Biological Science Vol. 9, pp. 21-28, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1891A>.
- 135.M. Cooper, "The Copulation duration Allometry in Worm-like Millipedes (Diplopoda: Chilognatha: Helminthomorpha)," New Visions in Biological Science Vol. 9, pp. 29-38, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1892A>.
- 136.M. Cooper, "Length and Width Correlations in *Centrobolus* Cook, 1897," New Visions in Biological Science Vol. 9, pp. 39-45, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1893A>.
- 137.M. Cooper, "Mating Order Establishes Male Size Advantage in the Polygynandrous Millipede *Centrobolus inscriptus* Attems, 1928," New Visions in Biological Science Vol. 9, pp. 46-51, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1894A>.
- 138.M. Cooper, "Why Sexual Size Dimorphism Increases with Longitude, Precipitation and Temperature and Decreases with Latitude in Forest Millipedes *Centrobolus* Cook, 1897," New Visions in Biological Science Vol. 9, pp. 58-67, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1896A>.
- 139.M. Cooper, "Bergmann's Rule: Size Correlates with Longitude and Temperature in Forest Millipedes *Centrobolus* Cook, 1897," New Visions in Biological Science Vol. 9, pp. 68-81, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1897A>.
- 140.M. Cooper, "The Inverse Latitudinal Gradient in Species Richness of Forest Millipedes: *Centrobolus* Cook, 1897," New Visions in Biological Science Vol. 9, pp. 82-88, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1898A>.
- 141.M. Cooper, "Total Body Rings Increase with Latitude and Decrease with Precipitation in Forest Millipedes *Centrobolus* Cook, 1897," New Visions in Biological Science Vol. 9, pp. 96-101, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1900A>.
- 142.M. Cooper, "Does sexual size dimorphism vary with longitude in forest millipedes *Centrobolus* Cook, 1897?" International Journal of Recent Research in Thesis and Dissertation, vol. 3, no. 1, pp. 1-5, 2022. <https://www.paperpublications.org/issue/IJRRTD/Issue-1-January-2022-June-2022>.
- 143.M. Cooper, "Does sexual size dimorphism vary with latitude in forest millipedes *Centrobolus* Cook, 1897?" Int. J. Re. Res. Thesis Diss., vol. 3, no. 1, pp. 6-11, 2022.

- <https://www.paperpublications.org/issue/IJRRTD/Issue-1-January-2022-June-2022..>
- 144.M. Cooper, "Does sexual size dimorphism vary with temperature in forest millipedes *Centrobolus* Cook, 1897?" *Acta Entomol. Zool.*, vol 3, no. 1, pp. 08-11, 2022.
<https://doi.org/10.33545/27080013.2022.v3.i1a.51>.
- 145.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897," *Universe Int. J. Interdiscip. Res.*, vol. 2, no. 9, pp. 9-14, 2022. <https://www.doi-ds.org/doi/10.33545/27080013.2022.v3.i1a.51>.
- 146.M. Cooper, "PAIR-WISE COMPARISON OF SEXUAL SIZE DIMORPHISM AMONG NINE FACTORS IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897," *Universe Int. J. Interdiscip. Res.*, vol. 2, no. 9, pp. 31-33, 2022. <https://www.doi-ds.org/doi/10.33545/27080013.2022.v3.i1a.51>.
- 147.M. Cooper, "Does sexual size dimorphism vary with female size in forest millipedes *Centrobolus* Cook, 1897?" *Acta Entomol. Zool.*, vol. 3, no. 1, pp. 15-18, 2022.
<https://doi.org/10.33545/27080013.2022.v3.i1a.57>.
- 148.M. Cooper, "Does sexual size dimorphism vary with hours of sunshine throughout the year in forest millipedes *Centrobolus* Cook, 1897?" *Acta Entomol. Zool.*, vol. 3, no. 1, pp. 19-25, 2022. DOI:
<https://doi.org/10.33545/27080013.2022.v3.i1a.58>.
- 149.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH SPECIES RICHNESS IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897?" *Universe Int. J. Interdiscip. Res.*, vol. 2, no. 10, pp. 25-29, 2022. <https://www.doi-ds.org/doi/10.33545/27080013.2022.v3.i1a.58>.
- 150.M. Cooper, "PAIR-WISE COMPARISON OF SEXUAL SHAPE DIMORPHISM AMONG FIFTEEN FACTORS IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897," *Universe Int. J. Interdiscip. Res.*, vol. 2, no. 10, pp. 9-14, 2022. <https://www.doi-ds.org/doi/10.33545/27080013.2022.v3.i1a.58>.
- 151.M. I. Cooper, "Five factors effecting copulation duration in the breeding season in forest millipedes *Centrobolus* Cook, 1897," *Zoological and Entomological Letters*, vol. 2, no. 1, pp. 17-22, 2022. <https://www.zoologicaljournal.com/archives/2022.v2.i1.A.26>.
- 152.M. Cooper, "Does sexual size dimorphism vary with time in red millipedes *Centrobolus* Cook, 1897?" *Zool. Entomol. Lett.*, vol 2, no. 1, pp. 30-35, 2022. <https://www.zoologicaljournal.com/archives/2022.v2.i1.A.29>.
- 153.M. Cooper, "Mating frequencies of sympatric red millipedes differ across substrate due to absolute abundances," *Acta Entomol. Zool.*, vol. 3, no. 1, pp. 34-39, 2022. <https://doi.org/10.33545/27080013.2022.v3.i1a.62>.
- 154.M. Cooper, "Does sexual size dimorphism vary with maximum and minimum temperatures in red millipedes *Centrobolus* Cook, 1897?" *Zool. Entomol. Lett.*, vol. 2, no. 1, pp. 60-65, 2022. <https://www.zoologicaljournal.com/archives/2022.v2.i1.B.34>.
- 155.M. Cooper, "Does sexual size dimorphism vary with sex ratio in red millipedes *Centrobolus* Cook, 1897?" *Zool. Entomol. Lett.*, vol. 2, no. 1, pp. 66-68, 2022. <https://www.zoologicaljournal.com/archives/2022.v2.i1.B.35>.
- 156.M. Cooper, "Millipede mass: Intersexual differences," *Zool. Entomol. Lett.*, vol. 2, no. 1, pp. 69-70, 2022. <https://www.zoologicaljournal.com/archives/2022.v2.i1.B.36>.
- 157.M. I. Cooper, "Do copulation duration and sexual size dimorphism vary with absolute abundance in red millipedes *Centrobolus* Cook, 1897?" *Acta Entomol. Zool.*, vol. 3, no. 1, pp. 51-54, 2022. <https://www.actajournal.com/archives/2022.v3.i1.A.64>.
<https://doi.org/10.33545/27080013.2022.v3.i1a.64>.
- 158.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH FEMALE LENGTH INFESTED MILLIPEDES *CENTROBOLUS* COOK, 1897?" *Universe Int. J. Interdiscip. Res.*, vol. 2, no. 12, pp. 1-7, 2022. <https://www.doi-ds.org/doi/10.33545/27080013.2022.v3.i1a.64>.
- 159.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH PRECIPITATION IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897?" *Munis Entomology and Zoology*, vol 17, no. 2, pp. 1185-1189, 2022.
- 160.M. I. Cooper, "Do copulation durations of sympatric red millipedes vary seasonally with mating frequencies?" *Int. J. Re. Res. Thesis Diss.*, vol. 3, no. 1, pp. 85-90, 2022. <https://doi.org/10.5281/zenodo.6613001>.
- 161.M. I. Cooper, "The inverse latitudinal gradients in species richness of Southern African millipedes," *Int. J. Re. Res. Thesis Diss.*, vol. 3, no. 1, pp. 91-112, 2022. <https://doi.org/10.5281/zenodo.6613064>.
- 162.M. I. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH LOG SEXUAL SIZE DIMORPHISM IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897?" *Universe Int. J. Interdiscip. Res.*, vol. 2, no. 12, pp. 52-54, 2022. <https://www.doi-ds.org/doi/10.33545/27080013.2022.v3.i1a.64>.
- 163.M. I. Cooper, "Do copulation duration and sexual size dimorphism vary with absolute abundance in red millipedes *Centrobolus* Cook, 1897?" *Acta Entomol. Zool.*, vol. 3, no. 1, pp. 51-54, 2022.

- <https://www.actajournal.com/archives/2022.v3.i1.A.64>
<https://doi.org/10.33545/27080013.2022.v3.i1a.64>.
- 164.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH FEMALE LENGTH INFOREST MILLIPEDES CENTROBOLUS COOK, 1897?" Universe Int. J. Interdiscip. Res., vol. 2, no. 12, pp. 1-7, 2022. <https://www.doi-ds.org/doiink/05.2022-69939779/UIJIR>.
- 165.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH PRECIPITATION INFOREST MILLIPEDES CENTROBOLUS COOK, 1897?" Munis Entomology and Zoology, vol. 17, no. 2, pp. 1185-1189, 2022.
- 166.M. I. Cooper, "Do copulation durations of sympatric red millipedes vary seasonally with mating frequencies?" Int. J. Re. Res. Thesis Diss., vol. 3, no. 1, pp. 85-90, 2022. <https://doi.org/10.5281/zenodo.6613001>.
- 167.M. I. Cooper, "The inverse latitudinal gradients in species richness of Southern African millipedes," Int. J. Re. Res. Thesis Diss., vol. 3, no. 1, pp. 91-112, 2022. <https://doi.org/10.5281/zenodo.6613064>.
- 168.M. I. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH LOG SEXUAL SIZE DIMORPHISM IN RED MILLIPEDES CENTROBOLUS COOK, 1897?" Universe Int. J. Interdiscip. Res., vol. 2, no. 12, pp. 52-54, 2022. <https://www.doi-ds.org/doiink/06.2022-83544225/UIJIR>.
- 169.M. Cooper, "THE TIE-IN OF MALE BODY WIDTH ON COPULATION DURATION IN CENTROBOLUS COOK, 1897," Universe Int. J. Interdiscip. Res., vol. 3, no. 1, pp. 45-47, 2022. <https://www.doi-ds.org/doiink/06.2022-88932399/UIJIR>.
- 170.M. I. Cooper, "IS A PROMINENT STERNITE RELATED TO MOMENTS OF INERTIA IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 8, no. 12, pp. 26-28, 2022. http://www.ijesird.com/1_june_22.PDF.
- 171.M. I. Cooper, "IS COPULATION DURATION RELATED TO MOMENTS OF INERTIA IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 8, no. 12, pp. 29-31, 2022. http://www.ijesird.com/2_june_22.PDF.
- 172.M. I. Cooper, "COPULATION DURATION IS RELATED TO EJACULATING VOLUME IN CENTROBOLUS INSCRIPTUS (ATTEMPS, 1928)," International Journal of Engineering Science Invention Research & Development, vol. 8, no. 12, pp. 32-40, 2022. http://www.ijesird.com/3_june_22.PDF.
- 173.M. I. Cooper, "Is a prominent sternite related to mass in Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 1-4, 2022. http://www.ijesird.com/1_jul_22.PDF.
- 174.M. I. Cooper, "Does sex ratio vary with absolute abundance in red millipedes Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 5-8, 2022. http://www.ijesird.com/2_jul_22.PDF.
- 175.M. I. Cooper, "Does copulation duration vary with absolute abundance in red millipedes Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 9-11, 2022. http://www.ijesird.com/3_jul_22.PDF.
- 176.M. I. Cooper, "Are a prominent sternite, coleopod spine length, and spine number related to mating frequencies in Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 12-15, 2022. http://www.ijesird.com/4_jul_22.PDF.
- 177.M. I. Cooper, "Are coleopod spine length and number related to weather in Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 16-23, 2022. http://www.ijesird.com/5_jul_22.PDF.
- 178.M. I. Cooper, "Are coleopod spine length and number related to mass in Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 24-26, 2022. http://www.ijesird.com/6_jul_22.PDF.
- 179.M. I. Cooper, "Is mass related to latitude, longitude, and weather in Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 27-32, 2022. https://www.ijesird.com/7_jul_22.PDF.
- 180.M. I. Cooper, "ARE MATING FREQUENCIES RELATED TO ABSOLUTE ABUNDANCE IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 33-37, 2022. https://www.ijesird.com/8_jul-22.PDF.
- 181.M. I. Cooper, "Does sex ratio vary with absolute abundance in red millipedes Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 5-8, 2022. http://www.ijesird.com/2_jul_22.PDF.
- 182.M. I. Cooper, "Does copulation duration vary with absolute abundance in red millipedes Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 9-11, 2022. http://www.ijesird.com/3_jul_22.PDF.
- 183.M. I. Cooper, "Are a prominent sternite, coleopod spine length, and spine number related to mating frequencies in Centrobolus Cook, 1897?" International Journal of Engineering Science Invention

- Research & Development, vol. 9, no. 1, pp. 12-15, 2022. http://www.ijesird.com/4_jul_22.PDF.
- 184.M. I. Cooper, "Are coleopod spine length and number related to weather in *Centrobolus Cook*, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 16-23, 2022. http://www.ijesird.com/5_jul_22.PDF.
- 185.M. I. Cooper, "Are coleopod spine length and number related to mass in *Centrobolus Cook*, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 24-26, 2022. http://www.ijesird.com/6_jul_22.PDF.
- 186.M. I. Cooper, "Is mass related to latitude, longitude, and weather in *Centrobolus Cook*, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 27-32, 2022. https://www.ijesird.com/7_jul_22.PDF.
- 187.M. I. Cooper, "ARE MATING FREQUENCIES RELATED TO ABSOLUTE ABUNDANCE IN *CENTROBOLUS COOK*, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 33-37, 2022. https://www.ijesird.com/8_jul-22.PDF.
- 188.M. I. Cooper, "DOES COPULATION DURATION VARY WITH SEX RATIO IN THE RED MILLIPEDE *CENTROBOLUS INSCRIPTUS* (ATTEMPS, 1928)?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 38-40, 2022. https://www.ijesird.com/9_jul_22.PDF.
- 189.M. I. Cooper, "IS A PROMINENT STERNITE RELATED TO WEATHER IN *CENTROBOLUS COOK*, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 41-44, 2022. https://www.ijesird.com/10_jul_22.PDF.
- 190.M. I. Cooper, "ARE MATING FREQUENCIES RELATED TO SEX RATIO IN *CENTROBOLUS COOK*, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 45-48, 2022. https://www.ijesird.com/11_jul_22.PDF.
- 191.M. I. Cooper, "ARE MATING FREQUENCIES RELATED TO SEXUAL SIZE DIMORPHISM IN *CENTROBOLUS COOK*, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 49-51, 2022. https://www.ijesird.com/12_jul_22.PDF.
- 192.M. Cooper, "ARE MATING FREQUENCIES RELATED TO MOMENTS OF INERTIA ACROSS THE SEXES IN *CENTROBOLUS COOK*, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 52-55, 2022. https://www.ijesird.com/13_jul_22.PDF.
- 193.M. I. Cooper, "ARE MATING FREQUENCIES RELATED TO TARSAL PAD LENGTH IN *CENTROBOLUS COOK*, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 2, pp. 1-4, 2022. https://www.ijesird.com/1_aug_22.PDF.
- 194.M. Cooper, "IS COPULATION DURATION RELATED TO TARSAL PAD LENGTH IN *CENTROBOLUS COOK*, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 2, pp. 65-67, 2022. https://www.ijesird.com/3_aug_22.PDF.
- 195.M. Cooper, "ARE ABSOLUTE ABUNDANCES RELATED TO TARSAL PAD LENGTH IN *CENTROBOLUS COOK*, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 2, pp. 68-70, 2022. https://www.ijesird.com/4_aug_22.PDF.
- 196.M. I. Cooper, "ARE MATING FREQUENCIES RELATED TO MALE AND FEMALE SIZE IN *CENTROBOLUS COOK*, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 2, pp. 71-76, 2022. https://www.ijesird.com/5_aug_22.PDF.
- 197.M. Cooper, "DOES EJACULATE VOLUME VARY WITH ABSOLUTE ABUNDANCE IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 2, pp. 77-79, 2022. https://www.ijesird.com/6_aug_22.PDF.
- 198.M. I. Cooper, "THE MOMENTS OF INERTIA TIE-UP WITH FEMALE SIZE, HOURS OF SUNSHINE THROUGHOUT THE YEAR, LATITUDE, LONGITUDE, AND MINIMUM TEMPERATURE IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897," Universe Int. J. Interdiscip. Res., vol. 3, no. 2, pp. 6-12, 2022. <https://www.doi-ds.org/doi/10.22214/2022-76913842/UIJIR>.
- 199.M. I. COOPER, "ARE MATING FREQUENCIES RELATED TO EJACULATE VOLUMES IN *CENTROBOLUS COOK*, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 3, pp. 93-95, 2022. https://www.ijesird.com/aug_ten.PDF.
- 200.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH FEMALE WIDTH IN FOREST MILLIPEDES *CENTROBOLUS COOK*, 1897?" Munis Entomol. Zool., vol. 17(supplement), pp. 1562-1565, 2022.
- 201.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH THE HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST MILLIPEDES *CENTROBOLUS COOK*, 1897?" Munis Entomol. Zool., vol. 17(supplement), pp. 1596-1602, 2022.
- 202.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH BODY MASS IN FOREST MILLIPEDES *CENTROBOLUS COOK*, 1897?"

- Munis Entomol. Zool. Suppl., vol. 17(supplement), pp. 1621-1624, 2022.
203. M. COOPER, "IS SIZE OR SSD RELATED TO ABUNDANCE IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development., vol. 9, no. 3, pp. 96-102, 2022. https://www.ijesird.com/sep_one.PDF.
204. M. I. COOPER, "IS A PROMINENT STERNITE RELATED TO SEX RATIOS AND ABUNDANCE IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 3, pp. 103-106, 2022. https://www.ijesird.com/sep_two_6.PDF.
205. M. I. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH FEWEST DAILY HOURS OF SUNSHINE IN RED MILLIPEDES CENTROBOLUS COOK, 1897?" Universe Int. J. Interdiscip. Res., vol. 3, no. 3, pp. 89-92, 2022. <https://www.doids.org/doi/10.2022-94655978/UIJIR>.
206. M. COOPER, "DOES (PREDICTED) MASS CORRELATE WITH MATING FREQUENCIES IN CENTROBOLUS COOK, 1897?" Universe Int. J. Interdiscip. Res., vol. 3, no. 4, pp. 141-19, 2022.
207. M. I. COOPER, "IS MASS CORRELATED WITH LENGTH AMONG RED MILLIPEDES CENTROBOLUS COOK, 1897?" Universe Int. J. Interdiscip. Res., vol. 3, no. 5, pp. 190-196, 2022. <https://www.doids.org/doi/10.2022-82684698/UIJIR>. <https://uijir.com/wp-content/uploads/2022/11/20-221012-UIJIR.pdf>.
208. M. I. Cooper, "ABUNDANCE IS RELATED TO SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIOS IN CENTROBOLUS COOK, 1897," Universe Int. J. Interdiscip. Res., vol. 3, no. 5, pp. 231-240, 2022. <https://www.doids.org/doi/10.2022-99614928/UIJIR>. <http://hdl.handle.net/10019.1/125794>.
209. M. I. COOPER, "ARE SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIO RELATED TO SEX RATIOS IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 5, pp. 140-145, 2022. http://ijesird.com/nov_1.PDF.
210. M. I. COOPER, "ARE SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIO RELATED TO COPULATION DURATION IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 4, pp. 146-151, 2022. http://ijesird.com/nov_2.PDF.
211. M. I. Cooper, "DOES EJACULATE VOLUME VARY WITH SURFACE AREA AND SURFACE AREA TO VOLUME RATIO IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 5, pp. 152-154, 2022. http://ijesird.com/nov_3.PDF. <http://hdl.handle.net/10019.1/125795>.
212. M. I. COOPER, "MATING FREQUENCY IS RELATED TO SURFACE AREA AND SURFACE-AREA-TO VOLUME RATIOS IN CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 5, pp. 155-161, 2022. http://ijesird.com/nov_4.PDF. <http://hdl.handle.net/10019.1/125795>.
213. M. I. COOPER, "ARE SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIO RELATED TO LATITUDE AND LONGITUDE IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 5, pp. 162-167, 2022. http://ijesird.com/nov_5.PDF.
214. M. I. COOPER, "MOMENTS OF INERTIA COVARY WITH SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 5, pp. 168-173, 2022. http://ijesird.com/nov_6.PDF.
215. M. Cooper, "TARSAL PAD LENGTHS ARE RELATED TO SURFACE-AREA-TO-VOLUME RATIOS IN CENTROBOLUS COOK, 1897," Universe Int. J. Interdiscip. Res., vol. 3, no. 6, pp. 27-33, 2022.
216. M. I. Cooper, "SURFACE-AREA-TO-VOLUME IS RELATED TO SEXUAL SIZE DIMORPHISM ACROSS CENTROBOLUS COOK, 1897," Universe Int. J. Interdiscip. Res., vol. 3, no. 6, pp. 34-42, 2022.
217. M. Cooper, "SEX RATIO VARIES WITH AVERAGE TEMPERATURE IN RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 6, pp. 174-178, 2022. <http://ijesird.com/DEC1.PDF>.
218. M. Cooper, "SEX RATIO VARIES WITH MINIMUM TEMPERATURE IN RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 6, pp. 179-183, 2022. <http://ijesird.com/DEC2.PDF>.
219. M. Cooper, "SEX RATIO VARIES WITH MAXIMUM TEMPERATURE IN RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 6, pp. 184-188, 2022. <http://ijesird.com/DEC3.PDF>.
220. M. Cooper, "SEX RATIO VARIES WITH PRECIPITATION IN RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 6, pp. 189-193, 2022. <http://ijesird.com/DEC4.PDF>.

221. M. Cooper, "SEX RATIO VARIES WITH HUMIDITY IN RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 6, pp. 194-198, 2022. <http://ijesird.com/DEC5.PDF>.
222. M. Cooper, "SEX RATIO VARIES WITH RAINY DAYS IN RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 6, pp. 199-203, 2022. <http://ijesird.com/DEC6.PDF>.
223. M. Cooper, "SEX RATIO VARIES WITH AVERAGE SUN HOURS IN RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 6, pp. 204-207, 2022. <http://ijesird.com/DEC7.PDF>.
224. M. I. Cooper, "VOLUME IS RELATED TO SURFACE-AREA-TO-VOLUME ACROSS CENTROBOLUS COOK, 1897," Universe Int. J. Interdiscip. Res., vol. 3, no. 6, pp. 83-91, 2022.
225. M. L. Hamer, "Checklist of Southern African millipedes (Myriapoda: Diplopoda)," Annals of the Natal Museum, vol. 39, no. 1, pp. 11-82, 1998.
226. R. F. Lawrence, "The Spiroboloidea (Diplopoda) of the eastern half of Southern Africa*," Annals of the Natal Museum, vol. 18, no. 3, pp. 607-646, 1967.
227. R. P. Mailula, "Taxonomic revision and Red List assessment of the red millipede genus *Centrobolus* (Spirobolida: Pachybolidae) of South Africa," The University of Kwazulu Natal, pp. 289, 2021.
228. COOPER, MARK IAN. THE SURFACE AREA IS RELATED TO MATING FREQUENCIES ACROSS SYMPATRIC *CENTROBOLUS ANULATUS* (ATTEMPS, 1934) AND *C. INSCRIPTUS* (ATTEMPS, 1928). Universe Int. J. Interdiscip. Res. 2022; 3(7): 11-20. <http://www.doi-ds.org/doi/10.2022-39677929/UIJIR>.
229. Cooper Mark I. 2023. PRECIPITATION DURING THE DRIEST MONTH IS marginally RELATED TO LONGITUDE ACROSS THE DISTRIBUTION OF RED MILLIPEDES CENTROBOLUS COOK, 1897. *Munis Entomology & Zoology*, 18(1): 339-341. http://www.munisentzool.org/Issue/abstract/precipitation-during-the-driest-month-is-marginally-related-to-longitude-across-the-distribution-of-red-millipedes-centrobolus-cook-1897_13915.
230. Cooper Mark I. 2023. DOES SEXUAL SIZE DIMORPHISM VARY WITH THE FEWEST DAILY HOURS OF SUNSHINE IN RED MILLIPEDES CENTROBOLUS COOK, 1897? *Munis Entomology & Zoology*, 18(1): 373-375. http://www.munisentzool.org/Issue/abstract/does-sexual-size-dimorphism-vary-with-the-fewest-daily-hours-of-sunshine-in-red-millipedes-centrobolus-cook-1897_13918.
231. Cooper Mark I. 2023. THE HIGHEST DAILY HOURS OF SUNSHINE ARE RELATED TO LONGITUDE ACROSS THE DISTRIBUTION OF PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. *Munis Entomology & Zoology*, 18(1): 385-387. http://www.munisentzool.org/Issue/abstract/the-highest-daily-hours-of-sunshine-are-related-to-longitude-across-the-distribution-of-pill-millipedes-sphaerotherium-brandt-1833_13920. <http://hdl.handle.net/10019.1/125806>.
232. Cooper Mark I. 2023. IS MASS CORRELATED WITH LENGTH AMONG RED MILLIPEDES CENTROBOLUS COOK, 1897? *Munis Entomology & Zoology*, 18(1): 404-408. http://www.munisentzool.org/Issue/abstract/is-mass-correlated-with-length-among-red-millipedes-centrobolus-cook-1897_13922. <http://hdl.handle.net/10019.1/125806>.
233. Cooper, Mark I. 2023. QUASIPROBABLE SOLUTION OF RAINY DAY VARIATIONS FOR SET MATING FREQUENCIES AND MALE AND FEMALE LENGTHS IN *CENTROBOLUS COOK*, 1897. *Munis Entomology & Zoology*, 18(1): 620-624. http://www.munisentzool.org/Issue/abstract/quasiprobable-solution-of-rainy-day-variations-for-set-mating-frequencies-and-male-and-female-lengths-in-centrobolus-cook-1897_13947.
234. Cooper, Mark I. 2023. SECOND POLAR MOMENTS OF AREA IN MALE AND FEMALE *CENTROBOLUS COOK*, 1897. *Munis Entomology & Zoology*, 18(1): 643-646. http://www.munisentzool.org/Issue/abstract/second-polar-moments-of-area-in-male-and-female-centrobolus-cook-1897_13951.
235. Cooper M. SECOND POLAR MOMENTS OF INERTNESS WITH TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Universe Int. J. Interdiscip. Res. 2023; 3(8): 11-32. <http://www.doi-ds.org/doi/10.2023-86516136/UIJIR>.
236. Cooper, Mark I. CURVED SURFACE AREAS IN *CENTROBOLUS COOK*, 1897. Universe Int. J. Interdiscip. Res. 2023; 3(8): 81-116. <http://www.doi-ds.org/doi/10.2023-92114597/UIJIR>.
237. Cooper, Mark I. SEXUAL SIZE DIMORPHISM MAY BE RELATED TO SEX RATIOS IN *CENTROBOLUS COOK*, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 9(8): 252-257. http://www.ijesird.com/FAB_1_23.PDF.
238. COOPER, MARK. ABUNDANCE VARIES WITH MINIMUM TEMPERATURE IN RED MILLIPEDES CENTROBOLUS COOK, 1897. International Journal of Engineering Science Invention Research &

- Development. 2023; 9(8): 258-262.
http://www.ijesird.com/Fab_2_23.PDF.
- 239.COOPER, MARK. MATING FREQUENCIES VARY WITH RAINY DAYS IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 9(8): 263-270.
http://www.ijesird.com/Fab_3_23.PDF.
- 240.COOPER, MARK. THE INVERSE LATITUDINAL GRADIENT IN SPECIES RICHNESS OF FOREST MILLIPEDES: PACHYBOLIDAE COOK, 1897. International Journal of Scientific Research, Technology & Innovation in Multidisciplinary Studies. 9th April 2023. Volume 4, pp. 80-89.
- 241.COOPER, MARK. AN INVERSE LATITUDINAL GRADIENT IN SPECIES RICHNESS OF FOREST RED MILLIPEDES *CHERSASTUS ATTEMS*, 1926 AND *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(2): 5-23.
http://www.ijesird.com/aug_2023_1.pdf
- 242.Cooper M. (FEMALE) SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO SEXUAL SIZE DIMORPHISM IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(2): 24-36.
http://www.ijesird.com/aug_2023_2.pdf
- 243.Cooper M. SURFACE AREA IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(2): 37-53.
http://www.ijesird.com/aug_2023_3.pdf
- 244.Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(2): 54-65.
http://www.ijesird.com/aug_2023_4.pdf.
- 245.Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO (MALE) MASS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(2): 66-76.
http://www.ijesird.com/aug_2023_5.pdf.
- 246.Cooper M. MALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO COPULATION DURATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(2): 77-88.
http://www.ijesird.com/aug_2023_6.pdf.
- 247.Cooper M. MALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO ABUNDANCE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(2): 89-99.
http://www.ijesird.com/aug_2023_7.pdf.
- 248.Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 266-282.
- 249.Cooper Mark. SURFACE AREA-TO-VOLUME RATIO ARE RELATED TO SECOND POLAR MOMENTS OF INERTNESS IN *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 249-265.
- 250.Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 231-248.
- 251.Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 214-230.
https://ijesird.com/sep8_23.pdf.
- 252.Cooper Mark. STERNITE PROMINENCE IS RELATED TO SECOND POLAR MOMENTS OF INERTNESS IN *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 198-213.
- 253.Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 181-197.
- 254.Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 164-180.
- 255.Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 147-163.
http://www.ijesird.com/sep4_23.pdf.

256. Cooper Mark. CURVED SURFACE AREA IS RELATED TO SECOND POLAR MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 130-146.
257. Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 129-145. http://www.ijesird.com/sep2_23.pdf.
258. Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 113-128.
259. COOPER, MARK. THE INVERSE LATITUDINAL GRADIENT IN SPECIES RICHNESS OF FOREST MILLIPEDES: *PACHYBOLIDAE* COOK, 1897. International Journal of Scientific Research, Technology & Innovation in Multidisciplinary Studies. 9th April 2023. Volume 4, pp. 80-89.
260. Cooper, Mark I. CURVED SURFACE AREAS IN *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2023; 3(8): 81-116. <http://www.doi-ds.org/doi/10.2023-92114597/UIJIR>.
261. Cooper M. SECOND POLAR MOMENTS OF INERTNESS WITH TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2023; 3(8): 11-32. <http://www.doi-ds.org/doi/10.2023-86516136/UIJIR>.
262. Cooper M. CURVED SURFACE AREA IS RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 330-348. http://www.ijesird.com/oct1_23.pdf.
263. Cooper M. SPECIES RICHNESS IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 349-367. http://www.ijesird.com/oct2_23.pdf.
264. Cooper M. SPECIES RICHNESS IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 368-385. http://www.ijesird.com/oct3_23.pdf.
265. Cooper M. SPECIES RICHNESS IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 386-402. http://www.ijesird.com/oct4_23.pdf.
266. Cooper M. SPECIES RICHNESS IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 403-420. http://www.ijesird.com/oct5_23.pdf.
267. Cooper M. SPECIES RICHNESS IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 421-438. http://www.ijesird.com/oct6_23.pdf.
268. Cooper M. SPECIES RICHNESS IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 439-455. http://www.ijesird.com/oct7_23.pdf.
269. Cooper M. SPECIES RICHNESS IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 456-472. http://www.ijesird.com/oct8_23.pdf.
270. Cooper M. SPECIES RICHNESS IS MARGINALLY RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 473-490. http://www.ijesird.com/oct9_23.pdf.
271. Cooper M. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO SPECIES RICHNESS IN *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 491-508. http://www.ijesird.com/oct10_23.pdf.
272. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO AVERAGE TEMPERATURE VARIATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 515-534. http://www.ijesird.com/oct_12_23.pdf.
273. Cooper M. MALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 535-553. http://www.ijesird.com/oct_13_23.pdf.

274. Cooper M. SEXUAL SIZE DIMORPHISM IS CORRELATED TO MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 554-572. http://www.ijesird.com/oct_14_23.pdf.
275. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE DIFFERENT IN AND BETWEEN TWO PAIRS OF FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 573-592. http://www.ijesird.com/nov_1_23.pdf.
276. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MATING FREQUENCIES, SPECIES VOLUME AND SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 593-620. http://www.ijesird.com/nov_2_23.pdf.
277. Cooper M. HIGHEST DURATION OF SUNSHINE IS RELATED TO MALE SECOND POLAR MOMENTS OF INERTNESS IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 621-641. http://www.ijesird.com/nov_3_23.pdf.
278. Cooper M. I. MATING FREQUENCY MAY BE RELATED TO AT LEAST SIXTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 646-672. http://www.ijesird.com/nov_5_23.pdf.
279. Cooper M. SEXUAL SIZE DIMORPHISM IS CORRELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 673-699. http://www.ijesird.com/nov_6_23.pdf.
280. Cooper M. AVERAGE TEMPERATURE, MINIMUM TEMPERATURE, MAXIMUM TEMPERATURE, PRECIPITATION, HUMIDITY, RAINY DAYS, AND AVERAGE SUN HOURS ACROSS THE DISTRIBUTION OF *CENTROBOLUS* IN SOUTHERN AFRICA. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 700-726. http://www.ijesird.com/nov_7_23.pdf.
281. COOPER M. LENGTH IS RELATED TO AT LEAST THIRTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 727-758. http://www.ijesird.com/nov_8_23.pdf.
282. COOPER M. I. WIDTH IS RELATED TO AT LEAST ELEVEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 759-791. http://www.ijesird.com/nov_9_23.pdf.
283. COOPER M. I. SURFACE AREA IS RELATED TO AT LEAST TEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 792-819. http://www.ijesird.com/nov_10_23.pdf.
284. Cooper Mark. VOLUMES ARE DIFFERENT BETWEEN THE SEXES OF A PAIR OF SYMPATRIC FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (In Prep.).
285. Cooper Mark. CURVED SURFACE AREAS ARE DIFFERENT BETWEEN THE SEXES OF A PAIR OF SYMPATRIC FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (In Prep.).
286. Cooper Mark. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO SPECIES RICHNESS IN *CENTROBOLUS COOK*, 1897. (In Prep.).
287. Cooper Mark. SURFACE AREA IS RELATED TO AT LEAST TEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (In Prep.).
288. Cooper Mark. ABUNDANCE IS RELATED TO AT LEAST SEVEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (In Prep.).
289. Cooper Mark. MATING FREQUENCY IS RELATED TO AT LEAST FIFTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (In Prep.).
290. Cooper Mark. WIDTH IS RELATED TO AT LEAST NINE FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (In Prep.).
291. Cooper Mark. LENGTH IS RELATED TO AT LEAST TEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (In Prep.).
292. Cooper Mark. COPULATION DURATION IS RELATED TO AT LEAST EIGHT FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (In Prep.).
293. Cooper Mark. CURVED SURFACE AREA IS RELATED TO AT LEAST EIGHTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (In Prep.).
294. Cooper Mark. SPECIES RICHNESS IS RELATED TO AT LEAST EIGHT FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. (In Prep.).

295. Cooper Mark. MASS IS RELATED TO NINE FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
296. Cooper Mark. SPECIES RICHNESS IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
297. Cooper Mark. SPECIES RICHNESS IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
298. Cooper Mark. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO SPECIES RICHNESS IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
299. Cooper Mark. COPULATION DURATION IS MODELLED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
300. Cooper Mark. LENGTH IS marginally RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
301. Cooper Mark. ALTITUDE IS TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
302. Cooper Mark. ALTITUDE IS RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
303. Cooper Mark. AVERAGE TEMPERATURE VARIATION IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
304. Cooper Mark. SPECIES RICHNESS IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
305. Cooper Mark. MASS IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
306. Cooper Mark. ALTITUDE IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
307. Cooper Mark. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
308. Cooper Mark. Minimum precipitation correlates with maximum precipitation in pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
309. Cooper Mark. Minimum precipitation correlates with the month with the most daily hours of sunshine in pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
310. Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
311. Cooper Mark. MINIMUM PRECIPITATION IS RELATED MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
312. Cooper Mark. MAXIMUM PRECIPITATION IS marginally RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
313. Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
314. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS marginally RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
315. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
316. Cooper Mark. CURVED SURFACE AREA IS RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
317. Cooper Mark. SEXUAL SIZE DIMORPHISM IS marginally CORRELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
318. Cooper Mark. HIGHEST RELATIVE HUMIDITY IS RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
319. Cooper Mark. LOWEST RELATIVE HUMIDITY IS RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
320. Cooper Mark. ABUNDANCE IS RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
321. Cooper Mark. ABUNDANCE IS RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
322. Cooper Mark. MATING FREQUENCIES ARE RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
323. Cooper Mark. MATING FREQUENCIES ARE RELATED TO MINIMUM PRECIPITATION IN

- FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
324. Cooper Mark. COPULATION DURATION IS RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
325. Cooper Mark. MAXIMUM PRECIPITATION IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
326. Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
327. Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO MASS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
328. Cooper Mark. MAXIMUM PRECIPITATION IS RELATED TO MASS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
329. Cooper Mark. MAXIMUM PRECIPITATION IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
330. Cooper Mark. MAXIMUM PRECIPITATION IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
331. Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
332. Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
333. Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
334. Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
335. Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
336. Cooper Mark. Hours of sunshine each month correlates with the month with the lowest daily hours of sunshine in pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
337. Cooper Mark. Hours of sunshine each month correlates with the month with the most daily hours of sunshine in pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
338. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNILGHT IS RELATED TO MATING FREQUENCY IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
339. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNILGHT IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
340. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNILGHT IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
341. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
342. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
343. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
344. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
345. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
346. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
347. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
348. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
349. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).

350. Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
351. Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO THE AVERAGE MONTHLY DURATION OF SUNLIGHT IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
352. Cooper Mark. ABUNDANCE IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
353. Cooper Mark. ABUNDANCE IS RELATED TO MAXIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
354. Cooper Mark. ABUNDANCE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
355. Cooper Mark. MATING FREQUENCIES ARE RELATED TO MAXIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
356. Cooper Mark. MATING FREQUENCIES ARE RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
357. Cooper Mark. MATING FREQUENCIES ARE RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
358. Cooper Mark. LENGTH IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
359. Cooper Mark. WIDTH IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
360. Cooper Mark. VOLUME IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
361. Cooper Mark. PRECIPITATION IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
362. Cooper Mark. CURVED SURFACE AREA IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
363. Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
364. Cooper Mark. MINIMUM TEMPERATURE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
365. Cooper Mark. MAXIMUM TEMPERATURE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
366. Cooper Mark. SURFACE AREA IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
367. Cooper Mark. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
368. Cooper Mark. MEAN OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST NUMBER OF DAILY HOURS OF SUNSHINE IN A MONTH IN FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
369. Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
370. Cooper Mark. TEMPERATURE IS RELATED MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
371. Cooper Mark. SEXUAL SIZE DIMORPHISM IS CORRELATED TO MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
372. Cooper Mark. TEMPERATURE IS RELATED MINIMUM OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
373. Cooper Mark. SEXUAL SIZE DIMORPHISM IS CORRELATED TO MINIMUM OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
374. Cooper Mark. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST NUMBER OF DAILY HOURS OF SUNSHINE IN A

- MONTH IN FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 375.Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE NEAR FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 376.Cooper Mark. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 377.Cooper Mark. SURFACE AREA IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 378.Cooper Mark. MAXIMUM TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 379.Cooper Mark. MINIMUM TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 380.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 381.Cooper Mark. HIGHEST RELATIVE HUMIDITY IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 382.Cooper Mark. CURVED SURFACE AREA IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 383.Cooper Mark. PRECIPITATION IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 384.Cooper Mark. VOLUME IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 385.Cooper Mark. WIDTH IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 386.Cooper Mark. LENGTH IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 387.Cooper Mark. WIDTH IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FORESTRED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 388.Cooper Mark. LENGTH IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FORESTRED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 389.Cooper Mark. LOWEST RELATIVE HUMIDITY IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 390.Cooper Mark. HIGHEST RELATIVE HUMIDITY IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 391.Cooper Mark. CURVED SURFACE AREA IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
- 392.Cooper Mark. PRECIPITATION IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 393.Cooper Mark. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 394.Cooper Mark. SURFACE AREA IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 395.Cooper Mark. MAXIMUM TEMPERATURE IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 396.Cooper Mark. MINIMUM TEMPERATURE IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 397.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO HIGHEST OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 398.Cooper Mark. LATITUDE IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES

- NEAR COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 399.Cooper Mark. LONGITUDE IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 400.Cooper Mark. AVERAGE TEMPERATURE IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 401.Cooper Mark. AVERAGE TEMPERATURE VARIATION IS RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 402.Cooper Mark. CURVED SURFACE AREA IS RELATED AVERAGE TEMPERATURE VARIATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 403.Cooper Mark. AVERAGE TEMPERATURE VARIATION IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 404.Cooper Mark. CURVED SURFACE AREA IS RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 405.Cooper Mark. CURVED SURFACE AREA IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 406.Cooper Mark. CURVED SURFACE AREA IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 407.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 408.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 409.Cooper Mark. MINIMUM TEMPERATURE IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 410.Cooper Mark. MINIMUM TEMPERATURE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 411.Cooper Mark. TEMPERATURE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 412.Cooper Mark. PRECIPITATION IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 413.Cooper Mark. PRECIPITATION IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 414.Cooper Mark. HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 415.Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 416.Cooper Mark. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 417.Cooper Mark. SPECIES RICHNESS IS NOT RELATED TO DISTANCE TO THE NEAREST AIRPORT IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 418.Cooper Mark. MATING FREQUENCY IS RELATED to DISTANCE TO THE NEAREST AIRPORT IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 419.Cooper Mark. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 420.Cooper Mark. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 421.Cooper Mark. STERNITE PROMINENCE IS RELATED TO ABUNDANCE IN CENTROBOLUS COOK, 1897. (In Prep.).
- 422.Cooper Mark. MATING FREQUENCY IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 423.Cooper Mark. Surface area to volume ratio correlates with the month with the lowest daily hours of sunshine in pill millipedes *Sphaerotherium* Brandt, 1833. (In Prep.).
- 424.Cooper Mark. Surface area to volume ratio correlates with the month with the most daily hours of sunshine in pill millipedes *Sphaerotherium* Brandt, 1833. (In Prep.).
- 425.Cooper Mark. Male surface area to volume ratio tracks average temperature in pill millipedes *Sphaerotherium* Brandt, 1833. (In Prep.).
- 426.Cooper Mark. ABUNDANCE IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED

- MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
427. Cooper Mark. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
428. Cooper Mark. LOWEST RELATIVE HUMIDITY IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
429. Cooper Mark. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN CENTROBOLUS COOK, 1897. (In Prep.).
430. Cooper Mark. FEMALE SURFACE AREA-TO-VOLUME RATIO IS RELATED TO MINIMUM TEMPERATURE IN CENTROBOLUS COOK, 1897. (In Prep.).
431. Cooper Mark. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO TEMPERATURE IN CENTROBOLUS COOK, 1897. (In Prep.).
432. Cooper Mark. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN CENTROBOLUS COOK, 1897. (In Prep.).
433. Cooper Mark. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN CENTROBOLUS COOK, 1897. (In Prep.).
434. Cooper Mark. STERNITE PROMINENCE IS RELATED TO LOWEST RELATIVE HUMIDITY IN CENTROBOLUS COOK, 1897. (In Prep.).
435. Cooper Mark. Surface area to volume ratio correlates with the lowest average temperature in pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
436. Cooper Mark. Male surface area to volume ratio correlates with female surface area to volume ratio in pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
437. Cooper Mark. Male surface area to volume ratio correlates with the lowest average temperature in pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
438. Cooper Mark. Mean annual temperature varies with the lowest average temperature in determining the size of female pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
439. Cooper Mark. Mean annual temperature varies with the highest average temperature in determining the size of female pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
440. Cooper Mark. The driest months varies with the distance to the closest airport across the distribution of pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
441. Cooper Mark. The wettest months varies with the distance to the closest airport across the distribution of pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
442. Cooper Mark. The difference between the driest and wettest months varies with the distance to the closest airport across the distribution of pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
443. Cooper Mark. SURFACE AREA IS RELATED TO WIDTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
444. Cooper Mark. SURFACE AREA IS RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
445. Cooper Mark. SPECIES RICHNESS IS MARGINALLY RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
446. Cooper Mark. SPECIES RICHNESS IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
447. Cooper Mark. SPECIES RICHNESS IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
448. Cooper Mark. SPECIES RICHNESS IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
449. Cooper Mark. MOMENTS OF INERTIA ARE RELATED TO WIDTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
450. Cooper Mark. MOMENTS OF INERTIA ARE RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
451. Cooper Mark. WIDTH MODELS WITH MATING FREQUENCY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
452. Cooper Mark. FEMALE WIDTH IS RELATED TO LOWEST NUMBER OF HOURS OF SUNSHINE IN A DAY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
453. Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
454. Cooper Mark. WIDTH IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
455. Cooper Mark. LENGTH IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).

- 456.Cooper Mark. WIDTH IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 457.Cooper Mark. LENGTH IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 458.Cooper Mark. CURVED SURFACE AREA IS RELATED TO WIDTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 459.Cooper Mark. CURVED SURFACE AREA IS RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 460.Cooper Mark. CURVED SURFACE AREA IS RELATED TO SEX RATIO IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
- 461.Cooper Mark. COPULATION DURATION IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 462.Cooper Mark. CURVED SURFACE AREA IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 463.Cooper Mark. CURVED SURFACE AREA IS RELATED TO MASS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 464.Cooper Mark. CURVED SURFACE AREA IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDESCENTROBOLUS COOK, 1897. (In Prep.).
- 465.Cooper Mark. CURVED SURFACE AREA IS RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 466.Cooper Mark. CURVED SURFACE AREA IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 467.Cooper Mark. CURVED SURFACE AREA IS RELATED TO LOWEST HOURS OF SUNSHINE IN A DAY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 468.Cooper Mark. CURVED SURFACE AREA IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 469.Cooper Mark. CURVED SURFACE AREA IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 470.Cooper Mark. VOLUME IS CORRELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 471.Cooper Mark. MASS IS CORRELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
- 472.Cooper Mark. MASS IS CORRELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 473.Cooper Mark. MASS IS CORRELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 474.Cooper Mark. MASS IS CORRELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 475.Cooper Mark. COPULATION DURATION IS MODELLED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 476.Cooper Mark. COPULATION DURATION IS MODELLED TO AVERAGE TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 477.Cooper Mark. COPULATION DURATION IS MODELLED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 478.Cooper Mark. MATING FREQUENCY IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 479.Cooper Mark. MATING FREQUENCY IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 480.Cooper Mark. MATING FREQUENCY IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 481.Cooper Mark. MATING FREQUENCY IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 482.Cooper Mark. MATING FREQUENCY IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 483.Cooper Mark. MATING FREQUENCY IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).

484. Cooper Mark. MATING FREQUENCY IS RELATED HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
485. Cooper Mark. TEMPERATURE IS RELATED MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
486. Cooper Mark. TEMPERATURE IS RELATED MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
487. Cooper Mark. PRECIPITATION IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
488. Cooper Mark. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
489. Cooper Mark. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
490. Cooper Mark. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
491. Cooper Mark. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
492. Cooper Mark. COPULATION DURATION IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
493. Cooper Mark. MOMENTS OF INERTIA ARE RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
494. Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR ARE RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
495. Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
496. Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
497. Cooper Mark. COPULATION DURATION IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
498. Cooper Mark. LOWEST RELATIVE HUMIDITY IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
499. Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
500. Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
501. Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
502. Cooper Mark. LOWEST RELATIVE HUMIDITY IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
503. Cooper Mark. LOWEST RELATIVE HUMIDITY IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
504. Cooper Mark. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
505. Cooper Mark. MINIMUM TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
506. Cooper Mark. MAXIMUM TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
507. Cooper Mark. PRECIPITATION IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
508. Cooper Mark. PRECIPITATION IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
509. Cooper Mark. SURFACE AREA IS NOT RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).

510. Cooper Mark. SURFACE AREA IS NOT RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
511. Cooper Mark, MINIMUM TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
512. Cooper Mark. SURFACE AREA IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
513. Cooper Mark. SURFACE AREA IS NOT RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
514. Cooper Mark. SURFACE AREA IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
515. Cooper, M. I. AIR PRESSURE IS NOT RELATED TO SPECIES RICHNESS IN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 10(7): (submitted).
516. Cooper, M. I. FAVOURABLE RESULT OF A COMPLEX MODEL TO ACCOUNT FOR THE IRIDESCENT COLOURS IN WOODHOOPOE FEATHERS THROUGH GRADIENTS WITH CLIMATE II. ALTITUDE AND AIR PRESSURE. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1535-1537. http://www.ijesird.com/december_8.pdf.
517. Cooper, M. AIR PRESSURE IS RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1510-1534. http://www.ijesird.com/december_7.pdf.
518. COOPER M. I. ABUNDANCE IS RELATED TO AT LEAST SEVEN FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1088-1103. http://www.ijesird.com/December_6_23.pdf.
519. Cooper M. VOLUMES AND CURVED SURFACE AREAS ARE DIFFERENT BETWEEN THE SEXES OF A PAIR OF SYMPATRIC FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1074-1087. http://www.ijesird.com/December_5_23.pdf.
520. Cooper M. FACTORS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1039-1073. http://www.ijesird.com/DEcember_4_23.pdf.
521. COOPER M. I. PROBABLE SOLUTION OF RAINY DAY VARIATIONS FOR SET MATING FREQUENCIES AND MALE AND FEMALE WIDTHS IN CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1026-1038. http://www.ijesird.com/December_3_23.pdf.
522. Cooper, M. SURFACE AREA IS NOT RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS, PRECIPITATION OR MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1008-1025. http://www.ijesird.com/December_2_23.pdf.
523. Cooper M. I. COPULATION DURATION IS RELATED TO AT LEAST EIGHT FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 993-1007. http://www.ijesird.com/DEcember_1_23.pdf.
524. Cooper, M. CORRECTION: FEMALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 10 (IN PRESS). http://ijesird.com/chapter_.pdf.
525. Cooper, M. AIR PRESSURE IS NOT RELATED TO SPECIES RICHNESS IN PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 10(6): 1553-1556. http://ijesird.com/chapter_18.pdf.
526. Cooper, M. HIGH AIR PRESSURE IS RELATED TO LOW SPECIES RICHNESS IN GNOMESKELUS ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 10(6): 1548-1551. http://ijesird.com/chapter_17.pdf.
527. Cooper, M. I. AIR PRESSURE IS (INVERSELY) RELATED TO SPECIES RICHNESS IN DALODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 10(6): 1543-1547. http://ijesird.com/chapter_16.pdf.
528. Cooper, M. NO AIR PRESSURE-SPECIES RICHNESS RELATIONSHIP IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 10 (6): 1540-1542. http://ijesird.com/chapter_15.pdf.
529. COOPER M. CURVED SURFACE AREA IS RELATED TO AT LEAST TWENTY FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1438-1509. http://www.ijesird.com/chapter_14.pdf.
530. Cooper M. VOLUME IS RELATED TO OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1410-1437. http://www.ijesird.com/December_17_23.pdf.
531. Cooper M. FACTORS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1376-1409. http://www.ijesird.com/December_16_23.pdf.
532. COOPER M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS RELATED TO AT LEAST FOUR FACTORS AND MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO FIVE

- FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1355-1375. <http://www.ijesird.com/December 15 23.pdf>.
533. COOPER M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO TIME IN RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1354. <http://www.ijesird.com/December 14 23.pdf>.
534. Cooper M. I. AIR PRESSURE IS RELATED TO AT LEAST SEVEN FACTORS AND DISTANCE TO THE NEAREST AIRPORT IS RELATED TO AT LEAST THREE FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1330-1354. <http://www.ijesird.com/December 13 23.pdf>.
535. Cooper M. SURFACE AREA, SURFACE AREA TO VOLUME RATIO, AND CLIMATIC CORRELATES IN PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1299-1329. <http://www.ijesird.com/December12 23.pdf>.
536. Cooper Mark. DOES EJACULATE VOLUME, MASS AND COLEOPOD SPINE LENGTH AND NUMBER VARY WITH MOMENTS OF INERTIA AND SEX RATIO IN CENTROBOLUS COOK, 1897? Int. j. eng. sci. invention res. dev. 2023; 10(6): 1282-1298. <http://www.ijesird.com/December11 23.pdf>.
537. Cooper M. STERNITE PROMINENCE AND OCEAN WATER TEMPERATURE ARE RELATED TO ABUNDANCE IN CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1266-1281. <http://www.ijesird.com/December 10 23.pdf>.
538. Cooper M. FACTORS RELATED TO SUNSHINE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1146-1265. <http://www.ijesird.com/December 9 23.pdf>.
539. Cooper M. I. MASS IS RELATED TO NINE FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1126-1142. <http://www.ijesird.com/December 8 23.pdf>.
540. Cooper M. LOWEST RELATIVE HUMIDITY IS RELATED TO HIGHEST RELATIVE HUMIDITY, HIGHEST OCEAN WATER TEMPERATURE, STERNITE PROMINENCE AND MOMENTS OF INERTIA AND HIGHEST RELATIVE HUMIDITY IS RELATED TO ABUNDANCE, MINIMUM AND MAXIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1104-1125. <http://www.ijesird.com/December 7 23.pdf>.
541. Cooper M. CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF 23 LOCALITIES IN SOUTHERN AFRICA. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 820-992. <http://www.ijesird.com/nov 11 23.pdf>.
542. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).
543. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MASS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).
544. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).
545. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).
546. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).
547. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).
548. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).
549. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).
550. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).
551. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).
552. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO TOTAL HOURS OF SUNSHINE IN A YEAR IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).
553. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO HIGHEST

NUMBER OF DAILY HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).

554. Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).
555. Cooper, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).
556. Cooper, M. AIR PRESSURE IS NOT RELATED TO SPECIES RICHNESS IN PILL MILLIPEDES *SPHAEROTHERIIDAE* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).
557. Cooper, M. CORRECTION: AIR PRESSURE IS RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): (IN PRESS).

APPENDIX 1. The moments of inertia in *Centrobolus* Cook, 1897.

10.791
4.7021
4.00
1.36
8.9401
12.738
9.4659
9.3025
2.9376
16.078

APPENDIX 2. Hours of sunshine throughout the year (h) across the range of *Centrobolus* Cook, 1897 for which mass were recorded.

2699.92
2815.76
2654.59
3145.74
2699.92
2699.92
2815.76
2654.59
3145.74
2699.92