

LONGITUDE IS RELATED TO LATITUDE AND AIR PRESSURE IN FOREST PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833

M. IAN COOPER
University of South Africa.

Abstract- Latitude was tested for a correlation with longitude and air pressure in pill millipedes *Sphaerotherium* and *Kylindotherium*. The latitude was correlated with longitude (Pearson's $r=-0.7395$, $r^2=0.5469$, $n=47$, $p<0.00001$). The latitude was correlated with air pressure (Spearman's $r=-0.51164948$, Z score= -3.63992438 , $n=47$, $p=0.00013639$). The longitude was correlated with air pressure (Spearman's $r=-0.26616432$, Z score= -1.75714710 , $n=47$, $p=0.03944632$).

Keywords: air, latitude, longitude, Pill Millipedes, pressure.

I. INTRODUCTION

Pill millipedes are found in the southern African subregion with northern limits on the east coast being about -17° latitude S and southern limits being -35° latitude S. They are well represented in the littoral forests of the eastern half of the subcontinent [1-440]. It occurs in all the forests of the coastal belt from the Cape Peninsula to Beira in Mocambique [439]. These pill millipedes have female-biased sexual size dimorphism [44].

Here, the latitude and longitude was tested for a correlation with air pressure in *Sphaerotheriidae* Brandt, 1833.

II. MATERIALS AND METHODS

A correlation between latitude with longitude with air pressure was generated at <https://www.socscistatistics.com/tests/pearson/default2.aspx> (Appendix 1-2).

III. RESULTS

The latitude was correlated with longitude (Fig. 1: Pearson's $r=-0.7395$, $r^2=0.5469$, $n=47$, $p<0.00001$).




Fig. 1. Correlation between latitude (x) and longitude (y) across the range of *Sphaerotheriidae* Brandt, 1833.

The latitude was correlated with air pressure (Fig. 2: Spearman's $r=-0.51164948$, Z score= -3.63992438 , $n=47$, $p=0.00013639$).




Fig. 2. Correlation between latitude (Y) and air pressure (X) across the range of Sphaerotheriidae Brandt, 1833.

The longitude was correlated with air pressure (Fig. 3: Spearman's $r = -0.26616432$, Z score = -1.75714710 , $n = 47$, $p = 0.03944632$).




Fig. 3. Correlation between longitude (Y) and air pressure (X) across the range of Sphaerotheriidae Brandt, 1833.

IV. DISCUSSION

There is a correlation between latitude with the longitude and air pressure in Sphaerotheriidae. Because there is an inverse latitudinal diversity gradient in Sphaerotheriidae [123], and latitude correlates with longitude, there is an increase in diversity with longitude.

There is a correlation between latitude with the air pressure in Sphaerotheriidae. Because there is an inverse latitudinal diversity gradient in Sphaerotheriidae [123], there is an increase in diversity with a drop in air pressure.

There is a correlation between longitude with the air pressure in Sphaerotheriidae. Because there is an inverse latitudinal diversity gradient in Sphaerotheriidae [123], and latitude correlates

with longitude, there is an increase in diversity with a drop in air pressure.

REFERENCES

1. O. F. Cook, "New relatives of Spirobolus giganteus," Brandtia (A series of occasional papers on Diplopoda and other Arthropoda), vol. 18, pp. 73-75, 1897.
2. M. COOPER, "Sperm competition in the millipede Chersastus ruber (Diplopoda: Pachybolidae)," The University of Cape Town, pp. 1-29, 1995.
3. M. I. Cooper, S. R. Telford, "Sperm competition in three Chersastus millipedes (Diplopoda, Trigonulidae)," 26th Symposium of the Zoological Society of Southern Africa (Integrating Zoology: Subdisciplines and the Subcontinent), University of Pretoria, Pretoria, 8-12 July, p. 13, 1996. ISBN: 1-86854-059-6..
4. M. I. Cooper, "Ectoparasite-mediated sexual selection in spirobolid millipedes," In: Robertson, Hamish (ed.) Proceedings of the joint congress of the Entomological Society of Southern Africa (11th congress) and the African Association of Insect Scientists (12th congress), Stellenbosch, 30 June-4 July, pp. 223-224, 1997. ISBN : WISC:89058769605. (poster).
5. M. I. Cooper, "Indiscriminate male mating behaviour in spirobolid millipedes," 27th Symposium of the Zoological Society of Southern Africa, University of Cape Town, Cape Town, 7-11 July, p. 105, 1997.
6. M. Cooper, "MILLIPEDES AND THE "MINIATURE FIVE MILLION"," African Wildlife, vol. 52, no. 5, pp. 30-31, 1998..
7. M. I. COOPER, "MATING DYNAMICS OF SOUTH AFRICAN FOREST MILLIPEDES CENTROBOLUS (DIPLOPODA: PACHYBOLIDAE)," THE UNIVERSITY OF CAPE TOWN, pp. 1-141, 1998. <https://hdl.handle.net/11427/17555>.
8. M. Cooper, "Sexual selection in sympatric spirobolid millipedes," 28th Symposium of the Zoological Society of Southern Africa, University of Cape Town, 1998. (poster).
9. M. I. Cooper, M. A. du Plessis, "Biodiversity hotspots in the developing world," Trends in Ecology & Evolution, vol. 13, no. 10, pp. 409, 1998. ISSN 0169-5347, [https://doi.org/10.1016/S0169-5347\(98\)01469-4](https://doi.org/10.1016/S0169-5347(98)01469-4).
10. M. Cooper, "P2 or not P2?" 29th Symposium of the Zoological Society of Southern Africa, University of the North, Limpopo Province, July, 1999. (poster).
11. M. I. Cooper, S. R. Telford, "Copulatory Sequences and Sexual Struggles in Millipedes," Journal of Insect Behavior vol. 13, pp. 217-230, 2000. <https://doi.org/10.1023/A:1007736214299>.
12. M. I. Cooper, "Sex ratios, mating frequencies and relative abundance of sympatric millipedes in the genus Chersastus (Diplopoda: Pachybolidae)," Arthropods, vol. 3, no. 4, pp. 174-176, 2014.

13. M. I. Cooper, "Sexual size dimorphism and corroboration of Rensch's rule in *Chersastus millipedes* (Diplopoda: Pachybolidae)," *J. Entomol. Zool. Stud.* vol. 2, no. 6, pp. 264-266, 2014. DOI: 10.22271/j.ento.2014.v2.i6e.452 <http://www.entomoljournal.com/archives/2014/vol2issue6/PartE/47.pdf>.
14. M. I. Cooper, "Competition affected by re-mating interval in a myriapod," *J. Entomol. Zool. Stud.* vol. 3, no. 4, pp. 77-78, 2015. DOI: 10.22271/j.ento.2015.v3.i4b.550 <http://www.entomoljournal.com/archives/2015/vol3issue4/PartB/3-4-3.pdf>.
15. M. I. Cooper, "Elaborate gonopods in the myriapod genus *Chersastus* (Diplopoda: Trigoniulidae)," *J. Entomol. Zool. Stud.* vol. 3, no. 4, pp. 235-238, 2015. DOI: 10.22271/j.ento.2015.v3.i4d.573 <http://www.entomoljournal.com/archives/2015/vol3issue4/PartD/3-3-110.pdf>.
16. M. I. Cooper, "Sperm storage in *Centrobolus* spp. and observational evidence for egg simulation," *J. Entomol. Zool. Stud.* vol. 4, no. 1, pp. 127-129, 2016. DOI: 10.22271/j.ento.2016.v4.i1b.797 <https://www.entomoljournal.com/archives/2016/vol4issue1/PartB/3-6-81.pdf>.
17. M. I. Cooper, "Symmetry in ejaculate volumes of *Centrobolus inscriptus* Attems (Spiroboloidea: Trigoniulidae)," *International Journal of Entomological Research*, vol. 1, no. 2, pp. 14-15, 2016. <http://www.entomologyjournals.com/archives/2016/vol1/issue2>.
18. M. I. Cooper, "Confirmation of four species of *Centrobolus* Cook (Spirobolida: Trigoniulidae) based on gonopod ultrastructure," *Int. J. Entomol. Res.* vol. 1, no. 3, pp. 07-09, 2016. <http://www.entomologyjournals.com/archives/2016/vol1/issue3>.
19. M. I. Cooper, "Fire millipedes obey the female sooner norm in cross mating *Centrobolus* (Myriapoda)," *J. Entomol. Zool. Stud.* vol. 4, no. 1, pp. 173-174, 2016. DOI: 10.22271/j.ento.2016.v4.i1c.802 <http://www.entomoljournal.com/archives/2016/vol4issue1/PartC/3-5-82.pdf>.
20. M. I. Cooper, "Symmetry in ejaculate volumes of *Centrobolus inscriptus* Attems (Spiroboloidea: Trigoniulidae)," *J. Entomol. Zool. Stud.* vol. 4, no. 1, pp. 386-387, 2016. DOI: 10.22271/j.ento.2016.v4.i1f.833 <http://www.entomoljournal.com/archives/2016/vol4issue1/PartF/4-1-21.pdf>.
21. M. I. Cooper, "Instantaneous insemination in the millipede *Centrobolus inscriptus* (Spirobolida: Trigoniulidae) determined by artificially-terminated mating," *J. Entomol. Zool. Stud.* vol. 4, no. 1, pp. 487-490, 2016. DOI: 10.22271/j.ento.2016.v4.i1g.847 <http://www.entomoljournal.com/archives/2016/vol4issue1/PartG/4-1-50-695.pdf>.
22. M. I. Cooper, "Gonopod mechanics in *Centrobolus* Cook (Spirobolida: Trigoniulidae) II. Images," *J. Entomol. Zool. Stud.* vol. 4, no. 2, pp. 152-154, 2016. DOI: 10.22271/j.ento.2016.v4.i2c.890 <http://www.entomoljournal.com/archives/2016/vol4issue2/PartC/4-2-55.pdf>.
23. M. Cooper, "Post-insemination associations between males and females in Diplopoda," *J. Entomol. Zool. Stud.* vol. 4, no. 2, pp. 283-285, 2016. DOI: 10.22271/j.ento.2016.v4.i2d.908 <http://www.entomoljournal.com/archives/2016/vol4issue2/PartD/4-2-63.pdf>.
24. M. I. Cooper, "Heavier-shorter-wider females in the millipede *Centrobolus inscriptus* Attems (Spirobolida: Trigoniulidae)," *J. Entomol. Zool. Stud.* vol. 4, no. 2, pp. 509-510, 2016. DOI: 10.22271/j.ento.2016.v4.i2g.937 <http://www.entomoljournal.com/archives/2016/vol4issue2/PartG/4-3-60.pdf>.
25. M. I. Cooper, "Sexual bimaturism in the millipede *Centrobolus inscriptus* Attems (Spirobolida: Trigoniulidae)," *J. Entomol. Zool. Stud.* vol. 4, no. 3, pp. 86-87, 2016. DOI: 10.22271/j.ento.2016.v4.i3b.961 <http://www.entomoljournal.com/archives/2016/vol4issue3/PartB/4-3-44.pdf>.
26. M. I. Cooper, "Tarsal pads of *Centrobolus* Cook (Spiroboloidea: Trigoniulidae)," *J. Entomol. Zool. Stud.* vol. 4, no. 3, pp. 385-386, 2016. DOI: 10.22271/j.ento.2016.v4.i3f.1008 <http://www.entomoljournal.com/archives/2016/vol4issue3/PartF/4-3-40-751.pdf>.
27. M. I. Cooper, "Confirmation of four species of *Centrobolus* Cook (Spirobolida: Trigoniulidae) based on gonopod ultrastructure," *J. Entomol. Zool. Stud.* vol. 4, no. 4, pp. 389-391, 2016. DOI: 10.22271/j.ento.2016.v4.i4f.1065 <http://www.entomoljournal.com/archives/2016/vol4issue4/PartF/4-3-118-307.pdf>.
28. M. I. Cooper, "Sperm storage in *Centrobolus inscriptus* Attems (Spirobolida: Trigoniulidae)," *J. Entomol. Zool. Stud.* vol. 4, no. 4, pp. 392-393, 2016. DOI: 10.22271/j.ento.2016.v4.i4f.1066 <http://www.entomoljournal.com/archives/2016/vol4issue4/PartF/4-4-16-207.pdf>.
29. M. I. Cooper, "Sperm dumping in *Centrobolus inscriptus* Attems (Spirobolida: Trigoniulidae)," *J. Entomol. Zool. Stud.* vol. 4, no. 4, pp. 394-395, 2016. DOI: 10.22271/j.ento.2016.v4.i4f.1067 <http://www.entomoljournal.com/archives/2016/vol4issue4/PartF/4-4-17-663.pdf>.
30. M. I. Cooper, "Syncopulatory mate-guarding affected by predation in the aposematic millipede *Centrobolus inscriptus* in a swamp forest," *J. Entomol. Zool. Stud.* vol. 4, no. 6, pp. 483-484, 2016. DOI: 10.22271/j.ento.2016.v4.i6g.1376 <http://www.entomoljournal.com/archives/2016/vol4issue6/PartG/4-6-114-767.pdf>.
31. M. I. Cooper, "The relative sexual size dimorphism of *Centrobolus inscriptus* compared to 18 congenics," *J.*

- Entomol. Zool. Stud. vol. 4, no. 6, pp. 504-505, 2016. DOI: 10.22271/j.ento.2016.v4.i6g.1381
<http://www.entomoljournal.com/archives/2016/vol4issue6/PartG/4-6-123-254.pdf>.
32. M. I. Cooper, "Do females control the duration of copulation in the aposematic millipede *Centrobolus inscriptus*?" J. Entomol. Zool. Stud. vol. 4, no. 6, pp. 623-625, 2016. DOI: 10.22271/j.ento.2016.v4.i6i.1396
<http://www.entomoljournal.com/archives/2016/vol4issue6/PartI/4-6-133-214.pdf>.
33. M. I. Cooper, "The influence of male body mass on copulation duration in *Centrobolus inscriptus* (Attems)," J. Entomol. Zool. Stud. vol. 4, no. 6, pp. 804-805, 2016. DOI: 10.22271/j.ento.2016.v4.i6k.08
<http://www.entomoljournal.com/archives/2016/vol4issue6/PartK/4-6-166-899.pdf>.
34. M. I. Cooper, "Sexual conflict over the duration of copulation in *Centrobolus inscriptus* (Attems)," J. Entomol. Zool. Stud. vol. 4, no. 6, pp. 852-854, 2016. DOI: 10.22271/j.ento.2016.v4.i6l.04
<http://www.entomoljournal.com/archives/2016/vol4issue6/PartL/4-6-155-599.pdf>.
35. M. I. Cooper, "The affect of female body width on copulation duration in *Centrobolus inscriptus* (Attems)," J. Entomol. Zool. Stud. vol. 5, no. 1, pp. 732-733, 2017. DOI: 10.22271/j.ento.2017.v5.i1j.10
<http://www.entomoljournal.com/archives/2017/vol5issue1/PartJ/5-1-92-221.pdf>.
36. M. I. Cooper, "Size matters in myriapod copulation," J. Entomol. Zool. Stud. vol. 5, no. 2, pp. 207-208, 2017. DOI: 10.22271/j.ento.2017.v5.i2c.10
<http://www.entomoljournal.com/archives/2017/vol5issue2/PartC/4-6-108-171.pdf>.
37. M. I. Cooper, "Relative sexual size dimorphism in *Centrobolus digrammus* (Pocock) compared to 18 congenics," J. Entomol. Zool. Stud. vol. 5, no. 2, pp. 1558-1560, 2017. DOI: 10.22271/j.ento.2017.v5.i2u.04
<http://www.entomoljournal.com/archives/2017/vol5issue2/PartU/5-2-199-639.pdf>.
38. M. I. Cooper, "Relative sexual size dimorphism in *Centrobolus fulgidus* (Lawrence) compared to 18 congenics," J. Entomol. Zool. Stud. vol. 5, no. 3, pp. 77-79, 2017. DOI: 10.22271/j.ento.2017.v5.i3b.01
<http://www.entomoljournal.com/archives/2017/vol5issue3/PartB/5-2-198-656.pdf>.
39. Cooper, "Relative sexual size dimorphism *Centrobolus ruber* (Attems) compared to 18 congenics," J. Entomol. Zool. Stud. vol. 5, no. 3, pp. 180-182, 2017. DOI: 10.22271/j.ento.2017.v5.i3c.07
<http://www.entomoljournal.com/archives/2017/vol5issue3/PartC/5-2-187-598.pdf>.
40. M. I. Cooper, "Copulation and sexual size dimorphism in worm-like millipedes," J. Entomol. Zool. Stud. vol. 5, no. 3, pp. 1264-1266, 2017. DOI: 10.22271/j.ento.2017.v5.i3r.03 available at <https://www.coursehero.com/file/56889696>.
41. M. I. Cooper, "Allometry of copulation in worm-like millipedes," J. Entomol. Zool. Stud. vol. 5, no. 3, pp. 1720-1722, 2017. DOI: 10.22271/j.ento.2017.v5.i3x.03
<http://www.entomoljournal.com/archives/2017/vol5issue3/PartX/5-3-233-698.pdf>.
42. M. Cooper, "Re-assessment of Rensch's rule in *Centrobolus*," J. Entomol. Zool. Stud. vol. 5, no. 6, pp. 2408-2410, 2017. DOI: 10.22271/j.ento.2017.v5.i6ag.04
<http://www.entomoljournal.com/archives/2017/vol5issue6/PartAG/5-6-355-856.pdf>.
43. M. I. Cooper, "Allometry for sexual dimorphism in millipedes (Diplopoda)," J. Entomol. Zool. Stud. vol. 6, no. 1, pp. 91-96, 2018. DOI: 10.22271/j.ento.2018.v6.i1b.03
<http://www.entomoljournal.com/archives/2018/vol6issue1/PartB/5-6-327-547.pdf>.
44. M. I. Cooper, "Sexual dimorphism in pill millipedes (Diplopoda)," J. Entomol. Zool. Stud. vol. 6, no. 1, pp. 613-616, 2018. DOI: 10.22271/j.ento.2018.v6.i1i.03
<http://www.entomoljournal.com/archives/2018/vol6issue1/PartI/5-6-352-508.pdf>.
45. M. I. Cooper, "Sexual size dimorphism and the rejection of Rensch's rule in Diplopoda (Arthropoda)," J. Entomol. Zool. Stud. vol. 6, no. 1, pp. 1582-1587, 2018. DOI: 10.22271/j.ento.2018.v6.i1v.07
<http://www.entomoljournal.com/archives/2018/vol6issue1/PartV/5-6-290-837.pdf>.
46. M. I. Cooper, "Trigoniulid size dimorphism breaks Rensch," J. Entomol. Zool. Stud. vol. 6, no. 3, pp. 1232-1234, 2018. DOI: 10.22271/j.ento.2018.v6.i3.9.09
<http://www.entomoljournal.com/archives/2018/vol6issue3/PartQ/6-3-170-722.pdf>.
47. M. I. Cooper, "Volumes of *Centrobolus albitarsus* (Lawrence, 1967)," Int. J. Entomol. Res. vol. 3, no. 4, pp. 20-21, 2018. <http://www.entomologyjournals.com/archives/2018/vol3/issue4>.
48. M. Cooper, "A review of studies on the fire millipede genus *centrobolus* (diplopoda: trigoniulidae)," J. Entomol. Zool. Stud. vol. 6, no. 4, pp. 126-129, 2018. DOI: 10.22271/j.ento.2018.v6.i4.2.06
<http://www.entomoljournal.com/archives/2018/vol6issue4/PartC/6-3-87-275.pdf>.
49. M. Cooper, "*Centrobolus anulatus* (Attems, 1934) reversed sexual size dimorphism," J. Entomol. Zool. Stud. vol. 6, no. 4, pp. 1569-1572, 2018. DOI: 10.22271/j.ento.2018.v6.i4.13.16
<http://www.entomoljournal.com/archives/2018/vol6issue4/PartZ/6-4-277-483.pdf>.
50. M. Cooper, "Allometry in *Centrobolus*," J. Entomol. Zool. Stud. vol. 6, no. 6, pp. 284-286, 2018. DOI: 10.22271/j.ento.2018.v6.i6.3.07
<http://www.entomoljournal.com/archives/2018/vol6issue6/PartE/6-5-322-417.pdf>.
51. M. Cooper, "*Centrobolus* size dimorphism breaks Rensch's rule," Scholars' Press, Mauritius. pp. 1-48, 2018.

- ISBN: 978-3-659-83990-0.
<https://www.academia.edu/77887053>.
52. M. Cooper, "Centrobolus size dimorphism breaks Rensch's rule," *Arthropod.*, vol. 7, no. 3, pp. 48-52, 2018.
53. M. Cooper, "Centrobolus dubius (Schubart, 1966) Monomorphism," *International Journal of Research Studies in Zoology*, vol 4, no. 3, pp. 17-21, 2018. <http://arcjournals.org/pdfs/ijrsz/v4-i3/3.pdf>.
54. M. Cooper, "Centrobolus lawrencei (Schubart, 1966) monomorphism," *Arthropod.*, vol. 7, no. 4, pp. 82-86, 2018. [http://www.iaees.org/publications/journals/arthropods/articles/2018-7\(4\)/Centrobolus-lawrencei-monomorphism.pdf](http://www.iaees.org/publications/journals/arthropods/articles/2018-7(4)/Centrobolus-lawrencei-monomorphism.pdf).
55. M. Cooper, "Confirmation of twenty-one species of Centrobolus Cook (Diplopoda: Pachybolidae) based on length and width data," 2018.
56. M. Cooper, "Centrobolus sagatinus sexual size dimorphism based on differences in horizontal tergite widths," *J. Entomol. Zool. Stud.* vol. 6, no. 6, pp. 275-277, 2018. DOI: 10.22271/j.ento.2018.v6.i6.3.05 <http://www.entomoljournal.com/archives/2018/vol6issue6/PartE/6-5-323-505.pdf>.
57. M. Cooper, "Centrobolus silvanus dimorphism based on tergite width," *Glob. J. Zool.* vol. 3, no. 1, pp. 003-005, 2018. <https://doi.org/10.17352/gjz.000010>.
58. M. Cooper, "A review on studies of behavioural ecology of Centrobolus (Diplopoda, Spirobolida, Pachybolidae) in southern Africa," *Arthropod.*, vol. 8, no. 1, pp. 38-44, 2019.
59. M. I. Cooper, "Lawrence's red millipede Centrobolus lawrencei shows length-based variability and size dimorphism," *J. Entomol. Zool. Stud.* vol. 7, no. 2, pp. 1037-1039, 2019. DOI: 10.22271/j.ento.2019.v7.i2.9.07 <http://www.entomoljournal.com/archives/2019/vol7issue2/PartQ/7-2-114-662.pdf>.
60. M. Cooper, "Centrobolus titanophilus size dimorphism shows width-based variability," *Arthropod.*, vol. 8, no. 2, pp. 80-86, 2019.
61. M. Cooper, "Non-significant intersexual differences in millipede mass," *J. Entomol. Zool. Stud.* vol. 7, no. 3, pp. 763-765, 2019. DOI: 10.22271/j.ento.2019.v7.i3m.5267 <http://www.entomoljournal.com/archives/2019/vol7issue3/PartM/7-3-90-458.pdf>.
62. M. I Cooper, "Quasi-experimental determination of a mass standard in the forest millipede Centrobolus inscriptus," *J. Entomol. Zool. Stud.* vol. 7, no. 3, pp. 772-774, 2019. DOI: 10.22271/j.ento.2019.v7.i3m.5269 <http://www.entomoljournal.com/archives/2019/vol7issue3/PartM/7-3-58-913.pdf>.
63. M. I. Cooper, "Underlying sperm precedence pattern in the millipede Centrobolus inscriptus (Attems, 1928) (Diplopoda, Pachybolidae)," *J. Entomol. Zool. Stud.* vol. 7, no. 3, pp. 1066-1069, 2019. DOI: 10.22271/j.ento.2019.v7.i3r.5319 <http://www.entomoljournal.com/archives/2019/vol7issue3/PartR/7-3-106-957.pdf>.
64. M. Cooper, "When is the change in sperm precedence in the millipede Centrobolus inscriptus(Attems, 1928) (Diplopoda, Pachybolidae)?" *J. Entomol. Zool. Stud.* vol. 7, no. 4, pp. 183-186, 2019. DOI: 10.22271/j.ento.2019.v7.i4c.5439 <http://www.entomoljournal.com/archives/2019/vol7issue4/PartC/7-3-311-692.pdf>.
65. M. Cooper, "Julid millipede and spirobolid millipede gonopod functional equivalents," *J. Entomol. Zool. Stud.* vol. 7, no. 4, pp. 333-335, 2019. DOI: 10.22271/j.ento.2019.v7.i4f.5465 <http://www.entomoljournal.com/archives/2019/vol7issue4/PartF/7-3-329-431.pdf>.
66. M. Cooper, "Size dimorphism and directional selection in forest millipedes," *Arthropod.*, vol. 8, no. 3, pp. 102-109, 2019. [http://www.iaees.org/publications/journals/arthropods/articles/2019-8\(3\)/size-dimorphism-and-directional-selection-in-forest-millipedes.pdf](http://www.iaees.org/publications/journals/arthropods/articles/2019-8(3)/size-dimorphism-and-directional-selection-in-forest-millipedes.pdf).
67. M. Cooper, "Xylophagous millipede surface area to volume ratios are size dependent in forests," *Arthropod.*, vol. 8, no. 4, pp. 127-136, 2019.
68. M. Cooper, "Size dimorphism in six juliform millipedes," *Arthropod.*, vol. 8, no. 4, pp. 137-142, 2019.
69. M. Cooper, "Year-round correlation between mass and copulation duration in forest millipedes," *Arthropod.*, vol. 9, no. 1, pp. 15-20, 2020.
70. M. Cooper, "Kurtosis and skew show longer males in Centrobolus," *Arthropod.*, vol. 9, no. 1, pp. 21-26, 2020.
71. M. Cooper, "Studies of behavioural ecology of Centrobolus," LAP LAMBERT Academic Publishing, Mauritius. pp. 1-420, 2020. ISBN: 978-620-2-52046-1.
72. M. Cooper, "Mating dynamics of South African forest millipedes," LAP LAMBERT Academic Publishing, Mauritius. pp. 1-164, 2020. ISBN: 978-620-0-58569-1.
73. M. Cooper, "Behavioural ecology of Centrobolus," LAP LAMBERT Academic Publishing, Mauritius. pp. 1-520, 2020. ISBN: 978-620-0-50406-7.
74. M. Cooper, "Zoomorphic variation with copulation duration in Centrobolus," *Arthropod.*, vol. 9, no. 2, pp. 63-67, 2020. [http://www.iaees.org/publications/journals/arthropods/articles/2020-9\(2\)/zoomorphic-variation-with-copulation-duration-in-Centrobolus.pdf](http://www.iaees.org/publications/journals/arthropods/articles/2020-9(2)/zoomorphic-variation-with-copulation-duration-in-Centrobolus.pdf).
75. M. Cooper, "Latitudinal-size trend in eight species of Centrobolus," *J. Entomol. Zool. Stud.* vol. 8, no. 2, pp. 122-127, 2020. <http://www.entomoljournal.com/archives/2020/vol8issue2/PartC/8-1-381-253.pdf>.
76. M. Cooper, "Longitudinal-size trend in eight species of Centrobolus," *Intern. J. Zool. Invest.* vol. 6, no. 1, pp. 58-64, 2020. <https://doi.org/10.33745/ijzi.2020.v06i01.005>.
77. M. Cooper, "Correction: Centrobolus dubius (Schubart, 1966) Monomorphism," *Int. J. Res. Stud. Zool.* vol. 6, no.

- 2, pp. 25-28, 2020. <http://www.arcjournals.org/pdfs/ijrsz/v6-i2/3.pdf>.
78. M. Cooper, "Latitudinal and longitudinal gradients in Old World forest millipedes," LAP LAMBERT Academic Publishing: pp. 77, 2021 ISBN: 978-620-3-02454-8.
79. M. Cooper, "Intraxual and intersexual size variation in *Centrobolus Cook*, 1897," Scholars' Press, Mauritius. pp. 1-56, 2021. ISBN: 978-613-8-95101-8.
80. M. Cooper, "Size-assortment in *Centrobolus Cook*, 1897," Scholars' Press, Mauritius. pp. 1-52, 2021. ISBN: 978-613-8-95118-6. <http://www.megabooks.sk/p/18255119>.
81. M. Cooper, "Wewnątrzpłciowa i międzypłciowa zmienność wielkości u *Centrobolus Cook*, 1897," Sciencia Scripts, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-50733-1. <http://www.megabooks.cz/p/17829353>.
82. M. Cooper, "Variedade de tamanhos no *Centrobolus Cook*, 1897," Novas Edições Acadêmicas, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-46650-8.
83. M. Cooper, "Variação de tamanho intraxual e intersexual no *Centrobolus Cook*, 1897," Edições Nosso Conhecimento, Sciencia Scripts, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-50735-5.
84. M. Cooper, "Variazione di taglia intrasessuale e intersessuale in *Centrobolus Cook*, 1897," Sciencia Scripts, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-50731-7. <http://www.megabooks.sk/p/18462116>.
85. M. Cooper, "Variation de taille intraxuelle et interaxuelle chez *Centrobolus Cook*, 1897," Sciencia Scripts, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-50730-0. <http://www.megabooks.sk/p/18462115>.
86. M. Cooper, "Intraxuelle und interaxuelle größenvariation bei *Centrobolus Cook*, 1897," Sciencia Scripts, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-50729-4. <http://www.megabooks.cz/p/17470313>.
87. M. Cooper, "Size-assortment in *Centrobolus Cook*, 1897 (Diplopoda: Pachybolidae)," Scholars' Press, Mauritius. pp. 1-52, 2021. ISBN: 978-613-8-95105-6. <http://www.megabooks.sk/p/18254871>.
88. M. Cooper, "Variação da duração da cópula em milípedes semelhantes a vermes," Novas Edições Acadêmicas, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-46666-9.
89. M. Cooper, "Surtido de tamaño en *Centrobolus Cook*, 1897," Editorial Académica Española, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-03960-3.
90. M. Cooper, "Größen-Sortierung bei *Centrobolus Cook*, 1897 (Diplopoda: Pachybolidae)," Südwestdeutscher Verlag für Hochschulschriften, Sciencia Scripts, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-54955-3. <http://www.dodax.co.uk/en-gb/books-audiobooks/zoology/cooper-mark-groessensortierung-bei-centrobolus-cook-1897-diplopoda-pachybolidae-dp3Q15G7L5H49>.
91. M. Cooper, "Cambio en la duración de la cópula en ciempiés gusano," Editorial Académica Española, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-03965-8.
92. M. Cooper, "Размерный ассортимент в *Centrobolus Cook*, 1897 г," Sciencia Scripts, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59606-9. <http://my-shop.ru/shop/product/4534060.html>.
93. M. Cooper, "Variation de durée de copulation dans les mille-pattes vermifuges," Presses Académiques Francophones, Mauritius. pp. 1-52, 2021. ISBN: 978-3-8416-3326-2.
94. M. Cooper, "Sortimento de tamanhos em *Centrobolus Cook*, 1897," Edições Nosso Conhecimento, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59608-3. <http://www.megabooks.sk/p/18456483>.
95. M. Cooper, "Size assortment in *Centrobolus Cook*, 1897," Our Knowledge Publishing, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59602-1. <http://www.megabooks.sk/p/18456478>.
96. M. Cooper, "Größensortierung bei *Centrobolus Cook*, 1897," Verlag Unser Wissen, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59601-4. <http://www.megabooks.sk/p/18192206>.
97. M. Cooper, "Groottesortering bij *Centrobolus Cook*, 1897," Uitgeverij Onze Kennis, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59605-2.
98. M. Cooper, "Assortimento di dimensioni in *Centrobolus Cook*, 1897," Edizioni Sapienza, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59604-5. <http://www.megabooks.sk/p/18456480>.
99. M. Cooper, "Assortiment de tailles chez *Centrobolus Cook*, 1897," Editions Notre Savoir, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59603-8. <http://www.megabooks.sk/p/18456479>.
100. M. Cooper, "Asortyment wielkości u *Centrobolus Cook*, 1897 (Diplopoda: Pachybolidae)," Wydawnictwo Nasza Wiedza, Mauritius. pp. 1-52, 2021. ISBN: 978-620-3-59607-6.
101. M. Cooper, "Zmiana czasu trwania kopulacji w krocionogach przypominających robaki," Wydawnictwo Nasza Wiedza, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-62161-7. <http://www.megabooks.sk/p/18456980>.
102. M. Cooper, "Verandering in copulatieuur bij wormduizendpoten: (Juliformes)," Uitgeverij Onze Kennis. pp. 1-56, 2021. ISBN: 978-6203621600.
103. M. Cooper, "Veränderung der Kopulationsdauer bei Wurmtausendfüßern," Verlag Unser Wissen. pp. 1-52, 2021. ISBN: 978-620-3-62156-3. <http://www.megabooks.sk/p/18258985>.
104. M. Cooper, "Modification de la durée de la copulation chez les millipedes vermiformes," Editions Notre Savoir, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-62158-7. <http://www.megabooks.sk/p/18456978>.
105. M. Cooper, "Modifica della durata della copulazione nei millepiedi vermi," Edizioni Sapienza, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-62159-4. <http://www.megabooks.sk/p/18456979>.
106. M. Cooper, "Copulation duration variation in worm-like millipedes," Our Knowledge Publishing, Mauritius. pp. 1-

- 52, 2021. ISBN: 978-620-3-62157-0.
<http://www.megabooks.sk/p/18456977>.
- 107.M. Cooper, "Alteracao na duracao da copula nas centopeias de minhocas," Edicoes Nosso Conhecimento, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-62162-4.
<http://www.megabooks.sk/p/18456981>.
- 108.M. Cooper, "Zmiana czasu trwania kopulacji w krocionogach przypominających robaki," Globe Edit, Latvia. pp. 1-56, 2021. ISBN: 978-620-0-62248-8.
- 109.M. Cooper, "Variasjon i kokulasjonsvariasjon i ormlignende millipeder," Globe Edit, Latvia. pp. 1-52, 2021. ISBN: 978-620-0-62250-1.
- 110.M. Cooper, "Copulation duration variation in worm-like millipedes," Scholars' Press, Mauritius. pp. 1-52, 2021. ISBN: 978-3-639-66208-5.
- 111.M. Cooper, "Variatie in copulatieduur in wormachtige duizendpoten," Globe Edit, Latvia. pp. 1-52, 2021. ISBN: 978-620-0-62258-7.
- 112.M. Cooper, "Variation i kopulationsvarighed i ormeligende tusindben," Globe Edit, Latvia. pp. 1-56, 2021. ISBN: 978-620-0-62257-0.
- 113.M. Cooper, "İçeriği Centrobolus Cook boyut aralığı, 1897 (Diplopoda: Pachybolidae)," LAP LAMBERT Academic Publishing, Mauritius. pp. 1-56, 2021. ISBN: 978-620-3-83963-0.
- 114.M. Cooper, "Kopuleringsstidsvariation i maskliknande millipeder," Globe Edit, Latvia. pp. 1-52, 2021. ISBN: 978-620-0-62277-8.
- 115.M. Cooper, "Variation de durée de copulation dans les mille-pattes vermifuges," Blessed Hope Publishing. pp. 1-56, 2021. ISBN: 978-3841633269.
<http://www.megabooks.sk/p/18361163>.
- 116.M. Cooper, "ワーム様ミリペダスにおける交尾期間変動," Globe Edit, Latvia. pp. 1-56, 2021. ISBN: 978-620-0-62260-0.
- 117.M. Cooper, "Parittelun keston vaihtelu matomaisten millipedes," Globe Edit, Latvia. pp. 1-52, 2021. ISBN: 978-620-0-62259-4.
- 118.M. Cooper, "Variația duratei copulării în milipelele asemănătoare viermilor," Globe Edit, Latvia. pp. 1-56, 2021. ISBN: 978-620-0-62255-6.
- 119.M. Cooper, "A párnás időtartama a fereg-szerű millipedek változása," Globe Edit, Latvia. pp. 1-52, 2021. ISBN: 978-620-0-62261-7.
- 120.M. Cooper, "蠕蟲狀千足蟲的複製持續時間變化," pp. 1-52, 2021. Goldenlight publishing, Republic of Moldova. ISBN: 978-620-2-41290-2.
- 121.M. Cooper, "웜과 같은 밀리페드의 교화 지속 시간 변화 (줄리포미아)," Globe Edit, Latvia. pp. 1-52, 2021. ISBN: 978-620-0-62533-5.
- 122.M. Cooper, "Mass covaries with volume in forest millipedes Centrobolus Cook, 1897," J. Entomol. Zool. Stud. vol. 9, no. 6, pp. 190-192, 2021.
<http://www.entomoljournal.com/archives/2021/vol9issue6/PartC/9-6-36-202.pdf>.
- 123.M. Cooper, "The inverse latitudinal gradient in species richness of forest millipedes: Pentazonia Brandt, 1833," J. Entomol. Zool. Stud. vol. 10, no. 1, pp. 01-04, 2022.
<http://www.entomoljournal.com/archives/2022/vol10issue1/PartA/9-6-47-884.pdf>.
- 124.M. Cooper, "The inverse latitudinal gradient in species richness of forest millipedes: Pachybolidae Cook, 1897," J. Entomol. Zool. Stud. vol. 10, no. 1, pp. 05-08, 2022.
<http://www.entomoljournal.com/archives/2022/vol10issue1/PartA/9-6-49-906.pdf>.
- 125.M. Cooper, "Longer Males Determined with Positive Skew and Kurtosis in Centrobolus (Diplopoda: Spirobolida: Pachybolidae)," New Visions in Biological Science Vol. 8, pp. 102-106, 2022.
<http://doi.org/10.9734/bpi/nvbs/v8/1876A>.
- 126.M. Cooper, "Study on Year-round Correlation between Mass and Copulation Duration in Forest Millipedes," New Visions in Biological Science Vol. 8, pp. 107-112, 2022.
<http://doi.org/10.9734/bpi/nvbs/v8/1877A>.
- 127.M. Cooper, "Study on Size Dimorphism in Six Juliform Millipedes," New Visions in Biological Science Vol. 8, pp. 113-119, 2022. <http://doi.org/10.9734/bpi/nvbs/v8/1878A>.
- 128.M. Cooper, "Xylophagous Millipede Surface Area to Volume Ratios are Size-dependent in Forests: A Brief Study," New Visions in Biological Science Vol. 8, pp. 120-128, 2022. <http://doi.org/10.9734/bpi/nvbs/v8/1879A>.
- 129.M. Cooper, "A Study on Centrobolus titanophilus Size Dimorphism Shows Width-Based Variability," New Visions in Biological Science Vol. 8, pp. 129-135, 2022.
<http://doi.org/10.9734/bpi/nvbs/v8/1880A>.
- 130.M. Cooper, "Study on Zoomorphic Variation with Copulation Duration in Centrobolus," New Visions in Biological Science Vol. 8, pp. 144-149, 2022.
<http://doi.org/10.9734/bpi/nvbs/v8/1882A>.
- 131.M. Cooper, "The copulation duration allometry in Centrobolus (Diplopoda: Spirobolida: Pachybolidae)," J. Entomol. Zool. Stud. vol. 10, no. 1, pp. 63-68, 2022.
<https://doi.org/10.22271/j.ento.2022.v10.i1a.8925>.
- 132.M. Cooper, "Behavioral ecology of Centrobolus (Diplopoda, Spirobolida, Pachybolidae) in Southern Africa," New Visions in Biological Science Vol. 9, pp. 1-6, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1883A>.
- 133.M. Cooper, "Study About Size Dimorphism and Directional Selection in Forest Millipedes," New Visions in Biological Science Vol. 9, pp. 7-13, 2022.
<http://doi.org/10.9734/bpi/nvbs/v9/1884A>.
- 134.M. Cooper, "The Copulation duration Allometry in Centrobolus (Diplopoda: Spirobolida: Pachybolidae)," New Visions in Biological Science Vol. 9, pp. 21-28, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1891A>.
- 135.M. Cooper, "The Copulation duration Allometry in Worm-like Millipedes (Diplopoda: Chilognatha: Helminthomorpha)," New Visions in Biological Science

- Vol. 9, pp. 29-38, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1892A>.
- 136.M. Cooper, "Length and Width Correlations in Centrobolus Cook, 1897," New Visions in Biological Science Vol. 9, pp. 39-45, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1893A>.
- 137.M. Cooper, "Mating Order Establishes Male Size Advantage in the Polygynandrous Millipede Centrobolus inscriptus Attems, 1928," New Visions in Biological Science Vol. 9, pp. 46-51, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1894A>.
- 138.M. Cooper, "Why Sexual Size Dimorphism Increases with Longitude, Precipitation and Temperature and Decreases with Latitude in Forest Millipedes Centrobolus Cook, 1897," New Visions in Biological Science Vol. 9, pp. 58-67, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1896A>.
- 139.M. Cooper, "Bergmann's Rule: Size Correlates with Longitude and Temperature in Forest Millipedes Centrobolus Cook, 1897," New Visions in Biological Science Vol. 9, pp. 68-81, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1897A>.
- 140.M. Cooper, "The Inverse Latitudinal Gradient in Species Richness of Forest Millipedes: Centrobolus Cook, 1897," New Visions in Biological Science Vol. 9, pp. 82-88, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1898A>.
- 141.M. Cooper, "Total Body Rings Increase with Latitude and Decrease with Precipitation in Forest Millipedes Centrobolus Cook, 1897," New Visions in Biological Science Vol. 9, pp. 96-101, 2022. <http://doi.org/10.9734/bpi/nvbs/v9/1900A>.
- 142.M. Cooper, "Does sexual size dimorphism vary with longitude in forest millipedes Centrobolus Cook, 1897?" International Journal of Recent Research in Thesis and Dissertation, vol. 3, no. 1, pp. 1-5, 2022. <https://www.paperpublications.org/issue/IJRRTD/Issue-1-January-2022-June-2022>.
- 143.M. Cooper, "Does sexual size dimorphism vary with latitude in forest millipedes Centrobolus Cook, 1897?" Int. J. Re. Res. Thesis Diss., vol. 3, no. 1, pp. 6-11, 2022. <https://www.paperpublications.org/issue/IJRRTD/Issue-1-January-2022-June-2022>.
- 144.M. Cooper, "Does sexual size dimorphism vary with temperature in forest millipedes Centrobolus Cook, 1897?" Acta Entomol. Zool., vol 3, no. 1, pp. 08-11, 2022. <https://doi.org/10.33545/27080013.2022.v3.i1a.51>.
- 145.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST MILLIPEDES CENTROBOLUS COOK, 1897," Universe Int. J. Interdiscip. Res., vol. 2, no. 9, pp. 9-14, 2022. <https://www.doi-ds.org/doi/10.33545/27080013.2022.v3.i1a.57>.
- 146.M. Cooper, "PAIR-WISE COMPARISON OF SEXUAL SIZE DIMORPHISM AMONG NINE FACTORS IN FOREST MILLIPEDES CENTROBOLUS COOK, 1897," Universe Int. J. Interdiscip. Res., vol. 2, no. 9, pp. 31-33, 2022. <https://www.doi-ds.org/doi/10.33545/27080013.2022.v3.i1a.57>.
- 147.M. Cooper, "Does sexual size dimorphism vary with female size in forest millipedes Centrobolus Cook, 1897?" Acta Entomol. Zool., vol. 3, no. 1, pp. 15-18, 2022. <https://doi.org/10.33545/27080013.2022.v3.i1a.57>.
- 148.M. Cooper, "Does sexual size dimorphism vary with hours of sunshine throughout the year in forest millipedes Centrobolus Cook, 1897?" Acta Entomol. Zool., vol. 3, no. 1, pp. 19-25, 2022. DOI: <https://doi.org/10.33545/27080013.2022.v3.i1a.58>.
- 149.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH SPECIES RICHNESS IN FOREST MILLIPEDES CENTROBOLUS COOK, 1897?" Universe Int. J. Interdiscip. Res., vol. 2, no. 10, pp. 25-29, 2022. <https://www.doi-ds.org/doi/10.33545/27080013.2022.v3.i1a.58>.
- 150.M. Cooper, "PAIR-WISE COMPARISON OF SEXUAL SHAPE DIMORPHISM AMONG FIFTEEN FACTORS IN FOREST MILLIPEDES CENTROBOLUS COOK, 1897," Universe Int. J. Interdiscip. Res., vol. 2, no. 10, pp. 9-14, 2022. <https://www.doi-ds.org/doi/10.33545/27080013.2022.v3.i1a.58>.
- 151.M. I. Cooper, "Five factors effecting copulation duration in the breeding season in forest millipedes Centrobolus Cook, 1897," Zoological and Entomological Letters, vol. 2, no. 1, pp. 17-22, 2022. <https://www.zoologicaljournal.com/archives/2022.v2.i1.A.26>.
- 152.M. Cooper, "Does sexual size dimorphism vary with time in red millipedes Centrobolus Cook, 1897?" Zool. Entomol. Lett., vol 2, no. 1, pp. 30-35, 2022. <https://www.zoologicaljournal.com/archives/2022.v2.i1.A.29>.
- 153.M. Cooper, "Mating frequencies of sympatric red millipedes differ across substrate due to absolute abundances," Acta Entomol. Zool., vol. 3, no. 1, pp. 34-39, 2022. <https://doi.org/10.33545/27080013.2022.v3.i1a.62>.
- 154.M. Cooper, "Does sexual size dimorphism vary with maximum and minimum temperatures in red millipedes Centrobolus Cook, 1897?" Zool. Entomol. Lett., vol. 2, no. 1, pp. 60-65, 2022. <https://www.zoologicaljournal.com/archives/2022.v2.i1.B.34>.
- 155.M. Cooper, "Does sexual size dimorphism vary with sex ratio in red millipedes Centrobolus Cook, 1897?" Zool. Entomol. Lett., vol. 2, no. 1, pp. 66-68, 2022. <https://www.zoologicaljournal.com/archives/2022.v2.i1.B.35>.
- 156.M. Cooper, "Millipede mass: Intersexual differences," Zool. Entomol. Lett., vol. 2, no. 1, pp. 69-70, 2022. <https://www.zoologicaljournal.com/archives/2022.v2.i1.B.36>.
- 157.M. I. Cooper, "Do copulation duration and sexual size dimorphism vary with absolute abundance in red

- millipedes *Centrobolus Cook, 1897?*" *Acta Entomol. Zool.*, vol. 3, no. 1, pp. 51-54, 2022. <https://www.actajournal.com/archives/2022.v3.i1.A.64.htm>
<https://doi.org/10.33545/27080013.2022.v3.i1a.64>.
- 158.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH FEMALE LENGTH IN FOREST MILLIPEDES *CENTROBOLUS COOK, 1897?*" *Universe Int. J. Interdiscip. Res.*, vol. 2, no. 12, pp. 1-7, 2022. <https://www.doi-ds.org/doi/10.2022-69939779/UIJIR>.
- 159.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH PRECIPITATION IN FOREST MILLIPEDES *CENTROBOLUS COOK, 1897?*" *Munis Entomology and Zoology*, vol 17, no. 2, pp. 1185-1189, 2022.
- 160.M. I. Cooper, "Do copulation durations of sympatric red millipedes vary seasonally with mating frequencies?" *Int. J. Re. Res. Thesis Diss.*, vol. 3, no. 1, pp. 85-90, 2022. <https://doi.org/10.5281/zenodo.6613001>.
- 161.M. I. Cooper, "The inverse latitudinal gradients in species richness of Southern African millipedes," *Int. J. Re. Res. Thesis Diss.*, vol. 3, no. 1, pp. 91-112, 2022. <https://doi.org/10.5281/zenodo.6613064>.
- 162.M. I. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH LOG SEXUAL SIZE DIMORPHISM IN RED MILLIPEDES *CENTROBOLUS COOK, 1897?*" *Universe Int. J. Interdiscip. Res.*, vol. 2, no. 12, pp. 52-54, 2022. <https://www.doi-ds.org/doi/10.2022-83544225/UIJIR>.
- 163.M. I. Cooper, "Do copulation duration and sexual size dimorphism vary with absolute abundance in red millipedes *Centrobolus Cook, 1897?*" *Acta Entomol. Zool.*, vol. 3, no. 1, pp. 51-54, 2022. <https://www.actajournal.com/archives/2022.v3.i1.A.64.htm>
<https://doi.org/10.33545/27080013.2022.v3.i1a.64>.
- 164.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH FEMALE LENGTH IN FOREST MILLIPEDES *CENTROBOLUS COOK, 1897?*" *Universe Int. J. Interdiscip. Res.*, vol. 2, no. 12, pp. 1-7, 2022. <https://www.doi-ds.org/doi/10.2022-69939779/UIJIR>.
- 165.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH PRECIPITATION IN FOREST MILLIPEDES *CENTROBOLUS COOK, 1897?*" *Munis Entomology and Zoology*, vol. 17, no. 2, pp. 1185-1189, 2022.
- 166.M. I. Cooper, "Do copulation durations of sympatric red millipedes vary seasonally with mating frequencies?" *Int. J. Re. Res. Thesis Diss.*, vol. 3, no. 1, pp. 85-90, 2022. <https://doi.org/10.5281/zenodo.6613001>.
- 167.M. I. Cooper, "The inverse latitudinal gradients in species richness of Southern African millipedes," *Int. J. Re. Res. Thesis Diss.*, vol. 3, no. 1, pp. 91-112, 2022. <https://doi.org/10.5281/zenodo.6613064>.
- 168.M. I. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH LOG SEXUAL SIZE DIMORPHISM IN RED MILLIPEDES *CENTROBOLUS COOK, 1897?*" *Universe Int. J. Interdiscip. Res.*, vol. 2, no. 12, pp. 52-54, 2022. <https://www.doi-ds.org/doi/10.2022-83544225/UIJIR>.
- 169.M. Cooper, "THE TIE-IN OF MALE BODY WIDTH ON COPULATION DURATION IN *CENTROBOLUS COOK, 1897,*" *Universe Int. J. Interdiscip. Res.*, vol. 3, no. 1, pp. 45-47, 2022. <https://www.doi-ds.org/doi/10.2022-88932399/UIJIR>.
- 170.M. I. Cooper, "IS A PROMINENT STERNITE RELATED TO MOMENTS OF INERTIA IN *CENTROBOLUS COOK, 1897?*" *International Journal of Engineering Science Invention Research & Development*, vol. 8, no. 12, pp. 26-28, 2022. http://www.ijesird.com/1_june_22.PDF.
- 171.M. I. Cooper, "IS COPULATION DURATION RELATED TO MOMENTS OF INERTIA IN *CENTROBOLUS COOK, 1897?*" *International Journal of Engineering Science Invention Research & Development*, vol. 8, no. 12, pp. 29-31, 2022. http://www.ijesird.com/2_june_22.PDF.
- 172.M. I. Cooper, "COPULATION DURATION IS RELATED TO EJACULATING VOLUME IN *CENTROBOLUS INSCRIPTUS (ATTEMPS, 1928),*" *International Journal of Engineering Science Invention Research & Development*, vol. 8, no. 12, pp. 32-40, 2022. http://www.ijesird.com/3_june_22.PDF.
- 173.M. I. Cooper, "Is a prominent sternite related to mass in *Centrobolus Cook, 1897?*" *International Journal of Engineering Science Invention Research & Development*, vol. 9, no. 1, pp. 1-4, 2022. http://www.ijesird.com/1_jul_22.PDF.
- 174.M. I. Cooper, "Does sex ratio vary with absolute abundance in red millipedes *Centrobolus Cook, 1897?*" *International Journal of Engineering Science Invention Research & Development*, vol. 9, no. 1, pp. 5-8, 2022. http://www.ijesird.com/2_jul_22.PDF.
- 175.M. I. Cooper, "Does copulation duration vary with absolute abundance in red millipedes *Centrobolus Cook, 1897?*" *International Journal of Engineering Science Invention Research & Development*, vol. 9, no. 1, pp. 9-11, 2022. http://www.ijesird.com/3_jul_22.PDF.
- 176.M. I. Cooper, "Are a prominent sternite, coleopod spine length, and spine number related to mating frequencies in *Centrobolus Cook, 1897?*" *International Journal of Engineering Science Invention Research & Development*, vol. 9, no. 1, pp. 12-15, 2022. http://www.ijesird.com/4_jul_22.PDF.
- 177.M. I. Cooper, "Are coleopod spine length and number related to weather in *Centrobolus Cook, 1897?*" *International Journal of Engineering Science Invention Research & Development*, vol. 9, no. 1, pp. 16-23, 2022. http://www.ijesird.com/5_jul_22.PDF.
- 178.M. I. Cooper, "Are coleopod spine length and number related to mass in *Centrobolus Cook, 1897?*" *International Journal of Engineering Science Invention Research &*

- Development, vol. 9, no. 1, pp. 24-26, 2022. http://www.ijesird.com/6_jul_22.PDF.
- 179.M. I. Cooper, "Is mass related to latitude, longitude, and weather in Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 27-32, 2022. https://www.ijesird.com/7_jul_22.PDF.
- 180.M. I. Cooper, "ARE MATING FREQUENCIES RELATED TO ABSOLUTE ABUNDANCE IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 33-37, 2022. https://www.ijesird.com/8_jul-22.PDF.
- 181.M. I. Cooper, "Does sex ratio vary with absolute abundance in red millipedes Centrobolus Cook,1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 5-8, 2022. http://www.ijesird.com/2_jul_22.PDF.
- 182.M. I. Cooper, "Does copulation duration vary with absolute abundance in red millipedes Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 9-11, 2022. http://www.ijesird.com/3_jul_22.PDF.
- 183.M. I. Cooper, "Are a prominent sternite, coleopod spine length, and spine number related to matingfrequencies in Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research& Development, vol. 9, no. 1, pp. 12-15, 2022. http://www.ijesird.com/4_jul_22.PDF.
- 184.M. I. Cooper, "Are coleopod spine length and number related to weather in Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 16-23, 2022. http://www.ijesird.com/5_jul_22.PDF.
- 185.M. I. Cooper, "Are coleopod spine length and number related to mass in Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 24-26, 2022. http://www.ijesird.com/6_jul_22.PDF.
- 186.M. I. Cooper, "Is mass related to latitude, longitude, and weather in Centrobolus Cook, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 27-32, 2022. https://www.ijesird.com/7_jul_22.PDF.
- 187.M. I. Cooper, "ARE MATING FREQUENCIES RELATED TO ABSOLUTE ABUNDANCE IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 33-37, 2022. https://www.ijesird.com/8_jul-22.PDF.
- 188.M. I. Cooper, "DOES COPULATION DURATION VARY WITH SEX RATIO IN THE RED MILLIPEDE CENTROBOLUS INSCRIPTUS (ATTEMS, 1928)?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 38-40, 2022. https://www.ijesird.com/9_jul_22.PDF.
- 189.M. I. Cooper, "IS A PROMINENT STERNITE RELATED TO WEATHER IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 41-44, 2022. https://www.ijesird.com/10_jul_22.PDF.
- 190.M. I. Cooper, "ARE MATING FREQUENCIES RELATED TO SEX RATIO IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 45-48, 2022. https://www.ijesird.com/11_jul_22.PDF.
- 191.M. I. Cooper, "ARE MATING FREQUENCIES RELATED TO SEXUAL SIZE DIMORPHISM IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 49-51, 2022. https://www.ijesird.com/12_jul_22.PDF.
- 192.M. Cooper, "ARE MATING FREQUENCIES RELATED TO MOMENTS OF INERTIA ACROSS THE SEXES IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 1, pp. 52-55, 2022. https://www.ijesird.com/13_jul_22.PDF.
- 193.M. I. Cooper, "ARE MATING FREQUENCIES RELATED TO TARSAL PAD LENGTH IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 2, pp. 1-4, 2022. https://www.ijesird.com/1_aug_22.PDF.
- 194.M. Cooper, "IS COPULATION DURATION RELATED TO TARSAL PAD LENGTH IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research &Development, vol. 9, no. 2, pp. 65-67, 2022. https://www.ijesird.com/3_aug_22.PDF.
- 195.M. Cooper, "ARE ABSOLUTE ABUNDANCES RELATED TO TARSAL PAD LENGTH IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research &Development, vol. 9, no. 2, pp. 68-70, 2022. https://www.ijesird.com/4_aug_22.PDF.
- 196.M. I. Cooper, "ARE MATING FREQUENCIES RELATED TO MALE AND FEMALE SIZE IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 2, pp. 71-76, 2022. https://www.ijesird.com/5_aug_22.PDF.
- 197.M. Cooper, "DOES EJACULATE VOLUME VARY WITH ABSOLUTE ABUNDANCE IN RED MILLIPEDES CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 2, pp. 77-79, 2022. https://www.ijesird.com/6_aug_22.PDF.
- 198.M. I. Cooper, "THE MOMENTS OF INERTIA TIE-UP WITH FEMALE SIZE, HOURS OF SUNSHINE THROUGHOUT THE YEAR, LATITUDE, LONGITUDE, AND MINIMUM TEMPERATURE IN RED MILLIPEDES CENTROBOLUS COOK, 1897,"

- Universe Int. J. Interdiscip. Res., vol. 3, no. 2, pp. 6-12, 2022. <https://www.doi-ds.org/doi/10.2022-76913842/UIJIR>.
- 199.M. I. COOPER, "ARE MATING FREQUENCIES RELATED TO EJACULATE VOLUMES IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 3, pp. 93-95, 2022. https://www.ijesird.com/aug_ten.PDF.
- 200.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH FEMALE WIDTH IN FOREST MILLIPEDES CENTROBOLUS COOK, 1897?" Munis Entomol. Zool., vol. 17(supplement), pp. 1562-1565, 2022.
- 201.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH THE HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST MILLIPEDES CENTROBOLUS COOK, 1897?" Munis Entomol. Zool., vol. 17(supplement), pp. 1596-1602, 2022.
- 202.M. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH BODY MASS IN FOREST MILLIPEDES CENTROBOLUS COOK, 1897?" Munis Entomol. Zool. Suppl., vol. 17(supplement), pp. 1621-1624, 2022.
- 203.M. COOPER, "IS SIZE OR SSD RELATED TO ABUNDANCE IN CENTROBOLUS COOK,1897?" International Journal of Engineering Science Invention Research & Development., vol. 9, no. 3, pp. 96-102, 2022. https://www.ijesird.com/sep_one.PDF.
- 204.M. I. COOPER, "IS A PROMINENT STERNITE RELATED TO SEX RATIOS AND ABUNDANCE IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 3, pp. 103-106, 2022. https://www.ijesird.com/sep_two_6.PDF.
- 205.M. I. Cooper, "DOES SEXUAL SIZE DIMORPHISM VARY WITH FEWEST DAILY HOURS OF SUNSHINE IN RED MILLIPEDES CENTROBOLUS COOK, 1897?" Universe Int. J. Interdiscip. Res., vol. 3, no. 3, pp. 89-92, 2022. <https://www.doi-ds.org/doi/10.2022-94655978/UIJIR>.
- 206.M. COOPER, "DOES (PREDICTED) MASS CORRELATE WITH MATING FREQUENCIES IN CENTROBOLUS COOK, 1897?" Universe Int. J. Interdiscip. Res., vol. 3, no. 4, pp. 141-19.
- 207.M. I. COOPER, "IS MASS CORRELATED WITH LENGTH AMONG RED MILLIPEDES CENTROBOLUS COOK, 1897?" Universe Int. J. Interdiscip. Res., vol. 3, no. 5, pp. 190-196, 2022. <https://www.doids.org/doi/10.2022-82684698/UIJIR>. <https://uijir.com/wp-content/uploads/2022/11/20-221012-UIJIR.pdf>.
- 208.M. I. Cooper, "ABUNDANCE IS RELATED TO SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIOS IN CENTROBOLUS COOK, 1897," Universe Int. J. Interdiscip. Res., vol. 3, no. 5, pp. 231-240, 2022. <https://www.doi-ds.org/doi/10.2022-99614928/UIJIR>. <http://hdl.handle.net/10019.1/125794>.
- 209.M. I. COOPER, "ARE SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIO RELATED TO SEX RATIOS IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 5, pp. 140-145, 2022. http://ijesird.com/nov_1.PDF.
- 210.M. I. COOPER, "ARE SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIO RELATED TO COPULATION DURATION IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 4, pp. 146-151, 2022. http://ijesird.com/nov_2.PDF.
- 211.M. I. Cooper, "DOES EJACULATE VOLUME VARY WITH SURFACE AREA AND SURFACE AREA TO VOLUME RATIO IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 5, pp. 152-154, 2022. http://ijesird.com/nov_3.PDF. <http://hdl.handle.net/10019.1/125795>.
- 212.M. I. COOPER, "MATING FREQUENCY IS RELATED TO SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIOS IN CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 5, pp. 155-161, 2022. http://ijesird.com/nov_4.PDF. <http://hdl.handle.net/10019.1/125795>.
- 213.M. I. COOPER, "ARE SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIO RELATED TO LATITUDE AND LONGITUDE IN CENTROBOLUS COOK, 1897?" International Journal of Engineering Science Invention Research & Development, vol. 9, no. 5, pp. 162-167, 2022. http://ijesird.com/nov_5.PDF.
- 214.M. I. COOPER, "MOMENTS OF INERTIA COVARY WITH SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 5, pp. 168-173, 2022. http://ijesird.com/nov_6.PDF.
- 215.M. Cooper, "TARSAL PAD LENGTHS ARE RELATED TO SURFACE-AREA-TO-VOLUME RATIOS IN CENTROBOLUS COOK, 1897," Universe Int. J. Interdiscip. Res., vol. 3, no. 6, pp. 27-33, 2022.
- 216.M. I. Cooper, "SURFACE-AREA-TO-VOLUME IS RELATED TO SEXUAL SIZE DIMORPHISM ACROSS CENTROBOLUS COOK, 1897," Universe Int. J. Interdiscip. Res., vol. 3, no. 6, pp. 34-42, 2022.
- 217.M. Cooper, "SEX RATIO VARIES WITH AVERAGE TEMPERATURE IN RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 6, pp. 174-178, 2022. <http://ijesird.com/DEC1.PDF>.
- 218.M. Cooper, "SEX RATIO VARIES WITH MINIMUM TEMPERATURE IN RED MILLIPEDES

- CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 6, pp. 179-183, 2022. <http://ijesird.com/DEC2.PDF>.
- 219.M. Cooper, "SEX RATIO VARIES WITH MAXIMUM TEMPERATURE IN RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 6, pp. 184-188, 2022. <http://ijesird.com/DEC3.PDF>.
- 220.M. Cooper, "SEX RATIO VARIES WITH PRECIPITATION IN RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 6, pp. 189-193, 2022. <http://ijesird.com/DEC4.PDF>.
- 221.M. Cooper, "SEX RATIO VARIES WITH HUMIDITY IN RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 6, pp. 194-198, 2022. <http://ijesird.com/DEC5.PDF>.
- 222.M. Cooper, "SEX RATIO VARIES WITH RAINY DAYS IN RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 6, pp. 199-203, 2022. <http://ijesird.com/DEC6.PDF>.
- 223.M. Cooper, "SEX RATIO VARIES WITH AVERAGE SUN HOURS IN RED MILLIPEDES CENTROBOLUS COOK, 1897," International Journal of Engineering Science Invention Research & Development, vol. 9, no. 6, pp. 204-207, 2022. <http://ijesird.com/DEC7.PDF>.
- 224.M. I. Cooper, "VOLUME IS RELATED TO SURFACE-AREA-TO-VOLUME ACROSS CENTROBOLUS COOK, 1897," Universe Int. J. Interdiscip. Res., vol. 3, no. 6, pp. 83-91, 2022.
- 225.M. L. Hamer, "Checklist of Southern African millipedes(Myriapoda: Diplopoda)," Annals of the Natal Museum, vol. 39, no. 1, pp. 11-82, 1998.
- 226.R. F. Lawrence, "The Spiroboloidea (Diplopoda) of the eastern half of Southern Africa*," Annals of the Natal Museum, vol. 18, no. 3, pp. 607-646, 1967.
- 227.R. P. Mailula, "Taxonomic revision and Red List assessment of the red millipede genus *Centrobolus* (Spirobolida: Pachybolidae) of South Africa," The University of Kwazulu Natal, pp. 289, 2021.
- 228.COOPER, MARK IAN. THE SURFACE AREA IS RELATED TO MATING FREQUENCIES ACROSS SYMPATRIC *CENTROBOLUS ANULATUS* (ATTEMS, 1934) AND *C. INSCRIPTUS* (ATTEMS, 1928). Universe Int. J. Interdiscip. Res. 2022; 3(7): 11-20. <http://www.dois.org/doi/10.2023-39677929/UIJIR>.
- 229.Cooper Mark I. 2023. PRECIPITATION DURING THE DRIEST MONTH IS MARGINALLY RELATED TO LONGITUDE ACROSS THE DISTRIBUTION OF RED MILLIPEDES CENTROBOLUS COOK, 1897. *Munis Entomology & Zoology*, 18(1): 339-341. http://www.munisentzool.org/Issue/abstract/precipitation-during-the-driest-month-is-marginally-related-to-longitude-across-the-distribution-of-red-millipedes-centrobolus-cook-1897_13915.
- 230.Cooper Mark I. 2023. DOES SEXUAL SIZE DIMORPHISM VARY WITH THE FEWEST DAILY HOURS OF SUNSHINE IN RED MILLIPEDES CENTROBOLUS COOK, 1897? *Munis Entomology & Zoology*, 18(1): 373-375. http://www.munisentzool.org/Issue/abstract/does-sexual-size-dimorphism-vary-with-the-fewest-daily-hours-of-sunshine-in-red-millipedes-centrobolus-cook-1897_13918.
- 231.Cooper Mark I. 2023. THE HIGHEST DAILY HOURS OF SUNSHINE ARE RELATED TO LONGITUDE ACROSS THE DISTRIBUTION OF PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. *Munis Entomology & Zoology*, 18(1): 385-387. http://www.munisentzool.org/Issue/abstract/the-highest-daily-hours-of-sunshine-are-related-to-longitude-across-the-distribution-of-pill-millipedes-sphaerotherium-brandt-1833_13920. <http://hdl.handle.net/10019.1/125806>.
- 232.Cooper Mark I. 2023. IS MASS CORRELATED WITH LENGTH AMONG RED MILLIPEDES CENTROBOLUS COOK, 1897? *Munis Entomology & Zoology*, 18(1): 404-408. http://www.munisentzool.org/Issue/abstract/is-mass-correlated-with-length-among-red-millipedes-centrobolus-cook-1897_13922. <http://hdl.handle.net/10019.1/125806>.
- 233.Cooper, Mark I. 2023. QUASIPROBABLE SOLUTION OF RAINY DAY VARIATIONS FOR SET MATING FREQUENCIES AND MALE AND FEMALE LENGTHS IN *CENTROBOLUS* COOK, 1897. *Munis Entomology & Zoology*, 18(1): 620-624. http://www.munisentzool.org/Issue/abstract/quasiprobable-solution-of-rainy-day-variations-for-set-mating-frequencies-and-male-and-female-lengths-in-centrobolus-cook-1897_13947.
- 234.Cooper, Mark I. 2023. SECOND POLAR MOMENTS OF AREA IN MALE AND FEMALE *CENTROBOLUS* COOK, 1897. *Munis Entomology & Zoology*, 18(1): 643-646. http://www.munisentzool.org/Issue/abstract/second-polar-moments-of-area-in-male-and-female-centrobolus-cook-1897_13951.
- 235.Cooper M. SECOND POLAR MOMENTS OF INERTNESS WITH TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Universe Int. J. Interdiscip. Res. 2023; 3(8): 11-32. <http://www.dois.org/doi/10.2023-86516136/UIJIR>.
- 236.Cooper, Mark I. CURVED SURFACE AREAS IN *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2023; 3(8): 81-116. <http://www.dois.org/doi/10.2023-92114597/UIJIR>.
- 237.Cooper, Mark I. SEXUAL SIZE DIMORPHISM MAY BE RELATED TO SEX RATIOS IN *CENTROBOLUS* COOK, 1897. International Journal of Engineering

- Science Invention Research & Development. 2023; 9(8): 252-257. http://www.ijesird.com/FAB_1_23.PDF.
- 238.COOPER, MARK. ABUNDANCE VARIES WITH MINIMUM TEMPERATURE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 9(8): 258-262. http://www.ijesird.com/Fab_2_23.PDF.
- 239.COOPER, MARK. MATING FREQUENCIES VARY WITH RAINY DAYS IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 9(8): 263-270. http://www.ijesird.com/Fab_3_23.PDF.
- 240.COOPER, MARK. THE INVERSE LATITUDINAL GRADIENT IN SPECIES RICHNESS OF FOREST MILLIPEDES: *PACHYBOLIDAE* COOK, 1897. International Journal of Scientific Research, Technology & Innovation in Multidisciplinary Studies. 9th April 2023. Volume 4, pp. 80-89.
- 241.COOPER, MARK. AN INVERSE LATITUDINAL GRADIENT IN SPECIES RICHNESS OF FOREST RED MILLIPEDES *CHERSASTUS* ATTEMS, 1926 AND *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(2): 5-23. http://www.ijesird.com/aug_2023_1.pdf
- 242.Cooper M. (FEMALE) SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO SEXUAL SIZE DIMORPHISM IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(2): 24-36. http://www.ijesird.com/aug_2023_2.pdf
- 243.Cooper M. SURFACE AREA IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(2): 37-53. http://www.ijesird.com/aug_2023_3.pdf
- 244.Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(2): 54-65. http://www.ijesird.com/aug_2023_4.pdf.
- 245.Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO (MALE) MASS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(2): 66-76. http://www.ijesird.com/aug_2023_5.pdf.
- 246.Cooper M. MALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO COPULATION DURATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(2): 77-88. http://www.ijesird.com/aug_2023_6.pdf.
- 247.Cooper M. MALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO ABUNDANCE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(2): 89-99. http://www.ijesird.com/aug_2023_7.pdf.
- 248.Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 266-282.
- 249.Cooper Mark. SURFACE AREA-TO-VOLUME RATIO ARE RELATED TO SECOND POLAR MOMENTS OF INERTNESS IN *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 249-265.
- 250.Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 231-248.
- 251.Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 214-230. https://ijesird.com/sep8_23.pdf.
- 252.Cooper Mark. STERNITE PROMINENCE IS RELATED TO SECOND POLAR MOMENTS OF INERTNESS IN *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 198-213.
- 253.Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 181-197.
- 254.Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 164-180.
- 255.Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 147-163. http://www.ijesird.com/sep4_23.pdf.

256. Cooper Mark. CURVED SURFACE AREA IS RELATED TO SECOND POLAR MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 130-146.
257. Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 129-145. http://www.ijesird.com/sep2_23.pdf.
258. Cooper Mark. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(3): 113-128.
259. COOPER, MARK. THE INVERSE LATITUDINAL GRADIENT IN SPECIES RICHNESS OF FOREST MILLIPEDES: *PACHYBOLIDAE* COOK, 1897. International Journal of Scientific Research, Technology & Innovation in Multidisciplinary Studies. 9th April 2023. Volume 4, pp. 80-89.
260. Cooper, Mark I. CURVED SURFACE AREAS IN *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2023; 3(8): 81-116. <http://www.doi.org/doi/10.2023-92114597/UIJIR>.
261. Cooper M. SECOND POLAR MOMENTS OF INERTNESS WITH TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2023; 3(8): 11-32. <http://www.doi.org/doi/10.2023-86516136/UIJIR>.
262. Cooper M. CURVED SURFACE AREA IS RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 330-348. http://www.ijesird.com/oct1_23.pdf.
263. Cooper M. SPECIES RICHNESS IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 349-367. http://www.ijesird.com/oct2_23.pdf.
264. Cooper M. SPECIES RICHNESS IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 368-385. http://www.ijesird.com/oct3_23.pdf.
265. Cooper M. SPECIES RICHNESS IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 386-402. http://www.ijesird.com/oct4_23.pdf.
266. Cooper M. SPECIES RICHNESS IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 403-420. http://www.ijesird.com/oct5_23.pdf.
267. Cooper M. SPECIES RICHNESS IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 421-438. http://www.ijesird.com/oct6_23.pdf.
268. Cooper M. SPECIES RICHNESS IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 439-455. http://www.ijesird.com/oct7_23.pdf.
269. Cooper M. SPECIES RICHNESS IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 456-472. http://www.ijesird.com/oct8_23.pdf.
270. Cooper M. SPECIES RICHNESS IS MARGINALLY RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 473-490. http://www.ijesird.com/oct9_23.pdf.
271. Cooper M. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO SPECIES RICHNESS IN *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 491-508. http://www.ijesird.com/oct10_23.pdf.
272. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO AVERAGE TEMPERATURE VARIATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 515-534. http://www.ijesird.com/oct_12_23.pdf.
273. Cooper M. MALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 535-553. http://www.ijesird.com/oct_13_23.pdf.
274. Cooper M. SEXUAL SIZE DIMORPHISM IS CORRELATED TO MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES

- CENTROBOLUS COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(4): 554-572. http://www.ijesird.com/oct_14_23.pdf.
275. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE DIFFERENT IN AND BETWEEN TWO PAIRS OF FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 573-592. http://www.ijesird.com/nov_1_23.pdf.
276. Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MATING FREQUENCIES, SPECIES VOLUME AND SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 593-620. http://www.ijesird.com/nov_2_23.pdf.
277. Cooper M. HIGHEST DURATION OF SUNSHINE IS RELATED TO MALE SECOND POLAR MOMENTS OF INERTNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 621-641. http://www.ijesird.com/nov_3_23.pdf.
278. Cooper M. I. MATING FREQUENCY MAY BE RELATED TO AT LEAST SIXTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 646-672. http://www.ijesird.com/nov_5_23.pdf.
279. Cooper M. SEXUAL SIZE DIMORPHISM IS CORRELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 673-699. http://www.ijesird.com/nov_6_23.pdf.
280. Cooper M. AVERAGE TEMPERATURE, MINIMUM TEMPERATURE, MAXIMUM TEMPERATURE, PRECIPITATION, HUMIDITY, RAINY DAYS, AND AVERAGE SUN HOURS ACROSS THE DISTRIBUTION OF *CENTROBOLUS* IN SOUTHERN AFRICA. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 700-726. http://www.ijesird.com/nov_7_23.pdf.
281. COOPER M. LENGTH IS RELATED TO AT LEAST THIRTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 727-758. http://www.ijesird.com/nov_8_23.pdf.
282. COOPER M. I. WIDTH IS RELATED TO AT LEAST ELEVEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 759-791. http://www.ijesird.com/nov_9_23.pdf.
283. COOPER M. I. SURFACE AREA IS RELATED TO AT LEAST TEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. International Journal of Engineering Science Invention Research & Development. 2023; 10(5): 792-819. http://www.ijesird.com/nov_10_23.pdf.
284. Cooper Mark. VOLUMES ARE DIFFERENT BETWEEN THE SEXES OF A PAIR OF SYMPATRIC FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
285. Cooper Mark. CURVED SURFACE AREAS ARE DIFFERENT BETWEEN THE SEXES OF A PAIR OF SYMPATRIC FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
286. Cooper Mark. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO SPECIES RICHNESS IN *CENTROBOLUS* COOK, 1897. (In Prep.).
287. Cooper Mark. SURFACE AREA IS RELATED TO AT LEAST TEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
288. Cooper Mark. ABUNDANCE IS RELATED TO AT LEAST SEVEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
289. Cooper Mark. MATING FREQUENCY IS RELATED TO AT LEAST FIFTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
290. Cooper Mark. WIDTH IS RELATED TO AT LEAST NINE FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
291. Cooper Mark. LENGTH IS RELATED TO AT LEAST TEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
292. Cooper Mark. COPULATION DURATION IS RELATED TO AT LEAST EIGHT FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
293. Cooper Mark. CURVED SURFACE AREA IS RELATED TO AT LEAST EIGHTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
294. Cooper Mark. SPECIES RICHNESS IS RELATED TO AT LEAST EIGHT FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
295. Cooper Mark. MASS IS RELATED TO NINE FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
296. Cooper Mark. SPECIES RICHNESS IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
297. Cooper Mark. SPECIES RICHNESS IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
298. Cooper Mark. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO SPECIES

- RICHNESS IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 299.Cooper Mark. COPULATION DURATION IS MODELLED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 300.Cooper Mark. LENGTH IS MARGINALLY RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 301.Cooper Mark. ALTITUDE IS TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 302.Cooper Mark. ALTITUDE IS RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 303.Cooper Mark. AVERAGE TEMPERATURE VARIATION IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 304.Cooper Mark. SPECIES RICHNESS IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 305.Cooper Mark. MASS IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 306.Cooper Mark. ALTITUDE IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 307.Cooper Mark. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 308.Cooper Mark. Minimum precipitation correlates with maximum precipitation in pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
- 309.Cooper Mark. Minimum precipitation correlates with the month with the most daily hours of sunshine in pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
- 310.Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 311.Cooper Mark. MINIMUM PRECIPITATION IS RELATED MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 312.Cooper Mark. MAXIMUM PRECIPITATION IS MARGINALLY RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 313.Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 314.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS MARGINALLY RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 315.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 316.Cooper Mark. CURVED SURFACE AREA IS RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 317.Cooper Mark. SEXUAL SIZE DIMORPHISM IS MARGINALLY CORRELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 318.Cooper Mark. HIGHEST RELATIVE HUMIDITY IS RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 319.Cooper Mark. LOWEST RELATIVE HUMIDITY IS RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 320.Cooper Mark. ABUNDANCE IS RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 321.Cooper Mark. ABUNDANCE IS RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 322.Cooper Mark. MATING FREQUENCIES ARE RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 323.Cooper Mark. MATING FREQUENCIES ARE RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 324.Cooper Mark. COPULATION DURATION IS RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 325.Cooper Mark. MAXIMUM PRECIPITATION IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 326.Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 327.Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO MASS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 328.Cooper Mark. MAXIMUM PRECIPITATION IS RELATED TO MASS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 329.Cooper Mark. MAXIMUM PRECIPITATION IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).

- 330.Cooper Mark. MAXIMUM PRECIPITATION IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 331.Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 332.Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 333.Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 334.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 335.Cooper Mark. MINIMUM PRECIPITATION IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 336.Cooper Mark. Hours of sunshine each month correlates with the month with the lowest daily hours of sunshine in pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
- 337.Cooper Mark. Hours of sunshine each month correlates with the month with the most daily hours of sunshine in pill millipedes Sphaerotherium Brandt, 1833. (In Prep.).
- 338.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNILGHT IS RELATED TO MATING FREQUENCY IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 339.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNILGHT IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 340.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNILGHT IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 341.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 342.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 343.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 344.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 345.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 346.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 347.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 348.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 349.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 350.Cooper Mark. AVERAGE MONTHLY DURATION OF SUNLIGHT IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 351.Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO THE AVERAGE MONTHLY DURATION OF SUNLIGHT IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 352.Cooper Mark. ABUNDANCE IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 353.Cooper Mark. ABUNDANCE IS RELATED TO MAXIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 354.Cooper Mark. ABUNDANCE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 355.Cooper Mark. MATING FREQUENCIES ARE RELATED TO MAXIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 356.Cooper Mark. MATING FREQUENCIES ARE RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 357.Cooper Mark. MATING FREQUENCIES ARE RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 358.Cooper Mark. LENGTH IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).

359. Cooper Mark. WIDTH IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
360. Cooper Mark. VOLUME IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
361. Cooper Mark. PRECIPITATION IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
362. Cooper Mark. CURVED SURFACE AREA IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
363. Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
364. Cooper Mark. MINIMUM TEMPERATURE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
365. Cooper Mark. MAXIMUM TEMPERATURE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
366. Cooper Mark. SURFACE AREA IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
367. Cooper Mark. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
368. Cooper Mark. MEAN OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST NUMBER OF DAILY HOURS OF SUNSHINE IN A MONTH IN FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
369. Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
370. Cooper Mark. TEMPERATURE IS RELATED MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
371. Cooper Mark. SEXUAL SIZE DIMORPHISM IS CORRELATED TO MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
372. Cooper Mark. TEMPERATURE IS RELATED MINIMUM OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
373. Cooper Mark. SEXUAL SIZE DIMORPHISM IS CORRELATED TO MINIMUM OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
374. Cooper Mark. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST NUMBER OF DAILY HOURS OF SUNSHINE IN A MONTH IN FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
375. Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE NEAR FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
376. Cooper Mark. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
377. Cooper Mark. SURFACE AREA IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
378. Cooper Mark. MAXIMUM TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
379. Cooper Mark. MINIMUM TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST REDMILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
380. Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
381. Cooper Mark. HIGHEST RELATIVE HUMIDITY IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
382. Cooper Mark. CURVED SURFACE AREA IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
383. Cooper Mark. PRECIPITATION IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
384. Cooper Mark. VOLUME IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL

- FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 385.Cooper Mark. WIDTH IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 386.Cooper Mark. LENGTH IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 387.Cooper Mark. WIDTH IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 388.Cooper Mark. LENGTH IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 389.Cooper Mark. LOWEST RELATIVE HUMIDITY IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 390.Cooper Mark. HIGHEST RELATIVE HUMIDITY IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 391.Cooper Mark. CURVED SURFACE AREA IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
- 392.Cooper Mark. PRECIPITATION IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 393.Cooper Mark. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 394.Cooper Mark. SURFACE AREA IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 395.Cooper Mark. MAXIMUM TEMPERATURE IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 396.Cooper Mark. MINIMUM TEMPERATURE IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 397.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO HIGHEST OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 398.Cooper Mark. LATITUDE IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 399.Cooper Mark. LONGITUDE IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 400.Cooper Mark. AVERAGE TEMPERATURE IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 401.Cooper Mark. AVERAGE TEMPERATURE VARIATION IS RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 402.Cooper Mark. CURVED SURFACE AREA IS RELATED TO AVERAGE TEMPERATURE VARIATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 403.Cooper Mark. AVERAGE TEMPERATURE VARIATION IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 404.Cooper Mark. CURVED SURFACE AREA IS RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 405.Cooper Mark. CURVED SURFACE AREA IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 406.Cooper Mark. CURVED SURFACE AREA IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 407.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 408.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 409.Cooper Mark. MINIMUM TEMPERATURE IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 410.Cooper Mark. MINIMUM TEMPERATURE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 411.Cooper Mark. TEMPERATURE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 412.Cooper Mark. PRECIPITATION IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 413.Cooper Mark. PRECIPITATION IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).

414. Cooper Mark. HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
415. Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
416. Cooper Mark. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
417. Cooper Mark. SPECIES RICHNESS IS NOT RELATED TO DISTANCE TO THE NEAREST AIRPORT IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
418. Cooper Mark. MATING FREQUENCY IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
419. Cooper Mark. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
420. Cooper Mark. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
421. Cooper Mark. STERNITE PROMINENCE IS RELATED TO ABUNDANCE IN CENTROBOLUS COOK, 1897. (In Prep.).
422. Cooper Mark. MATING FREQUENCY IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
423. Cooper Mark. Surface area to volume ratio correlates with the month with the lowest daily hours of sunshine in pill millipedes *Sphaerotherium* Brandt, 1833. (In Prep.).
424. Cooper Mark. Surface area to volume ratio correlates with the month with the most daily hours of sunshine in pill millipedes *Sphaerotherium* Brandt, 1833. (In Prep.).
425. Cooper Mark. Male surface area to volume ratio tracks average temperature in pill millipedes *Sphaerotherium* Brandt, 1833. (In Prep.).
426. Cooper Mark. ABUNDANCE IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
427. Cooper Mark. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
428. Cooper Mark. LOWEST RELATIVE HUMIDITY IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
429. Cooper Mark. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN CENTROBOLUS COOK, 1897. (In Prep.).
430. Cooper Mark. FEMALE SURFACE AREA-TO-VOLUME RATIO IS RELATED TO MINIMUM TEMPERATURE IN CENTROBOLUS COOK, 1897. (In Prep.).
431. Cooper Mark. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO TEMPERATURE IN CENTROBOLUS COOK, 1897. (In Prep.).
432. Cooper Mark. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN CENTROBOLUS COOK, 1897. (In Prep.).
433. Cooper Mark. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN CENTROBOLUS COOK, 1897. (In Prep.).
434. Cooper Mark. STERNITE PROMINENCE IS RELATED TO LOWEST RELATIVE HUMIDITY IN CENTROBOLUS COOK, 1897. (In Prep.).
435. Cooper Mark. Surface area to volume ratio correlates with the lowest average temperature in pill millipedes *Sphaerotherium* Brandt, 1833. (In Prep.).
436. Cooper Mark. Male surface area to volume ratio correlates with female surface area to volume ratio in pill millipedes *Sphaerotherium* Brandt, 1833. (In Prep.).
437. Cooper Mark. Male surface area to volume ratio correlates with the lowest average temperature in pill millipedes *Sphaerotherium* Brandt, 1833. (In Prep.).
438. Cooper Mark. Mean annual temperature varies with the lowest average temperature in determining the size of female pill millipedes *Sphaerotherium* Brandt, 1833. (In Prep.).
439. Cooper Mark. Mean annual temperature varies with the highest average temperature in determining the size of female pill millipedes *Sphaerotherium* Brandt, 1833. (In Prep.).
440. Cooper Mark. The driest months varies with the distance to the closest airport across the distribution of pill millipedes *Sphaerotherium* Brandt, 1833. (In Prep.).
441. Cooper Mark. The wettest months varies with the distance to the closest airport across the distribution of pill millipedes *Sphaerotherium* Brandt, 1833. (In Prep.).
442. Cooper Mark. The difference between the driest and wettest months varies with the distance to the closest airport across the distribution of pill millipedes *Sphaerotherium* Brandt, 1833. (In Prep.).
443. Cooper Mark. SURFACE AREA IS RELATED TO WIDTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
444. Cooper Mark. SURFACE AREA IS RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).

- 445.Cooper Mark. SPECIES RICHNESS IS MARGINALLY RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 446.Cooper Mark. SPECIES RICHNESS IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 447.Cooper Mark. SPECIES RICHNESS IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 448.Cooper Mark. SPECIES RICHNESS IS RELATED MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 449.Cooper Mark. MOMENTS OF INERTIA ARE RELATED TO WIDTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 450.Cooper Mark. MOMENTS OF INERTIA ARE RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 451.Cooper Mark. WIDTH MODELS WITH MATING FREQUENCY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 452.Cooper Mark. FEMALE WIDTH IS RELATED TO LOWEST NUMBER OF HOURS OF SUNSHINE IN A DAY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 453.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 454.Cooper Mark. WIDTH IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 455.Cooper Mark. LENGTH IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 456.Cooper Mark. WIDTH IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 457.Cooper Mark. LENGTH IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 458.Cooper Mark. CURVED SURFACE AREA IS RELATED TO WIDTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 459.Cooper Mark. CURVED SURFACE AREA IS RELATED TO LENGTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 460.Cooper Mark. CURVED SURFACE AREA IS RELATED TO SEX RATIO IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
- 461.Cooper Mark. COPULATION DURATION IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 462.Cooper Mark. CURVED SURFACE AREA IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 463.Cooper Mark. CURVED SURFACE AREA IS RELATED TO MASS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 464.Cooper Mark. CURVED SURFACE AREA IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDESCENTROBOLUS COOK, 1897. (In Prep.).
- 465.Cooper Mark. CURVED SURFACE AREA IS RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 466.Cooper Mark. CURVED SURFACE AREA IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 467.Cooper Mark. CURVED SURFACE AREA IS RELATED TO LOWEST HOURS OF SUNSHINE IN A DAY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 468.Cooper Mark. CURVED SURFACE AREA IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 469.Cooper Mark. CURVED SURFACE AREA IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 470.Cooper Mark. VOLUME IS CORRELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 471.Cooper Mark. MASS IS CORRELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
- 472.Cooper Mark. MASS IS CORRELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 473.Cooper Mark. MASS IS CORRELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 474.Cooper Mark. MASS IS CORRELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 475.Cooper Mark. COPULATION DURATION IS MODELLED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 476.Cooper Mark. COPULATION DURATION IS MODELLED TO AVERAGE TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 477.Cooper Mark. COPULATION DURATION IS MODELLED TO MINIMUM TEMPERATURE IN

- FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 478.Cooper Mark. MATING FREQUENCY IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 479.Cooper Mark. MATING FREQUENCY IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 480.Cooper Mark. MATING FREQUENCY IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 481.Cooper Mark. MATING FREQUENCY IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 482.Cooper Mark. MATING FREQUENCY IS RELATED TO PRECIPITATION INFOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 483.Cooper Mark. MATING FREQUENCY IS RELATED TO PRECIPITATION INFOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 484.Cooper Mark. MATING FREQUENCY IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 485.Cooper Mark. TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 486.Cooper Mark. TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 487.Cooper Mark. PRECIPITATION IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 488.Cooper Mark. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 489.Cooper Mark. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. In Prep.).
- 490.Cooper Mark. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 491.Cooper Mark. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 492.Cooper Mark. COPULATION DURATION IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 493.Cooper Mark. MOMENTS OF INERTIA ARE RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 494.Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR ARE RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 495.Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 496.Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 497.Cooper Mark. COPULATION DURATION IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 498.Cooper Mark. LOWEST RELATIVE HUMIDITY IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
- 499.Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
- 500.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
- 501.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MASS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 502.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
503. Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 504.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 505.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
- 506.Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).

507. Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
508. Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
509. Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
510. Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO HIGHEST NUMBER OF DAILY HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
511. Cooper Mark. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO TOTAL HOURS OF SUNSHINE IN A YEAR IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
512. Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
513. Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
514. Cooper Mark. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
515. Cooper Mark. LOWEST RELATIVE HUMIDITY IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
516. Cooper Mark. LOWEST RELATIVE HUMIDITY IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
517. Cooper Mark. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
518. Cooper Mark. MINIMUM TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
519. Cooper Mark. MAXIMUM TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. In Prep.).
520. Cooper Mark. PRECIPITATION IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
521. Cooper Mark. PRECIPITATION IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (In Prep.).
522. Cooper Mark. SURFACE AREA IS NOT RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
523. Cooper Mark. SURFACE AREA IS NOT RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
524. Cooper Mark. MINIMUM TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
525. Cooper Mark. SURFACE AREA IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
526. Cooper Mark. SURFACE AREA IS NOT RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).
527. Cooper Mark. SURFACE AREA IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. (In Prep.).

APPENDIX 1. The latitude preceded with air pressure (Pa) in Sphaerotheriidae Brandt, 1833.

84447.28, -30.2786
100782.32, -25.9537
86805.88, -25.7313
89836.61, -33.9573
101216.17, -34.0490
85286.85, -30.9906
91134.55, -34.2051
99696.23, -33.9923
100782.32, -25.9537
101144.93, -33.9820
94323.32, -24.5930
101216.17, -34.0490
101216.17, -34.0490
88910.96, -33.9481
81900.83, -23.0423
79503.17, -33.3515
101144.93, -33.9820
94628.43, -29.6180
88910.96, -34.2708
84457.24, -18.9707
98703.05, -25.3584
78890.44, -28.6883
90169.45, -11.8525
98800.52, -22.4491

75547.86, -19.8000
100999.94, -34.4187
98375.38, -28.6773
99601.12, -33.9091
101216.17, -34.0490
100836.81, -30.0500
87068.14, -32.5667
84392.39, -30.4000
88952.46, -20.4333
100475.14, -33.9738
99466.25, -25.3583
100811.28, -33.7667
92199.28, -32.9500
100747.70, -32.1000
101216.17, -34.0490
101216.17, -34.0490
98375.38, -28.6773
100472.02, -34.2467
100472.02, -33.9640
100475.14, -33.9738
88910.96, -33.9481
100557.20, -28.0070
99787.39, -33.6333.

APPENDIX 2. The latitude preceded with air pressure (Pa) in Sphaerotheriidae Brandt, 1833.

84447.28, 27.8721
100782.32, 32.5887
86805.88, 28.2184
89836.61, 18.4031
101216.17, 23.0479
85286.85, 26.3354
91134.55, 19.1510
99696.23, 18.4309
100782.32, 32.5887
101144.93, 25.6590
94323.32, 31.0970
101216.17, 23.0479
101216.17, 23.0479
88910.96, 18.4030
81900.83, 29.5483
79503.17, 25.7438
101144.93, 25.6590
94628.43, 25.6590
88910.96, 18.4598
84457.24, 32.6709
98703.05, 31.8923

78890.44, 28.9475
90169.45, 40.0250
98800.52, 31.3157
75547.86, 32.8667
100999.94, 19.2345
98375.38, 28.9276
99601.12, 25.1970
101216.17, 23.0479
100836.81, 30.8830
87068.14, 26.950
84392.39, 28.0000
88952.46, 32.7000
100475.14, 23.8866
99466.25, 31.2583
100811.28, 25.6667
92199.28, 25.8167
100747.70, 29.0833
101216.17, 23.0479
101216.17, 23.0479
98375.38, 28.9276
100472.02, 18.4746
100472.02, 18.3830
100475.14, 23.8866
88910.96, 18.4030
100557.20, 31.6860
99787.39, 18.9833.