

MAXIMUM TEMPERATURE IS RELATED TO AVERAGE TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897

Mark I Cooper

University of the Witwatersrand, South Africa.

Abstract- Maximum temperature was tested for a correlation and regression with average temperature in the red millipedes *Centrobolus*. Maximum temperature was related to average temperature ($r = 0.5621$, $r^2 = 0.316$, $n = 40$, $p = 0.0001601$) ($r_s = 0.59511$, p (2-tailed) = $5E-05$). Average temperature predicted maximum temperature, $R^2 = 0.32$, $F(1,38) = 17.56$, $p < 0.001$, $\beta = 0.75$, $p < 0.001$, $\alpha = 9.45$, $p = 0.009$.

Keywords: average, latitude, Red Millipedes, temperature.

I. INTRODUCTION

Red millipedes are found in the southern African subregion, with northern limits on the east coast being about -17° latitude S and southern limits being -35° latitude S. They are well represented in the littoral forests of the eastern half of the subcontinent. It consists of taxonomically important species, with 12 species considered threatened and includes nine vulnerable and three endangered species. It occurs in all the forests of the coastal belt from the Cape Peninsula to Beira in Mozambique. These worm-like millipedes have female-biased sexual size dimorphism.

Here, the average temperature is correlated and regressed with the maximum temperature in *Centrobolus* Cook, 1897.

II. MATERIALS AND METHODS

Maximum temperature and average temperature data were compared across 40 localities for *Centrobolus* (Appendix 1 & 2). A correlation between precipitation and maximum temperature was generated at <https://www.statskingdom.com/correlation-calculator.html> and <https://www.socscistatistics.com/tests/spearman/default2.aspx>.

III. RESULTS

Maximum temperature was related to average temperature ($r = 0.5621$, $r^2 = 0.316$, $n = 40$, $p = 0.0001601$) ($r_s = 0.59511$, p (2-tailed) = $5E-05$).




Figure 1. Correlation between average temperature and maximum temperature in *Centrobolus* Cook, 1897.

Average temperature predicted maximum temperature, $R^2 = 0.32$, $F(1,38) = 17.56$, $p < 0.001$, $\beta = 0.75$, $p < 0.001$, $\alpha = 9.45$, $p = 0.009$ (Figure 2).




Figure 2. Regression between average temperature and maximum temperature in *Centrobolus* Cook, 1897.

IV. DISCUSSION

There is a correlation and regression between maximum temperature and average temperature. Average temperature predicted maximum temperature.

REFERENCES

- COOPER, M. AIR PRESSURE AND ALTITUDE CORRELATIONS IN INTRODUCED SPECIES OF SOUTHERN AFRICAN DIPLOPODA. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO ALTITUDE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN *STENJULOMORPHA* SCHUBART, 1966. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO AVERAGE TEMPERATURE VARIATION IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO HIGHEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO HIGHEST RELATIVE HUMIDITY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN *STENJULOMORPHA* SCHUBART, 1966. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO LOWEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO LOWEST RELATIVE HUMIDITY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO MINIMUM PRECIPITATION IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO MINIMUM TEMPERATURE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO MINIMUM TEMPERATURE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO PRECIPITATION VARIATION IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *STENJULOMORPHA* SCHUBART, 1966. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).

- COOPER, M. ALTITUDE IS RELATED TO AIR PRESSURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. ALTITUDE IS RELATED TO AIR PRESSURE IN COASTAL *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. ALTITUDE IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. ALTITUDE IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. ALTITUDE IS RELATED TO LATITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. ALTITUDE IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. ALTITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *STENJULOMORPHA* SCHUBART, 1966. (IN PREP.).
- COOPER, M. ANNUAL TEMPERATURE VARIATION IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. ANNUAL TEMPERATURE VARIATION IS RELATED TO ALTITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. ANNUAL TEMPERATURE VARIATION IS RELATED TO LONGITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. ANNUAL TEMPERATURE VARIATION IS RELATED TO LOWEST RELATIVE HUMIDITY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. ANNUAL TEMPERATURE VARIATION IS RELATED TO MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. ANNUAL TEMPERATURE VARIATION IS RELATED TO MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. ANNUAL TEMPERATURE VARIATION IS RELATED TO MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. ANNUAL TEMPERATURE VARIATION IS RELATED TO MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. AVERAGE DAILY HOURS OF SUNSHINE IS RELATED TO AIR PRESSURE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. AVERAGE DAILY HOURS OF SUNSHINE IS RELATED TO ALTITUDE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. AVERAGE DAILY HOURS OF SUNSHINE IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. AVERAGE MONTHLY DURATION OF SUNSHINE IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. AVERAGE TEMPERATURE IS RELATED TO AVERAGE TEMPERATURE VARIATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. AVERAGE TEMPERATURE IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. AVERAGE TEMPERATURE IS RELATED TO HIGHEST AND LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. AVERAGE TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. AVERAGE TEMPERATURE IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR 16 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. AVERAGE TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. AVERAGE TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR 16 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. AVERAGE TEMPERATURE VARIATION IS NOT RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. AVERAGE TEMPERATURE VARIATION IS NOT RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN

- SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. AVERAGE TEMPERATURE VARIATION IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. AVERAGE TEMPERATURE VARIATION IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. AVERAGE TEMPERATURE VARIATION IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. AVERAGE TEMPERATURE VARIATION IS RELATED TO HIGHEST RELATIVE HUMIDITY IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. AVERAGE TEMPERATURE VARIATION IS RELATED TO HIGHEST RELATIVE HUMIDITY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. AVERAGE TEMPERATURE VARIATION IS RELATED TO LONGITUDE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. AVERAGE TEMPERATURE VARIATION IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. AVERAGE TEMPERATURE VARIATION IS RELATED TO LOWEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. AVERAGE TEMPERATURE VARIATION IS RELATED TO LOWEST RELATIVE HUMIDITY IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. AVERAGE TEMPERATURE VARIATION IS RELATED TO LOWEST RELATIVE HUMIDITY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. AVERAGE TEMPERATURE VARIATION IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. CONTINUOUS SEQUENCES OF WHOLE NUMBERS BEGINNING AT ZERO STOP BEING NORMAL AT 40. (IN PREP.).
 - COOPER, M. DAILY HOURS OF SUNSHINE (HIGHEST NUMBER) IN A MONTH IS RELATED TO MEAN OCEAN WATER TEMPERATURE IN 16 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DAILY HOURS OF SUNSHINE (LOWEST NUMBER) IN A DAY IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR 16 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DAILY HOURS OF SUNSHINE IN A DAY (LOWEST NUMBER) IS RELATED TO AT LEAST EIGHTEEN FACTORS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DAYS (MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS) IS NOT RELATED TO ALTITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DAYS (MONTH WITH THE HIGHEST NUMBER OF RAINY) IS NORMAL IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DAYS (MONTH WITH THE HIGHEST NUMBER OF RAINY) IS RELATED TO LATITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DAYS (MONTH WITH THE HIGHEST NUMBER OF RAINY) IS RELATED TO LONGITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DAYS (MONTH WITH THE HIGHEST NUMBER OF RAINY) IS RELATED TO PRECIPITATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DAYS (MONTH WITH THE HIGHEST NUMBER OF RAINY) IS RELATED TO THREE FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DAYS (MONTH WITH THE LOWEST NUMBER OF RAINY) IS NOT RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DAYS (MONTH WITH THE LOWEST NUMBER OF RAINY) IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).

- COOPER, M. DAYS RAINY ACROSS THE DISTRIBUTION OF 40 *CENTROBOLUS* IN SOUTHERN AFRICA. (IN PREP.).
- COOPER, M. DETERMINED AVERAGE TEMPERATURE ACROSS THE DISTRIBUTION OF 40 *CENTROBOLUS* IN SOUTHERN AFRICA. (IN PREP.).
- Cooper, M. DETERMINED CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF BARBERTON, SOUTH AFRICA. (IN PREP.).
- Cooper, M. DETERMINED CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF HARARE, ZIMBABWE. (IN PREP.).
- Cooper, M. DETERMINED CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF MUTARE, ZIMBABWE. (IN PREP.).
- COOPER, M. DETERMINED MINIMUM TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE IN A MONTH IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DISTANCE TO THE NEAREST AIRPORT IS RELATED AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO AIR PRESSURE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO ALTITUDE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (AVERAGE MONTHLY) OF SUNLIGHT IS RELATED TO PRECIPITATION IN 18 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (HIGHEST) OF SUNSHINE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (LOWEST AND HIGHEST) OF SUNSHINE PER DAY IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (LOWEST AND HIGHEST) OF SUNSHINE PER DAY IS RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (LOWEST AND HIGHEST) OF SUNSHINE PER DAY IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (LOWEST AND HIGHEST) OF SUNSHINE PER DAY IS RELATED TO WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (LOWEST) OF SUNSHINE IS RELATED TO LONGITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (LOWEST) OF SUNSHINE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR 16 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (LOWEST) OF SUNSHINE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (LOWEST) OF SUNSHINE IS RELATED TO TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (LOWEST) OF SUNSHINE PER DAY IS RELATED TO COPULATION DURATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (LOWEST) OF SUNSHINE PER DAY IS RELATED TO MALE MOMENTS OF INERTNESS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (LOWEST) OF SUNSHINE PER DAY IS RELATED TO VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS NOT RELATED TO MAXIMUM PRECIPITATION IN 40 FOREST

- RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS NOT RELATED TO MAXIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO LONGITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN 13 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS NOT RELATED TO TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO HIGHEST DURATION OF SUNSHINE IN A DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO LOWEST DURATION OF SUNSHINE IN A MONTH IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN 12 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MINIMUM PRECIPITATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MINIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO TOTAL HOURS OF SUNSHINE IN A MONTH IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DURATION OF SUNSHINE (AVERAGE MONTHLY) IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. DURATION OF SUNSHINE (LOWEST) IS NOT RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. Factors related to air pressure in southern African Polyxenida. (IN PREP.).
 - COOPER, M. Factors related to average monthly duration of sunlight in southern African introduced Diplopoda. (IN PREP.).
 - COOPER, M. Factors related to average temperature variation in southern African introduced Diplopoda. (IN PREP.).
 - COOPER, M. Factors related to average temperature variation in southern African Polyxenida. (IN PREP.).
 - COOPER, M. Factors related to distance to the nearest airport in southern African Polyxenida. (IN PREP.).
 - COOPER, M. Factors related to latitude in southern African Polyxenida. (IN PREP.).
 - COOPER, M. Factors related to latitudinal species richness in southern African introduced Diplopoda. (IN PREP.).
 - COOPER, M. Factors related to latitudinal species richness in southern African Polyxenida. (IN PREP.).
 - COOPER, M. Factors related to longitudinal species richness in southern African introduced Diplopoda. (IN PREP.).
 - COOPER, M. Factors related to lowest daily hours of sunshine per day in southern African introduced Diplopoda. (IN PREP.).
 - COOPER, M. Factors related to lowest daily hours of sunshine per day in southern African Polyxenida. (IN PREP.).
 - COOPER, M. Factors related to lowest daily hours of sunshine per month in southern African introduced Diplopoda. (IN PREP.).
 - COOPER, M. Factors related to lowest daily hours of sunshine per month in southern African Polyxenida. (IN PREP.).
 - COOPER, M. Factors related to maximum daily hours of sunshine per day in southern African introduced Diplopoda. (IN PREP.).

- COOPER, M. Factors related to maximum daily hours of sunshine per month in southern African introduced Diplopoda. (IN PREP.).
- COOPER, M. Factors related to maximum daily hours of sunshine per month in southern African Polyxenida. (IN PREP.).
- COOPER, M. Factors related to maximum precipitation in southern African introduced Diplopoda. (IN PREP.).
- COOPER, M. Factors related to maximum precipitation in southern African Polyxenida. (IN PREP.).
- COOPER, M. Factors related to maximum temperature in southern African introduced Diplopoda. (IN PREP.).
- COOPER, M. Factors related to maximum temperature in southern African Polyxenida. (IN PREP.).
- COOPER, M. Factors related to mean temperature in southern African introduced Diplopoda. (IN PREP.).
- COOPER, M. Factors related to minimum precipitation in southern African introduced Diplopoda. (IN PREP.).
- COOPER, M. Factors related to minimum temperature in southern African introduced Diplopoda. (IN PREP.).
- COOPER, M. Factors related to month with the highest rainy days in southern African introduced Diplopoda. (IN PREP.).
- COOPER, M. Factors related to month with the lowest rainy days in southern African introduced Diplopoda. (IN PREP.).
- COOPER, M. Factors related to precipitation in southern African introduced Diplopoda. (IN PREP.).
- COOPER, M. Factors related to precipitation in southern African Polyxenida. (IN PREP.).
- COOPER, M. Factors related to precipitation variation in southern African introduced Diplopoda. (IN PREP.).
- COOPER, M. Factors related to total hours of sunshine throughout the year in southern African introduced Diplopoda. (IN PREP.).
- COOPER, M. Factors related to total hours of sunshine throughout the year in southern African Polyxenida. (IN PREP.).
- COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR 15 COASTAL FOREST RED

- MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
 - COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. HIGHEST DURATION OF SUNSHINE IN A MONTH IS RELATED TO AVERAGE TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST DURATION OF SUNSHINE IN A MONTH IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST DURATION OF SUNSHINE IN A MONTH IS RELATED TO LONGITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST DURATION OF SUNSHINE IN A MONTH IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST DURATION OF SUNSHINE IN A MONTH IS RELATED TO MAXIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST DURATION OF SUNSHINE IN A MONTH IS RELATED TO MINIMUM PRECIPITATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST DURATION OF SUNSHINE IN A MONTH IS RELATED TO MINIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST DURATION OF SUNSHINE IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST DURATION OF SUNSHINE IS RELATED TO LATITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST DURATION OF SUNSHINE IS RELATED TO LONGITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST DURATION OF SUNSHINE IS RELATED TO MAXIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST DURATION OF SUNSHINE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST DURATION OF SUNSHINE IS RELATED TO MINIMUM TEMPERATURE IN 40 FOREST RED

- MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST DURATION OF SUNSHINE IS RELATED TO TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST NUMBER OF DAILY HOURS OF SUNSHINE IN A MONTH IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE IN 15 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (11-H-IN PREP.).
 - COOPER, M. HIGHEST NUMBER OF RAINY DAYS (BASED ON MONTHLY MAXIMA) IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST NUMBER OF RAINY DAYS (MONTH WITH THE) IS RELATED TO PRECIPITATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. HIGHEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO LATITUDE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. HIGHEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO LATITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. HIGHEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833.
 - COOPER, M. HIGHEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO LOWEST NUMBER OF RAINY DAYS PER MONTH IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. HIGHEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO LOWEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS marginally related TO PRECIPITATION IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS marginally related TO PRECIPITATION VARIATION IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS marginally related TO TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS related TO AIR PRESSURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS related TO AIR PRESSURE IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS related TO ALTITUDE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS related TO ALTITUDE IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS related TO AVERAGE MONTHLY DURATION OF SUNSHINE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS related TO AVERAGE MONTHLY DURATION OF SUNLIGHT IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS related TO AVERAGE TEMPERATURE VARIATION IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS related TO DISTANCE TO THE NEAREST AIRPORT IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS related TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS related TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS related TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS related TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).

- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST RELATIVE HUMIDITY IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO LATITUDE AND LONGITUDE NEAR 13 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO LATITUDE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO LONGITUDE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO LOWEST NUMBER OF RAINY DAYS PER MONTH IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO LOWEST RELATIVE HUMIDITY IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM PRECIPITATION IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO MEAN OCEAN WATER TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO PRECIPITATION IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST OCEAN WATER TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS NOT RELATED TO LONGITUDINAL SPECIES RICHNESS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS NOT RELATED TO MAXIMUM OCEAN WATER TEMPERATURES IN 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS NOT RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).

- COOPER, M. HIGHEST RELATIVE HUMIDITY IS NOT RELATED TO MINIMUM PRECIPITATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO ALTITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO LATITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO LATITUDINAL SPECIES RICHNESS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO LOWEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO LOWEST RELATIVE HUMIDITY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO LOWEST RELATIVE HUMIDITY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO MAXIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH ARE RELATED TO ELEVEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IS RELATED TO PRECIPITATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).

- COOPER, M. HOURS (OF AVERAGE SUN) ACROSS THE DISTRIBUTION OF 40 *CENTROBOLUS* IN SOUTHERN AFRICA. (IN PREP.).
- COOPER, M. HOURS OF SUNSHINE (TOTAL IN A MONTH) IS RELATED TO MAXIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS NOT RELATED TO MAXIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO HIGHEST DURATION OF SUNSHINE IN A MONTH IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO LOWEST DURATION OF SUNSHINE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO LOWEST DURATION OF SUNSHINE IN A MONTH IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE NEAR 15 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MINIMUM PRECIPITATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MINIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO THE AVERAGE MONTHLY DURATION OF SUNLIGHT IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HUMIDITY (LOWEST RELATIVE) IS NOT RELATED TO MAXIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HUMIDITY ACROSS THE DISTRIBUTION OF 40 *CENTROBOLUS* IN SOUTHERN AFRICA. (IN PREP.).
- COOPER, M. HYPOTHETICAL AVERAGE TEMPERATURE VARIATION IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. HYPOTHETICAL MAXIMUM TEMPERATURE ACROSS THE DISTRIBUTION OF 40 *CENTROBOLUS* IN SOUTHERN AFRICA. (IN PREP.).
- COOPER, M. I. AIR PRESSURE AND TEMPERATURE CORRELATIONS IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. (IN PREP.).
- COOPER, M. I. AIR PRESSURE IS marginally RELATED TO TEMPERATURE IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCKOCK, 1894. (IN PREP.).
- COOPER, M. I. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN PENCILLATA LATREILLE, 1831. (IN PREP.).
- COOPER, M. I. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN POLYXENIDAE LUCAS, 1840. (IN PREP.).
- COOPER, M. I. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- COOPER, M. I. AIR PRESSURE IS RELATED TO ELEVATION IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. (IN PREP.).
- COOPER, M. I. AIR PRESSURE IS RELATED TO LATITUDE IN SOUTHERN AFRICAN POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- COOPER, M. I. AIR PRESSURE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. (IN PREP.).

- COOPER, M. I. ALTITUDE AND AIR PRESSURE CORRELATIONS IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCOCK, 1894. (IN PREP.).
- COOPER, M. I. ALTITUDE AND LATITUDE CORRELATIONS IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCOCK, 1894. (IN PREP.).
- COOPER, M. I. ALTITUDE AND LONGITUDE CORRELATIONS IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCOCK, 1894. (IN PREP.).
- COOPER, M. I. ALTITUDE AND TEMPERATURE CORRELATIONS IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCOCK, 1894. (IN PREP.).
- COOPER, M. I. ALTITUDE IS RELATED TO LATITUDE IN SOUTHERN AFRICAN POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- COOPER, M. I. ALTITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMPS, 1909C. (IN PREP.).
- COOPER, M. I. DAILY HOURS OF SUNSHINE (LOWEST NUMBER) IN A DAY IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DAILY HOURS OF SUNSHINE (LOWEST NUMBER) IS RELATED TO LOWEST DURATION OF SUNSHINE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DAILY HOURS OF SUNSHINE IN A DAY (LOWEST NUMBER) IS RELATED TO AT LEAST EIGHTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DAYS (MONTH WITH THE HIGHEST NUMBER OF RAINY) IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DAYS (MONTH WITH THE HIGHEST NUMBER OF RAINY) IS RELATED TO FIVE FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DAYS (MONTH WITH THE LOWEST NUMBER OF RAINY) IS NOT RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DAYS (MONTH WITH THE LOWEST NUMBER OF RAINY) IS RELATED TO AT LEAST FOUR FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DAYS (MONTH WITH THE LOWEST NUMBER OF RAINY) IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DAYS (MONTH WITH THE LOWEST NUMBER OF RAINY) IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DAYS RAINY ACROSS THE DISTRIBUTION OF *CENTROBOLUS* IN SOUTHERN AFRICA. (IN PREP.).
- COOPER, M. I. DE HOOP (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
- COOPER, M. I. DETERMINED AVERAGE TEMPERATURE ACROSS THE DISTRIBUTION OF *CENTROBOLUS* IN SOUTHERN AFRICA. (IN PREP.).
- COOPER, M. I. DETERMINED CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF BOT RIVER, SOUTH AFRICA. (IN PREP.).
- COOPER, M. I. DETERMINED CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF GQEBERHA, SOUTH AFRICA. (IN PREP.).
- COOPER, M. I. DETERMINED CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF KNYSNA, SOUTH AFRICA. (IN PREP.).
- COOPER, M. I. DETERMINED EJACULATE VOLUME VARIES WITH MOMENTS OF INERTIA IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DETERMINED MASS IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DETERMINED MASS IS RELATED TO MOMENTS OF INERTIA IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DETERMINED MINIMUM TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DETERMINED MINIMUM TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DIFFERENCES (RELATIVE) BETWEEN A PAIR OF SYMPATRIC FOREST

- RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IN SECOND POLAR MOMENTS OF INERTNESS. (IN PREP.).
- COOPER, M. I. DIFFERENCES BETWEEN ONE PAIR OF SYMPATRIC FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IN SECOND POLAR MOMENTS OF INERTNESS. (IN PREP.).
 - COOPER, M. I. DIFFERENCES BETWEEN THE SEXES OF A PAIR OF SYMPATRIC FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IN CURVED SURFACE AREAS. (IN PREP.).
 - COOPER, M. I. DIFFERENCES BETWEEN THE SEXES OF A PAIR OF SYMPATRIC FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IN SECOND POLAR MOMENTS OF INERTNESS. (IN PREP.).
 - COOPER, M. I. DIFFERENCES IN VOLUMES BETWEEN THE SEXES OF A PAIR OF SYMPATRIC FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DISTANCE TO THE NEAREST AIRPORT IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 SHOWS A RELATIONSHIP WITH STERNITE PROMINENCE. (IN PREP.).
 - COOPER, M. I. DISTANCE TO THE NEAREST AIRPORT IS marginally correlated WITH MASS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION (AVERAGE MONTHLY) OF SUNLIGHT IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION (HIGHEST) OF SUNSHINE IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION (HIGHEST) OF SUNSHINE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION (LOWEST) OF SUNSHINE IS RELATED TO WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS marginally related TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS NOT RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO AT LEAST FOURTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (10-D-IN PREP.).
 - COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO HIGHEST DURATION OF SUNSHINE IN A DAY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (12-D-IN PREP.).

- COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (9-D-IN PREP.).
- COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO LOWEST DURATION OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MATING FREQUENCY IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (7-D-IN PREP.).
- COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (11-D-IN PREP.).
- COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (8-D-IN PREP.).
- COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DURATION OF SUNSHINE (AVERAGE MONTHLY) IS RELATED TO ABUNDANCE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DURATION OF SUNSHINE (LOWEST) IS RELATED TO ABUNDANCE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DURATION OF SUNSHINE (LOWEST) IS RELATED TO AT LEAST TEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DURATION OF SUNSHINE (LOWEST) IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DURATION OF SUNSHINE IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. DURBAN (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
- COOPER, M. I. genotypic. (IN PREP.).
- COOPER, M. I. HIGHEST DURATION OF SUNSHINE IN A DAY IS RELATED TO ABUNDANCE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO AT LEAST FIFTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO LOWEST DURATION OF SUNSHINE IN FOREST RED

- MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO MASS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST DURATION OF SUNSHINE IS RELATED TO WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST NUMBER OF DAILY HOURS OF SUNSHINE IN A MONTH IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST NUMBER OF RAINY DAYS (BASED ON MONTHLY MAXIMA) IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST NUMBER OF RAINY DAYS (IN A MONTH) IS RELATED TO PRESSURE (AIR) IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST NUMBER OF RAINY DAYS (MONTH WITH THE) IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST OCEAN WATER TEMPERATURES ARE RELATED TO LATITUDE AND LONGITUDE NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST OCEAN WATER TEMPERATURES IS RELATED TO AIR PRESSURE NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST RELATIVE HUMIDITY IS RELATED TO ABUNDANCE, MINIMUM AND MAXIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST RELATIVE HUMIDITY IS RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST RELATIVE HUMIDITY, HIGHEST OCEAN WATER TEMPERATURES, MOMENTS OF INERTIA AND STERNITE PROMINENCE IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH ARE RELATED TO TWELVE FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HIGHEST, LOWEST AND MEAN OCEAN WATER TEMPERATURES IS RELATED TO VOLUME IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. HLUHLUWE (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).

- COOPER, M. I. HOEDSPRUIT (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
- COOPER, M. I. HOURS (OF AVERAGE SUN) ACROSS THE DISTRIBUTION OF *CENTROBOLUS* IN SOUTHERN AFRICA. (IN PREP.).
- COOPER, M. I. HOURS OF SUNSHINE (TOTAL IN A MONTH) IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO AT LEAST TEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO LOWEST DURATION OF SUNSHINE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (10-H-IN PREP.).
- COOPER, M. I. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO THE AVERAGE MONTHLY DURATION OF SUNLIGHT IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HOUT BAY (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
- COOPER, M. I. HUMIDITY (LOWEST RELATIVE) IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HUMIDITY ACROSS THE DISTRIBUTION OF *CENTROBOLUS* IN SOUTHERN AFRICA. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL ALTITUDE IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL AVERAGE TEMPERATURE VARIATION IS RELATED TO LENGTH AND SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF KIRKWOOD, SOUTH AFRICA. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL FACTORS RELATED TO LOWEST DURATION OF SUNSHINE AND LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL MAXIMUM OCEAN WATER TEMPERATURES IS RELATED TO ABUNDANCE IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL MAXIMUM TEMPERATURE ACROSS THE DISTRIBUTION OF *CENTROBOLUS* IN SOUTHERN AFRICA. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL MAXIMUM TEMPERATURE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL MAXIMUM TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (7-H-IN PREP.).
- COOPER, M. I. HYPOTHETICAL MEAN OCEAN WATER TEMPERATURE IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL MEAN OCEAN WATER TEMPERATURES IS RELATED TO SURFACE AREA IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS marginally related

- TO PRECIPITATION IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS marginally RELATED TO AVERAGE TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS marginally RELATED TO DISTANCE TO THE NEAREST AIRPORT IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO AIR PRESSURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO ALTITUDE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO AVERAGE MONTHLY DURATION OF SUNLIGHT IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN COASTAL *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST DURATION OF SUNSHINE PER DAY IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST DURATION OF SUNSHINE PER MONTH IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO LATITUDE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO LONGITUDE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO LOWEST DURATION OF SUNSHINE PER DAY IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO LOWEST DURATION OF SUNSHINE PER MONTH IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM OCEAN WATER TEMPERATURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM PRECIPITATION IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO PRECIPITATION VARIATION IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
 - COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
 - COOPER, M. I. MEAN OCEAN WATER TEMPERATURE IS RELATED TO THE LOWEST DAILY HOURS OF SUNSHINE PER

MONTH IN SOUTHERN AFRICAN
ANTIPHONUS ATTEMPS, 1901. (IN PREP.).

- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. HYPOTHETICAL MEAN OCEAN WATER TEMPERATURES IS RELATED TO VOLUME IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (12-H-IN PREP.).
- COOPER, M. I. HYPOTHETICAL MINIMUM OCEAN WATER TEMPERATURES ARE RELATED TO MATING FREQUENCIES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO SURFACE AREA IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL MINIMUM TEMPERATURE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL MINIMUM TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL MINIMUM TEMPERATURE IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (8-H-IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO LATITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO LATITUDINAL SPECIES RICHNESS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO

LONGITUDINAL SPECIES RICHNESS IN
ULODESMUS COOK, 1899B. (IN PREP.).

- COOPER, M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS RELATED TO ALTITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS RELATED TO AVERAGE MONTHLY DURATION OF SUNLIGHT IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS RELATED TO LATITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS RELATED TO MONTH WITH THE HIGHEST HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS RELATED TO MONTH WITH THE HIGHEST HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS RELATED TO MONTH WITH THE LOWEST HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS RELATED TO MONTH WITH THE LOWEST HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. I. HYPOTHETICAL MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (9-H-IN PREP.).
- COOPER, M. I. HYPOTHETICAL OCEAN WATER TEMPERATURES IS RELATED TO ABUNDANCE IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).

- COOPER, M. I. LATITUDE AND LONGITUDE CORRELATIONS IN SOUTHERN AFRICAN PENCILLATA LATREILLE, 1831. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO AIR PRESSURE IN COASTAL *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO ALTITUDE IN COASTAL *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. I. LATITUDE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN COASTAL *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN COASTAL *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN POLYXENIDAE LUCAS, 1840. (IN PREP.).
- COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SIPHONOPHORIDA NEWPORT, 1844 AND POLYZONIIDA GERVAIS, 1844. (SI-IN PREP.).
- COOPER, M. I. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCOCK, 1894. (IN PREP.).
- COOPER, M. I. LATITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. (IN PREP.).
- COOPER, M. I. LATITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCOCK, 1894. (IN PREP.).
- COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN PENCILLATA LATREILLE, 1831. (IN PREP.).
- COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYXENIDAE LUCAS, 1840. (IN PREP.).
- COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- COOPER, M. I. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SIPHONOPHORIDA NEWPORT, 1844 AND POLYZONIIDA GERVAIS, 1844. (SI-IN PREP.).
- COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCOCK, 1894. (IN PREP.).
- COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. (IN PREP.).
- COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN PENCILLATA LATREILLE, 1831. (IN PREP.).
- COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYXENIDAE LUCAS, 1840. (IN PREP.).
- COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO MAXIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCOCK, 1894. (IN PREP.).
- COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN PENCILLATA LATREILLE, 1831. (IN PREP.).
- COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYXENIDAE LUCAS, 1840. (IN PREP.).
- COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SIPHONOPHORIDA NEWPORT, 1844 AND POLYZONIIDA GERVAIS, 1844. (SI-IN PREP.).
- COOPER, M. I. PACHYBOLID COLEOPOD SPINE LENGTH AND NUMBER ARE RELATED TO MOMENTS OF INERTIA IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PACHYBOLID LENGTH IS marginally related to ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PIETERMARITZBURG (SOUTH AFRICA) CLIMATE CORRELATION

- COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
- COOPER, M. I. PORT SHEPSTONE (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
 - COOPER, M. I. PORT ST JOHNS (SOUTH AFRICA) CLIMATE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS. (IN PREP.).
 - COOPER, M. I. POSSIBILITY MATING FREQUENCIES ARE RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF CAPE TOWN, SOUTH AFRICA. (IN PREP.).
 - COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF GANS BAY, SOUTH AFRICA. (IN PREP.).
 - COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF GORONGOSA, MOZAMBIQUE. (IN PREP.).
 - COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF KEI ROAD, SOUTH AFRICA. (IN PREP.).
 - COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF LOCHIEL, SOUTH AFRICA. (IN PREP.).
 - COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF MTUNZINI ON THE EAST COAST OF SOUTH AFRICA. (IN PREP.).
 - COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF RICHARDS BAY, SOUTH AFRICA. (IN PREP.).
 - COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF SCOTTBURGH, SOUTH AFRICA. (IN PREP.).
 - COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF UMHLANGA ROCKS, SOUTH AFRICA. (IN PREP.).
 - COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF VRYHEID, SOUTH AFRICA. (IN PREP.).
 - COOPER, M. I. POSSIBLE CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF WINTERTON, SOUTH AFRICA. (IN PREP.).
 - COOPER, M. I. POSSIBLE EIGHT FACTORS RELATED TO AVERAGE TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. POSSIBLE EJACULATE VOLUME VARIES WITH SEX RATIO IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. POSSIBLE MINIMUM TEMPERATURE ACROSS THE DISTRIBUTION OF *CENTROBOLUS* IN SOUTHERN AFRICA. (IN PREP.).
 - COOPER, M. I. POSSIBLE SEVEN FACTORS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. I. POSSIBLE SIX FACTORS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO THE AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO THE DISTANCE TO THE NEAREST AIRPORT IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO HIGHEST NUMBER OF RAINY DAYS PER MONTH IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO HIGHEST RELATIVE HUMIDITY IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO LATITUDE IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).

- COOPER, M. PRECIPITATION IS RELATED TO LATITUDE IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO LONGITUDE IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO LONGITUDE IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO THE LOWEST DAILY HOURS OF SUNSHINE IN A DAY IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO THE LOWEST DAILY HOURS OF SUNSHINE IN A MONTH IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO MAXIMUM PRECIPITATION IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO MAXIMUM TEMPERATURE IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO PRECIPITATION VARIATION IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO PRECIPITATION VARIATION IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO THE HIGHEST DAILY HOURS OF SUNSHINE IN A MONTH IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO THE TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MAXIMUM) ARE RELATED TO MATING FREQUENCIES IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MAXIMUM) IS CORRELATED TO SEXUAL SIZE DIMORPHISM IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO ABUNDANCE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO AIR PRESSURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (10-P-IN PREP.).
- COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (11-P-IN PREP.).
- COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO MASS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (12-P-IN PREP.).
- COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) ARE RELATED TO MATING FREQUENCIES IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 RELATED TO EIGHT FACTORS. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO ABUNDANCE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO AIR PRESSURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).

- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO HIGHEST DURATION OF SUNSHINE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (7-P-IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO MASS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO NOT LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (6-P-IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (9-P-IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO THE MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION ACROSS THE DISTRIBUTION OF *CENTROBOLUS* IN SOUTHERN AFRICA. (IN PREP.).
- COOPER, M. I. PRECIPITATION IS NOT RELATED TO MAXIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION IS NOT RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION IS RELATED TO DURATION OF SUNSHINE (LOWEST) IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION RELATED TO TEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MAXIMUM) IS marginally related to MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MAXIMUM) IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE NEAR 16 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO LOWEST DURATION OF SUNSHINE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRECIPITATION (MINIMUM) IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRESSURE (AIR) IS marginally related to MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRESSURE (AIR) IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRESSURE (AIR) IS RELATED TO AVERAGE TEMPERATURE VARIATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRESSURE (AIR) IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRESSURE (AIR) IS RELATED TO MASS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. I. PRESSURE (AIR) IS RELATED TO SEVEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDE AND LONGITUDE CORRELATIONS IN SOUTHERN AFRICAN POLYZONIIDA GERVAIS, 1844. (IN PREP.).

- COOPER, M. LATITUDE IS NOT RELATED TO LONGITUDINAL SPECIES RICHNESS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO AIR PRESSURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN *STENJULOMORPHA* SCHUBART, 1966. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO AVERAGE TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN *STENJULOMORPHA* SCHUBART, 1966. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE IN A DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE IN A MONTH IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. (IN PREP.).
- COOPER, M. LATITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *STENJULOMORPHA* SCHUBART, 1966. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES DISTRIBUTION AND LONGITUDINAL SPECIES DISTRIBUTION IN INTRODUCED SPECIES OF SOUTHERN AFRICAN DIPLOPODA. (IN- IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO AIR PRESSURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO ALTITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO AVERAGE TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR 16 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO MASS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO MATING FREQUENCY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).

- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO MAXIMUM PRECIPITATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO MINIMUM PRECIPITATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO MINIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN *STENJULOMORPHA* SCHUBART, 1966. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN *STENJULOMORPHA* SCHUBART, 1966. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO AVERAGE TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR 16 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO HIGHEST RELATIVE HUMIDITY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN COASTAL *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO LOWEST DURATION OF SUNSHINE IN A MONTH IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO MAXIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *STENJULOMORPHA* SCHUBART, 1966. (IN PREP.).
- COOPER, M. LONGITUDINAL SPECIES RICHNESS IS marginally RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDINAL SPECIES RICHNESS IS NOT RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDINAL SPECIES RICHNESS IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE IN A MONTH IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDINAL SPECIES RICHNESS IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDINAL SPECIES RICHNESS IS RELATED TO LATITUDE IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. (IN PREP.).
- COOPER, M. LONGITUDINAL SPECIES RICHNESS IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).

- COOPER, M. LONGITUDINAL SPECIES RICHNESS IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. LONGITUDINAL SPECIES RICHNESS IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDINAL SPECIES RICHNESS IS RELATED TO MAXIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDINAL SPECIES RICHNESS IS RELATED TO MINIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDINAL SPECIES RICHNESS IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO AVERAGE DAILY HOURS OF SUNSHINE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO TOTAL HOURS OF SUNSHINE PER YEAR IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO TOTAL HOURS OF SUNSHINE PER YEAR IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. LOWEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. LOWEST DURATION OF SUNSHINE IN A MONTH IS RELATED TO AVERAGE TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LOWEST DURATION OF SUNSHINE IN A MONTH IS RELATED TO

- LONGITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LOWEST DURATION OF SUNSHINE IN A MONTH IS RELATED TO PRECIPITATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. LOWEST DURATION OF SUNSHINE PER MONTH IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. LOWEST DURATION OF SUNSHINE PER MONTH IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. LOWEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. LOWEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. LOWEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. LOWEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. LOWEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO LATITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. LOWEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS NOT RELATED TO MAXIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO ALTITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO AVERAGE TEMPERATURE VARIATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO HIGHEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO LATITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO LATITUDINAL SPECIES RICHNESS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO LOWEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO LOWEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO MAXIMUM PRECIPITATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO MINIMUM PRECIPITATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER

- DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO TEMPERATURE IN 40 FOREST RED MILLPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO TEMPERATURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTHERN AFRICAN *SPHAEROTHERIIDAE* BRANDT, 1833. (IN PREP.).
 - COOPER, M. MASS IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MAXIMUM OCEAN WATER TEMPERATURE IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
 - COOPER, M. MAXIMUM OCEAN WATER TEMPERATURE IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN COASTAL *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MAXIMUM OCEAN WATER TEMPERATURE IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
 - COOPER, M. MAXIMUM OCEAN WATER TEMPERATURE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
 - COOPER, M. MAXIMUM OCEAN WATER TEMPERATURE IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
 - COOPER, M. MAXIMUM OCEAN WATER TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
 - COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO ALTITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE YEAR IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO AVERAGE TEMPERATURE VARIATION IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO AVERAGE TEMPERATURE VARIATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN 40 FOREST RED MILLPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO HIGHEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN *SPHAEROTHERIIDAE* BRANDT, 1833. (IN PREP.).
 - COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO HIGHEST RELATIVE HUMIDITY IN *AULODESMUS* COOK, 1896A.
 - COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO LATITUDE IN SOUTHERN AFRICAN *SPHAEROTHERIIDAE* BRANDT, 1833. (IN PREP.).
 - COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN FOREST MILLPEDES. (IN PREP.).
 - COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN MILLPEDES. (IN PREP.).
 - COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN *SPHAEROTHERIIDAE* BRANDT, 1833. (IN PREP.).
 - COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO LONGITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO LOWEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN *SPHAEROTHERIIDAE* BRANDT, 1833. (IN PREP.).

- COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO LOWEST RELATIVE HUMIDITY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO MAXIMUM TEMPERATURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO MINIMUM TEMPERATURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO PRECIPITATION VARIATION IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO PRECIPITATION VARIATION IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO PRECIPITATION VARIATION IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO PRECIPITATION VARIATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS NOT RELATED TO HIGHEST AND LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS NOT RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS NOT RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS NOT RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO AIR PRESSURE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO ALTITUDE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO ALTITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO ANNUAL TEMPERATURE VARIATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO AVERAGE MONTHLY DURATION OF SUNLIGHT IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO AVERAGE TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR 16 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).

- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO LATITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO LATITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO LONGITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO LOWEST RELATIVE HUMIDITY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO PRECIPITATION VARIATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO AIR PRESSURE IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO ALTITUDE IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO AVERAGE MONTHLY DURATION OF SUNLIGHT IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO AVERAGE TEMPERATURE VARIATION IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST RELATIVE HUMIDITY IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO LOWEST NUMBER OF RAINY DAYS PER MONTH IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO LOWEST RELATIVE HUMIDITY IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).

- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM OCEAN WATER TEMPERATURE IN 16 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM OCEAN WATER TEMPERATURE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM OCEAN WATER TEMPERATURE IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO PRECIPITATION IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS NOT RELATED TO MAXIMUM TEMPERATURE IN 16 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO LATITUDE IN 16 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO LONGITUDE IN 16 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN 16 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MEAN OCEAN WATER TEMPERATURE IS RELATED TO TEMPERATURE IN 16 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO AVERAGE TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN COASTAL *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO LATITUDE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO LONGITUDE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).

- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO THE LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO LOWEST NUMBER OF RAINY DAYS PER MONTH IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO LOWEST RELATIVE HUMIDITY IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM OCEAN WATER TEMPERATURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM PRECIPITATION IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM PRECIPITATION IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO PRECIPITATION IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO PRECIPITATION IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO PRECIPITATION VARIATION IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO AIR PRESSURE IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO ALTITUDE IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO AVERAGE

MONTHLY DURATION OF SUNLIGHT IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).

- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO AVERAGE TEMPERATURE VARIATION IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO HIGHEST RELATIVE HUMIDITY IN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO ALTITUDE IN FOREST RED MILLPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO AVERAGE TEMPERATURE IN 16 FOREST RED MILLPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS NOT RELATED TO AVERAGE TEMPERATURE VARIATION IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO ALTITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO ANNUAL TEMPERATURE VARIATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN 40 FOREST RED MILLPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO HIGHEST DAILY HOURS OF

SUNSHINE PER DAY IN 40 FOREST RED MILLPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).

- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO HIGHEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO HIGHEST RELATIVE HUMIDITY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO HIGHEST RELATIVE HUMIDITY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO LATITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO LATITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN FOREST MILLPEDES. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN MILLPEDES. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO LATITUDINAL SPECIES RICHNESS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO LOWEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO LOWEST RELATIVE HUMIDITY IN 40 FOREST RED MILLPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO LOWEST RELATIVE

- HUMIDITY IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. MINIMUM PRECIPITATION IS RELATED TO LOWEST RELATIVE HUMIDITY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. MINIMUM PRECIPITATION IS RELATED TO MAXIMUM PRECIPITATION IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. MINIMUM PRECIPITATION IS RELATED TO MAXIMUM PRECIPITATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM PRECIPITATION IS RELATED TO MAXIMUM TEMPERATURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM PRECIPITATION IS RELATED TO MINIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MINIMUM PRECIPITATION IS RELATED TO MINIMUM TEMPERATURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM PRECIPITATION IS RELATED TO MONTH WITH THE HIGHEST HUNBER OF RAINY DAYS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM PRECIPITATION IS RELATED TO MONTH WITH THE LOWEST NUMBER OF DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM PRECIPITATION IS RELATED TO MONTH WITH THE LOWEST NUMBER OF DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM PRECIPITATION IS RELATED TO MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM PRECIPITATION IS RELATED TO PRECIPITATION VARIATION IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. MINIMUM PRECIPITATION IS RELATED TO PRECIPITATION VARIATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO AIR PRESSURE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO ALTITUDE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO ALTITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO ANNUAL TEMPERATURE VARIATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO AVERAGE DAILY HOURS OF SUNSHINE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO AVERAGE TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO AVERAGE TEMPERATURE VARIATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO AVERAGE TEMPERATURE VARIATION IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO HIGHEST AND LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF

- SUNSHINE PER DAY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR 16 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO HIGHEST RELATIVE HUMIDITY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO LATITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO LONGITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO LOWEST RELATIVE HUMIDITY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- HUMIDITY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. MINIMUM TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO MEAN OCEAN WATER TEMPERATURES NEAR 16 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO PRECIPITATION VARIATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE IN A YEAR IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. MINIMUM TEMPERATURE IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO ALTITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO ALTITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO AVERAGE MONTHLY

DURATION OF SUNSHINE IN *ULODESMUS* COOK, 1899B. (IN PREP.).

- COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO THE AVERAGE MONTHLY DURATION OF SUNSHINE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO THE DISTANCE TO THE NEAREST AIRPORT IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO LONGITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO LONGITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO THE MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).

- COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO THE MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO THE TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO AIR PRESSURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IN *ULODESMUS* COOK, 1899B. (IN PREP.).

- COOPER, M. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO ALTITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE IN A MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO ALTITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO LATITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER MONTH IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS NOT RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS NOT RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR 16 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. NORMALITY IN AIR PRESSURE AND ALTITUDE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. NORMALITY IN AIR PRESSURE AND ALTITUDE IN SOUTHERN AFRICAN *PHYGOXEROTES* VERHOEFF, 1939A. (IN PREP.).
- COOPER, M. NORMALITY IN AIR PRESSURE AND ALTITUDE IN *ZINOPHORA* CHAMBERLAIN, 1927. (IN PREP.).
- COOPER, M. NORMALITY IN AIR PRESSURE AND TEMPERATURE IN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. NORMALITY IN AIR PRESSURE IN INTRODUCED SPECIES OF SOUTHERN AFRICA DIPLOPODA. (IN PREP.).
- COOPER, M. NORMALITY IN AIR PRESSURE IN SOUTHERN AFRICA *HARPAGOPHORA* ATTEMPS, 1909. (IN PREP.).
- COOPER, M. NORMALITY IN AIR PRESSURE IN SOUTHERN AFRICA POLYXENIDAE LUCAS, 1840. (IN PREP.).
- COOPER, M. NORMALITY IN ALTITUDE AND AIR PRESSURE IN *PODOCHRESIMUS* ATTEMPS, 1926. (IN PREP.).
- COOPER, M. NORMALITY IN ALTITUDE AND AIR PRESSURE IN SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. (IN PREP.).
- COOPER, M. NORMALITY IN ALTITUDE AND AIR PRESSURE IN SOUTHERN AFRICAN *PLATYTARRUS* ATTEMPS, 1926. (IN PREP.).
- COOPER, M. NORMALITY IN ALTITUDE AND LATITUDE IN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. NORMALITY IN ALTITUDE IN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. NORMALITY IN ALTITUDE IN *CAMARICOPROCTUS* ATTEMPS, 1926. (IN PREP.).
- COOPER, M. NORMALITY IN ALTITUDE IN INTRODUCED SPECIES OF SOUTHERN AFRICA DIPLOPODA. (IN PREP.).

- COOPER, M. NORMALITY IN ALTITUDE IN *RHOPALOSKELUS* ATTEMS, 1940. (IN PREP.).
- COOPER, M. NORMALITY IN ALTITUDE IN SOUTHERN AFRICA *HARPAGOPHORA* ATTEMS, 1909. (IN PREP.).
- COOPER, M. NORMALITY IN AVERAGE MONTHLY DURATION OF SUNLIGHT IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. NORMALITY IN AVERAGE TEMPERATURE, MAXIMUM TEMPERATURE, HUMIDITY, RAINY DAYS (PER MONTH), AND AVERAGE SUN HOURS AT BEIRA, MOZAMBIQUE. (IN PREP.).
- COOPER, M. NORMALITY IN HIGHEST DAILY HOURS OF SUNSHINE THROUGHOUT A MONTH IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. NORMALITY IN HIGHEST RELATIVE HUMIDITY IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. NORMALITY IN LATITUDE AND LONGITUDE IN SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. (IN PREP.).
- COOPER, M. NORMALITY IN LATITUDE IN *ALLAWRENCIUS* VERHOEFF, 1939A. (IN PREP.).
- COOPER, M. NORMALITY IN LATITUDE IN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. NORMALITY IN LATITUDE IN *CAMARICOPROCTUS* ATTEMS, 1926. (IN PREP.).
- COOPER, M. NORMALITY IN LATITUDE IN *PATINATIUS* ATTEMS, 1928. (IN PREP.).
- COOPER, M. NORMALITY IN LATITUDE IN SOUTHERN AFRICAN *BICOXIDENS* ATTEMS, 1928. (IN PREP.).
- COOPER, M. NORMALITY IN LATITUDE IN SOUTHERN AFRICAN *HARPAGOPHORIDAE* ATTEMS, 1909. (IN PREP.).
- COOPER, M. NORMALITY IN LATITUDE IN SOUTHERN AFRICAN *PHYGOXEROTES* VERHOEFF, 1939A. (IN PREP.).
- COOPER, M. NORMALITY IN LATITUDE IN SOUTHERN AFRICAN *TRIAENOSTREPTUS* ATTEMS, 1914B. (IN PREP.).
- COOPER, M. NORMALITY IN LATITUDE, AIR PRESSURE AND ALTITUDE IN SOUTHERN AFRICAN *VAALOGONOPODIDAE* VERHOEFF, 1940A. (IN PREP.).
- COOPER, M. NORMALITY IN LATITUDE, LATITUDINAL SPECIES RICHNESS, ALTITUDE, AND AIR PRESSURE IN SOUTHERN AFRICAN *PENCILLATA* LATREILLE, 1831. (IN PREP.).
- COOPER, M. NORMALITY IN LENGTH, WIDTH, VOLUME AND PRECIPITATION IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. NORMALITY IN LONGITUDE AND LONGITUDINAL SPECIES IN SOUTHERN AFRICAN *POLYZONIIDA* GERVAIS, 1844. (IN PREP.).
- COOPER, M. NORMALITY IN LONGITUDE IN *ALLAWRENCIUS* VERHOEFF, 1939A. (IN PREP.).
- COOPER, M. NORMALITY IN LONGITUDE IN *BICOXIDENS* ATTEMS, 1928. (IN PREP.).
- COOPER, M. NORMALITY IN LONGITUDE IN *CAMARICOPROCTUS* ATTEMS, 1926. (IN PREP.).
- COOPER, M. NORMALITY IN LONGITUDE IN *ORTHOPOROIDES* KRABBE, 1982. (IN PREP.).
- COOPER, M. NORMALITY IN LONGITUDE IN SOUTHERN AFRICAN *POLYXENIDAE* LUCAS, 1840. (IN PREP.).
- COOPER, M. NORMALITY IN LONGITUDE IN SOUTHERN AFRICAN *CHALEPONCUS* ATTEMS, 1914B. (IN PREP.).
- COOPER, M. NORMALITY IN LONGITUDE IN SOUTHERN AFRICAN *SIPHONOPHORIDA* NEWPORT, 1844 AND *POLYZONIIDA* GERVAIS, 1844. (IN PREP.).
- COOPER, M. NORMALITY IN LONGITUDE IN *ZINOPHORA* CHAMBERLAIN, 1927. (IN PREP.).
- COOPER, M. NORMALITY IN MINIMUM OCEAN WATER TEMPERATURES NEAR 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. NORMALITY IN MINIMUM PRECIPITATION IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. NORMALITY IN MINIMUM TEMPERATURE IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. NORMALITY IN MINIMUM TEMPERATURE, MAXIMUM TEMPERAURE, HUMIDITY AND AVERAGE SUN HOURS AT BANDULA, MOZAMBIQUE. (IN PREP.).
- COOPER, M. NORMALITY IN TEMPERATURE IN INTRODUCED SPECIES OF SOUTHERN AFRICA *DIPLOPODA*. (IN PREP.).
- COOPER, M. NORMALITY IN TEMPERATURE IN SOUTHERN AFRICAN *HARPAGOPHORIDAE* ATTEMS, 1909. (IN PREP.).
- COOPER, M. NORMALITY IN TEMPERATURE IN *ZINOPHORA* CHAMBERLAIN, 1927. (IN PREP.).

- COOPER, M. POSSIBLE ELEVEN FACTORS RELATED TO AVERAGE TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. POSSIBLE MINIMUM TEMPERATURE ACROSS THE DISTRIBUTION OF 40 *CENTROBOLUS* IN SOUTHERN AFRICA. (IN PREP.).
- COOPER, M. POSSIBLE NINE FACTORS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. POSSIBLE SEVEN FACTORS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MAXIMUM) IS RELATED TO AIR PRESSURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MAXIMUM) IS RELATED TO ALTITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MAXIMUM) IS RELATED TO LATITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MAXIMUM) IS RELATED TO LONGITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MAXIMUM) IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MAXIMUM) IS RELATED TO PRECIPITATION (MINIMUM) IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MINIMUM) IS RELATED TO LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MINIMUM) IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 RELATED TO TEN FACTORS. (IN PREP.).
- COOPER, M. PRECIPITATION (MINIMUM) IS marginally related to lowest relative humidity in 40 forest red millipedes *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MINIMUM) IS NOT RELATED TO LOWEST relative humidity in 40 forest red millipedes *CENTROBOLUS* COOK, 1897. (IN PREP.).
- HUMIDITY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MINIMUM) IS NOT RELATED TO TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MINIMUM) IS RELATED TO ALTITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MINIMUM) IS RELATED TO HIGHEST DURATION OF SUNSHINE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MINIMUM) IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES NEAR 16 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MINIMUM) IS RELATED TO HOURS OF SUNSHINE IN A MONTH IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MINIMUM) IS RELATED TO MEAN OCEAN WATER TEMPERATURE IN 16 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MINIMUM) IS RELATED TO MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MINIMUM) IS RELATED TO THE MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION ACROSS THE DISTRIBUTION OF 40 *CENTROBOLUS* IN SOUTHERN AFRICA. (IN PREP.).
- COOPER, M. PRECIPITATION IS marginally related to minimum temperature in 40 forest red millipedes *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION IS NOT RELATED TO LOWEST relative humidity in 40 forest red millipedes *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION IS NOT RELATED TO MAXIMUM TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO AVERAGE TEMPERATURE IN 40 FOREST

- RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO DURATION OF SUNSHINE (LOWEST) IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO HIGHEST RELATIVE HUMIDITY IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO HIGHEST RELATIVE HUMIDITY IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO LATITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO MAXIMUM PRECIPITATION IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN 16 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO PRECIPITATION VARIATION IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. PRECIPITATION IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. PRECIPITATION RELATED TO SEVEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO AIR PRESSURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO ALTITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO ALTITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO ANNUAL TEMPERATURE VARIATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO AVERAGE TEMPERATURE VARIATION IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO HIGHEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO HIGHEST RELATIVE HUMIDITY IN *AULODESMUS* COOK, 1896A. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO LATITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO LATITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO LATITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO LATITUDINAL SPECIES RICHNESS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO LONGITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).

- COOPER, M. PRECIPITATION VARIATION IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. PRECIPITATION VARIATION IS RELATED TO LOWEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. PRECIPITATION VARIATION IS RELATED TO LOWEST RELATIVE HUMIDITY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. PRECIPITATION VARIATION IS RELATED TO LOWEST RELATIVE HUMIDITY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. PRECIPITATION VARIATION IS RELATED TO MAXIMUM PRECIPITATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION VARIATION IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION VARIATION IS RELATED TO MINIMUM PRECIPITATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION VARIATION IS RELATED TO MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. PRECIPITATION VARIATION IS RELATED TO MONTH WITH THE HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. PRECIPITATION VARIATION IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION VARIATION IS RELATED TO MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. PRECIPITATION VARIATION IS RELATED TO MONTH WITH THE LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. PRECIPITATION VARIATION IS RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. PRECIPITATION (MAXIMUM) IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR 16 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MINIMUM) IS NOT RELATED TO MINIMUM OCEAN WATER TEMPERATURES NEAR 15 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION (MINIMUM) IS RELATED TO LOWEST DURATION OF SUNSHINE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO HIGHEST RELATIVE HUMIDITY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO LATITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO MAXIMUM PRECIPITATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO MAXIMUM TEMPERATURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. PRECIPITATION IS RELATED TO MINIMUM TEMPERATURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. PRESSURE (AIR) IS NOT RELATED TO AVERAGE TEMPERATURE VARIATION IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. PRESSURE (AIR) IS RELATED TO SEVEN FACTORS IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. SPECIES RICHNESS IS RELATED TO LATITUDE AND PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. SPECIES RICHNESS IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. SPECIES RICHNESS IS RELATED TO MEAN OCEAN WATER TEMPERATURE IN 16 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. SPECIES RICHNESS IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE IN 16 COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).

- COOPER, M. TEMPERATURE IS RELATED TO AIR PRESSURE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO AIR PRESSURE IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO ALTITUDE IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO ANNUAL TEMPERATURE VARIATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO AVERAGE TEMPERATURE VARIATION IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO AVERAGE TEMPERATURE VARIATION IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO AVERAGE TEMPERATURE VARIATION IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO THE DISTANCE TO THE NEAREST AIRPORT IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO HIGHEST DURATION OF SUNSHINE PER DAY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO HIGHEST DURATION OF SUNSHINE PER MONTH IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO HIGHEST RELATIVE HUMIDITY IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO LATITUDE IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO LATITUDE IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO LONGITUDE IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS (MARGINALLY) RELATED TO LONGITUDE IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO LONGITUDE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO LOWEST NUMBER OF RAINY DAYS PER MONTH IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO LOWEST RELATIVE HUMIDITY IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO LOWEST RELATIVE HUMIDITY IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO MAXIMUM PRECIPITATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO MAXIMUM TEMPERATURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO MINIMUM PRECIPITATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN SOUTH AFRICAN MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO MINIMUM TEMPERATURE IN *ULODESMUS* COOK, 1899B. (IN PREP.).

- COOPER, M. TEMPERATURE IS RELATED TO PRECIPITATION IN SOUTH AFRICAN FOREST MILLIPEDES. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO PRECIPITATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. TEMPERATURE IS RELATED TO PRECIPITATION VARIATION IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. TOTAL HOURS OF SUNSHINE PER YEAR IS RELATED TO AIR PRESSURE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. TOTAL HOURS OF SUNSHINE PER YEAR IS RELATED TO ALTITUDE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. TOTAL HOURS OF SUNSHINE PER YEAR IS RELATED TO AVERAGE DAILY HOURS OF SUNSHINE IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. TOTAL HOURS OF SUNSHINE PER YEAR IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. (IN PREP.).
- COOPER, M. TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO AVERAGE MONTHLY DURATION OF SUNSHINE IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. VARIANCE IN ABUNDANCE AND MINIMUM OCEAN WATER TEMPERATURE IN SOUTHERN AFRICAN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE AND ALTITUDE IN SOUTHERN AFRICAN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE AND ALTITUDE IN *HARPAGOPHORA* ATTEMPS, 1909. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE AND ALTITUDE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE AND ALTITUDE IN SOUTHERN AFRICAN *AULODESMUS* COOK, 1896A. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE AND ALTITUDE IN SOUTHERN AFRICAN *CHALEPONCUS* ATTEMPS, 1914B. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE AND ALTITUDE IN SOUTHERN AFRICAN *PHYGOXEROTES* VERHOEFF, 1939A. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE AND ALTITUDE IN SOUTHERN AFRICAN *ZINOPHORA* CHAMBERLIN, 1927. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE IN *JULOMORPHA* PORAT, 1872. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE IN *PATINATUS* ATTEMPS, 1928. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE IN SOUTHERN AFRICAN HELMINTHOMORPHA POCKOCK, 1887. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE IN *STENJULOMORPHA* SCHUBART, 1966. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE, ALTITUDE, LATITUDE, LONGITUDE AND SPECIES RICHNESS IN SOUTHERN AFRICAN *PENCILLATA* LATREILLE, 1831. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE, ALTITUDE, LATITUDE, LONGITUDE AND SPECIES RICHNESS IN SOUTHERN AFRICAN *POLYZONIIDA* GERVAIS, 1844. (IN PREP.).
- COOPER, M. VARIANCE IN AIR PRESSURE, ALTITUDE, TEMPERATURE, LATITUDE, AND LONGITUDE IN SOUTHERN AFRICAN INTRODUCED DIPLOPODA. (IN PREP.).
- COOPER, M. VARIANCE IN ALTITUDE AND AIR PRESSURE IN *PODOCHRESIMUS* ATTEMPS, 1926. (IN PREP.).

- COOPER, M. VARIANCE IN ALTITUDE AND AIR PRESSURE IN SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. (IN PREP.).
- COOPER, M. VARIANCE IN ALTITUDE AND AIR PRESSURE IN SOUTHERN AFRICAN *PLATYTARRUS* ATTEMS, 1926. (IN PREP.).
- COOPER, M. VARIANCE IN ALTITUDE AND AIR PRESSURE IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. (IN PREP.).
- COOPER, M. VARIANCE IN ALTITUDE AND AIR PRESSURE IN SOUTHERN AFRICAN *SPINOTARSUS* ATTEMS, 1909A. (IN PREP.).
- COOPER, M. VARIANCE IN ALTITUDE AND LATITUDE IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. (IN PREP.).
- COOPER, M. VARIANCE IN ALTITUDE AND LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. (IN PREP.).
- COOPER, M. VARIANCE IN ALTITUDE AND TEMPERATURE IN SOUTHERN AFRICAN DALODESMIDAE COOK, 1896. (IN PREP.).
- COOPER, M. VARIANCE IN ALTITUDE AND TEMPERATURE IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. (IN PREP.).
- COOPER, M. VARIANCE IN ALTITUDE IN *JULOMORPHA* PORAT, 1872. (IN PREP.).
- COOPER, M. VARIANCE IN ALTITUDE IN *STENJULOMORPHA* SCHUBART, 1966. (IN PREP.).
- COOPER, M. VARIANCE IN AVERAGE MONTHLY DURATION OF SUNLIGHT AND LONGITUDE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN ELEVATION IN *PATINATIUS* ATTEMS, 1928. (IN PREP.).
- COOPER, M. VARIANCE IN HIGHEST DAILY HOURS OF SUNSHINE IN A MONTH AND MEAN OCEAN WATER TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN HIGHEST RELATIVE HUMIDITY AND MINIMUM OCEAN WATER TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN HIGHEST TOTAL HOURS OF SUNSHINE AND MINIMUM PRECIPITATION IN SOUTHERN AFRICAN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND AIR PRESSURE IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND ALTITUDE IN SOUTHERN AFRICAN *CAMARICOPROCTUS* ATTEMS, 1926. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND ALTITUDE IN SOUTHERN AFRICAN HELMINTHOMORPHA POCOCK, 1887. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND ALTITUDE IN SOUTHERN AFRICAN *ORTHOPOROIDES* KRABBE, 1982. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *BICOXIDENS* ATTEMS, 1928. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND LATITUDINAL SPECIES RICHNESS IN *ORTHOPOROIDES* KRABBE, 1982. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND LATITUDINAL SPECIES RICHNESS IN *PATINATIUS* ATTEMS, 1928. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *CHALEPONCUS* ATTEMS, 1914B. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN HARPAGOPHORAIDAE ATTEMS, 1909. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *TRIAENOSTREPTUS* ATTEMS, 1914B. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND LONGITUDE IN *JULOMORPHA* PORAT, 1872. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND LONGITUDE IN SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND LONGITUDE IN SOUTHERN AFRICAN INTRODUCED DIPLOPODA. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND LONGITUDE IN *STENJULOMORPHA* SCHUBART, 1966. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND LONGITUDINAL SPECIES RICHNESS IN *PATINATIUS* ATTEMS, 1928. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE AND MINIMUM TEMPERATURE IN SOUTHERN AFRICAN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. (IN PREP.).

- COOPER, M. VARIANCE IN LATITUDE IN SOUTHERN AFRICAN *SPINOTARSUS* ATTEMS, 1909A. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE, LATITUDINAL SPECIES RICHNESS, TEMPERATURE, AND ALTITUDE IN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE, LONGITUDE, LATITUDINAL AND LONGITUDINAL SPECIES RICHNESS, AIR PRESSURE AND TEMPERATURE IN SOUTHERN AFRICAN VAALOGONOPODIDAE VERHOEFF, 1940A. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE, LONGITUDE, SPECIES RICHNESS, AIR PRESSURE, AND ALTITUDE IN SOUTHERN AFRICAN POLYXENIDAE LUCAS, 1840. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDE, LONGITUDE, SPECIES RICHNESS, TEMPERATURE AND AIR PRESSURE IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCKOCK, 1894. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDINAL AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SIPHONOPHORA NEWPORT, 1844 AND POLYZONIIDA GERVAIS, 1844. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDINAL SPECIES RICHNESS AND TEMPERATURE IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDINAL SPECIES RICHNESS IN *JULOMORPHA* PORAT, 1872. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDINAL SPECIES RICHNESS IN *PODOCHRESIMUS* ATTEMS, 1926. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN INTRODUCED DIPLOPODA. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN PACHYBOLIDAE COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *SPINOTARSUS* ATTEMS, 1909A. (IN PREP.).
- COOPER, M. VARIANCE IN LATITUDINAL SPECIES RICHNESS IN *SPHAEROTHERIUM* BRANDT, 1833. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDE AND LATITUDE IN SOUTHERN AFRICAN *ALLAWRENCIUS* VERHOEFF, 1939A. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDE AND LATITUDE IN SOUTHERN AFRICAN *RHOPALOSKELUS* ATTEMS, 1940. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDE AND LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *ALLAWRENCIUS* VERHOEFF, 1939A. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDE AND LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *CAMARICOPROCTUS* ATTEMS, 1926. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDE AND LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *RHOPALOSKELUS* ATTEMS, 1940. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDE AND LONGITUDINAL SPECIES RICHNESS IN *BICOXIDENS* ATTEMS, 1928. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDE AND LONGITUDINAL SPECIES RICHNESS IN *PATINATIUS* ATTEMS, 1928. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDE AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *CAMARICOPROCTUS* ATTEMS, 1926. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDE AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *CHALEPONCUS* ATTEMS, 1914B. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDE AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *DORATOGONUS* ATTEMS, 1914B. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDE AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *ORTHOPOROIDES* KRABBE, 1982. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDE AND SPECIES RICHNESS IN SOUTHERN AFRICAN *ZINOPHORA* CHAMBERLIN, 1927. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN *JULOMORPHA* PORAT, 1872. (IN PREP.).

- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN *PODOCHRESIMUS* ATTEMPS, 1926. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *HARPAGOPHORA* ATTEMPS, 1909. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *HARPAGOPHORIDAE* ATTEMPS, 1909. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *HELMINTHOMORPHA* POCKOCK, 1887. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN INTRODUCED DIPLOPODA. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *JULIFORMIA* ATTEMPS, 1926. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *PACHYBOLIDAE* COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *PARADOXOSOMATIDAE* DADAY, 1889. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *PHYGOXEROTES* VERHOEFF, 1939A. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *PLATYTARRUS* ATTEMPS, 1926. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *POLYDESMIDA* LEACH, 1815. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *RHOPALOSKELUS* ATTEMPS, 1940. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *SPINOTARSUS* ATTEMPS, 1909A. (IN PREP.).
- COOPER, M. VARIANCE IN LONGITUDINAL SPECIES RICHNESS IN *SPHAEROTHERIUM* BRANDT, 1833. (IN PREP.).
- COOPER, M. VARIANCE IN LOWEST HOURS OF SUNSHINE IN A DAY AND MINIMUM OCEAN WATER TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN MATING FREQUENCIES AND MAXIMUM OCEAN WATER TEMPERATURE IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN MEAN OCEAN WATER TEMPERATURE AND WIDTH IN SOUTHERN AFRICAN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN MEAN OCEAN WATER TEMPERATURE AND LENGTH IN SOUTHERN AFRICAN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN MEAN OCEAN WATER TEMPERATURE AND MATING FREQUENCIES IN SOUTHERN AFRICAN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN MEAN OCEAN WATER TEMPERATURE AND PRECIPITATION IN SOUTHERN AFRICAN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN SEVEN CLIMATIC FACTORS AT BEIRA, MOZAMBIQUE. (IN PREP.).
- COOPER, M. VARIANCE IN SEVEN FACTORS (CLIMATIC) AT BANDULA, MOZAMBIQUE. (IN PREP.).
- COOPER, M. VARIANCE IN SURFACE AREA, LENGTH AND AVERAGE TEMPERATURE VARIATION IN SOUTHERN AFRICAN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. VARIANCE IN TEMPERATURE AND ALTITUDE IN SOUTHERN AFRICAN *RHOPALOSKELUS* ATTEMPS, 1940. (IN PREP.).
- COOPER, M. VARIANCE IN TEMPERATURE AND LONGITUDE IN SOUTHERN AFRICAN *ZINOPHORA* CHAMBERLIN, 1927. (IN PREP.).
- COOPER, M. VARIANCE IN TEMPERATURE IN *PATINATIUS* ATTEMPS, 1928. (IN PREP.).
- COOPER, M. VARIANCE IN TEMPERATURE IN *PODOCHRESIMUS* ATTEMPS, 1926. (IN PREP.).
- COOPER, M. VARIANCE IN TEMPERATURE IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMPS, 1901. (IN PREP.).
- COOPER, M. VARIANCE IN TEMPERATURE IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. (IN PREP.).
- COOPER, M. VARIANCE IN TEMPERATURE IN SOUTHERN AFRICAN *HARPAGOPHORIDAE* ATTEMPS, 1909. (IN PREP.).
- COOPER, M. VARIANCE IN TEMPERATURE IN SOUTHERN AFRICAN *HELMINTHOMORPHA* POCKOCK, 1887. (IN PREP.).
- COOPER, M. VARIANCE IN TEMPERATURE IN SOUTHERN AFRICAN *PHYGOXEROTES* VERHOEFF, 1939A. (IN PREP.).
- COOPER, M. VARIANCE IN TEMPERATURE IN SOUTHERN AFRICAN *SPINOTARSUS* ATTEMPS, 1909A. (IN PREP.).

- COOPER, M. VARIANCE IN TEMPERATURE IN SOUTHERN AFRICAN *ULODESMUS* COOK, 1899B. (IN PREP.).
- COOPER, M. VARIANCE IN TEMPERATURE IN *STENJULOMORPHA* SCHUBART, 1966. (IN PREP.).
- COOPER, M. VARIANCE IN VOLUME IN *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDE IS A CAUSE OF THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. LONGITUDE CAUSES THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (LOWEST AND HIGHEST) OF SUNSHINE PER DAY CAUSES DIFFERENCES IN (FEMALE AND MALE) LENGTH IN 22 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. DURATION (LOWEST AND HIGHEST) OF SUNSHINE PER DAY IS A CAUSE OF DIFFERENCES IN (FEMALE AND MALE) WIDTH IN 22 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MINIMUM TEMPERATURE IS CAUSED BY (HIGHEST AND) LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 22 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MAXIMUM TEMPERATURE IS CAUSED BY THE HIGHEST AND LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 22 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. AVERAGE TEMPERATURE IS CAUSED BY THE HIGHEST AND THE LOWEST DAILY HOURS OF SUNSHINE PER DAY IN 22 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS RELATED TO THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. (IN PREP.).
- COOPER, M. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(7): (In review).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IN SPIROSTREPTIDAE POCKOCK, 1894. Int. j. eng. sci. invention res. dev. 2025; 12(7): (In review).
- COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SPIROSTREPTIDAE POCKOCK, 1894. Int. j. eng. sci. invention res. dev. 2025; 12(7): (In review).
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS CAUSED BY THE MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 10236-10319.
- COOPER, M. SEXUAL SIZE DIMORPHISM IS CORRELATED WITH ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 10152-10235.
- COOPER, M. MASS IS CAUSED BY THE HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 10068-10151.
- COOPER, M. DURATION (LOWEST) OF SUNSHINE PER DAY IS A CAUSE OF COPULATION DURATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 9979-10067.
- COOPER, M. STRONG AND MODERATE COLLECTIVE SIGNIFICANT EFFECT BETWEEN HIGHEST AND LOWEST RELATIVE HUMIDITY AND SEXUAL SIZE DIMORPHISM IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 9895-9978.
- COOPER, M. THE DIFFERENCE BETWEEN THE HIGHEST AND LOWEST RELATIVE HUMIDITY PREDICTS SEXUAL SIZE DIMORPHISM IN FOREST MILLIPEDES. Int. j. eng. sci. invention res. dev. 2025; 12(6): 9809-9894.
- COOPER, M. VERY STRONG AND WEAK COLLECTIVE SIGNIFICANT EFFECTS BETWEEN HIGHEST AND MEAN OCEAN WATER TEMPERATURE AND SEXUAL SIZE DIMORPHISM IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 9725-9808.
- COOPER, M. FEMALE VOLUME (SIZE) AND SEXUAL SIZE DIMORPHISM IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 (DIPLOPODA: PACHYBOLIDAE). Int. j. eng. sci. invention res. dev. 2025; 12(6): 9640-9724.
- COOPER, M. AIR PRESSURE IS RELATED TO SEXUAL SIZE DIMORPHISM IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 9556-9639.

- COOPER, M. SEXUAL SIZE DIMORPHISM IS RELATED TO LATITUDE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 1-9555.
- COOPER, M. RANGE IN LATITUDE IS CORRELATED WITH SEXUAL SIZE DIMORPHISM ACROSS COASTAL FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897 AND *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(5): 7671-7742.
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM OCEAN WATER TEMPERATURE IN *SPHAEROTHERIIDAE* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(5): 7601-7670.
- COOPER, M. SUMMARY OF NORMALITY OF THREE FACTORS IN THE SOIL MILLIPEDE GENUS *ULODESMUS* COOK, 1899B. Int. j. eng. sci. invention res. dev. 2025; 12(5): 7531-7600.
- COOPER, M. RANGE IN LATITUDE CORRELATES WITH TEMPERATURE, MAXIMUM TEMPERATURE, LOWEST DAILY HOURS OF SUNSHINE PER DAY/MONTH, TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR, AVERAGE MONTHLY DURATION OF SUNSHINE, LATITUDINAL AND LONGITUDINAL SPECIES RICHNESS, AND MINIMUM OCEAN WATER TEMPERATURE IN SOUTHERN AFRICAN COASTAL FOREST MILLIPEDES. Int. j. eng. sci. invention res. dev. 2025; 12(5): 7452-7530.
- COOPER, M. LATITUDE IS RELATED TO RANGE IN LATITUDE IN THE SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815 (MEROCHETA COOK, 1895). Int. j. eng. sci. invention res. dev. 2025; 12(5): 7382-7451.
- COOPER, M. RANGE IN LATITUDE CORRELATES WITH TEMPERATURE, PRECIPITATION, MAXIMUM PRECIPITATION, PRECIPITATION VARIATION, MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS, HIGHEST RELATIVE HUMIDITY, HIGHEST AND LOWEST DAILY HOURS OF SUNSHINE PER DAY AND MONTH, TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR, AVERAGE MONTHLY DURATION OF SUNSHINE, LONGITUDE, MEAN OCEAN WATER TEMPERATURE, AND MINIMUM OCEAN WATER TEMPERATURE IN SOUTH AFRICAN MILLIPEDES. Int. j. eng. sci. invention res. dev. 2025; 12(5): 7309-7381.
- COOPER, M. SUMMARY OF NORMALITY OF THREE FACTORS IN THE MILLIPEDE GENUS *ANTIPHONUS* ATTEMS, 1901. Int. j. eng. sci. invention res. dev. 2025; 12(5): 7240-7308.
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO MAXIMUM PRECIPITATION IN *SPHAEROTHERIIDAE* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(5): 7171-7239.
- COOPER, M. SUMMARY OF NORMALITY OF THREE FACTORS IN THE MILLIPEDE FAMILY *SPHAEROTHERIIDAE* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(5): 7103-7170.
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. Int. j. eng. sci. invention res. dev. 2025; 12(5): 7034-7102.
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *ANTIPHONUS* ATTEMS, 1901. Int. j. eng. sci. invention res. dev. 2025; 12(5): 6965-7033.
- COOPER, M. A RANGE IN LATITUDE CORRELATES WITH TEMPERATURE, MAXIMUM TEMPERATURE, MINIMUM TEMPERATURE, HIGHEST RELATIVE HUMIDITY, HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH, TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR, AVERAGE MONTHLY DURATION OF SUNSHINE, AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN COASTAL FOREST MILLIPEDES. Int. j. eng. sci. invention res. dev. 2025; 12(5): 6893-6964.
- COOPER, M. HIGHEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO LATITUDINAL SPECIES RICHNESS SOUTHERN AFRICAN *SPHAEROTHERIIDAE* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6815-6892.
- COOPER, M. LONGITUDE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *SPHAEROTHERIIDAE* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6737-6814.
- COOPER, M. PRECIPITATION VARIATION IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *SPHAEROTHERIIDAE* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6659-6736.

- COOPER, M. MAXIMUM PRECIPITATION IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6581-6658.
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO PRECIPITATION IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6504-6580.
- COOPER, M. LATITUDE IS RELATED TO RANGE IN LATITUDE IN THE SOUTHERN AFRICAN DALODESMIDAE. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6416-6503.
- COOPER, M. LATITUDE IS RELATED TO RANGE IN LATITUDE IN THE SOUTHERN AFRICAN HARPAGOPHORIDAE. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6504-6590.
- COOPER, M. LATITUDE IS RELATED TO RANGE IN LATITUDE IN THE SOUTHERN AFRICAN PARADOXOSOMATIDAE. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6591-6677.
- COOPER, M. SUMMARY OF NORMALITY OF 25 FACTORS IN THE SOIL MILLIPEDE GENUS *ULODESMUS* COOK, 1899B. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6678-6764.
- COOPER, M. LATITUDE IS RELATED TO RANGE IN LATITUDE IN THE SOUTHERN AFRICAN ODONTOPYGIDAE. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6328-6415.
- COOPER, M. LATITUDE IS RELATED TO RANGE IN LATITUDE IN THE SOUTHERN AFRICAN PACHYBOLIDAE. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6241-6327.
- COOPER, M. LATITUDE IS RELATED TO RANGE IN LATITUDE IN THE SOUTHERN AFRICAN SPIROSTREPTIDAE. Int. j. eng. sci. invention res. dev. 2025; 12(4): (No page numbers).
- COOPER, M. LATITUDE IS RELATED TO RANGE IN LATITUDE IN THE SOUTHERN AFRICAN SPIROSTREPTIDA. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6151-6239.
- COOPER, M. LATITUDE IS RELATED TO RANGE IN LATITUDE IN THE SOUTHERN AFRICAN JULIFORMIA. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6062-6150.
- COOPER, M. LATITUDE IS RELATED TO RANGE IN LATITUDE IN THE SOUTHERN AFRICAN GOMPHODESMIDAE. Int. j. eng. sci. invention res. dev. 2025; 12(4): 5975-6061.
- COOPER, M. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 5889-5973.
- COOPER, M. PRECIPITATION IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 5814-5888.
- COOPER, M. PRECIPITATION IS RELATED TO LOWEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 5739-5813.
- COOPER, M. PRECIPITATION IS RELATED TO HIGHEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 5664-5738.
- COOPER, M. PRECIPITATION IS RELATED TO HIGHEST RELATIVE HUMIDITY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 5579-5663.
- COOPER, M. TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER MONTH IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 5494-5578.
- COOPER, M. PRECIPITATION IS RELATED TO PRECIPITATION VARIATION IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 5409-5493.
- COOPER, M. TEMPERATURE IS RELATED TO HIGHEST DAILY HOURS OF SUNSHINE PER DAY IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 5324-5408.
- COOPER, M. PRECIPITATION IS RELATED TO MAXIMUM PRECIPITATION IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 5239-5323.

- COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN VAALOGONOPODIDAE VERHOEFF, 1940A. Int. j. eng. sci. invention res. dev. 2025; 12(3): 5163-5236.
- COOPER, M. I. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN VAALOGONOPODIDAE VERHOEFF, 1940A. Int. j. eng. sci. invention res. dev. 2025; 12(3): 5089-5162.
- COOPER, M. I. TEMPERATURE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN VAALOGONOPODIDAE VERHOEFF, 1940A. Int. j. eng. sci. invention res. dev. 2025; 12(3): 5015-5088.
- COOPER, M. I. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN VAALOGONOPODIDAE VERHOEFF, 1940A. Int. j. eng. sci. invention res. dev. 2025; 12(3): 4941-5014.
- COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN VAALOGONOPODIDAE VERHOEFF, 1940A. Int. j. eng. sci. invention res. dev. 2025; 12(3): 4867-4940.
- COOPER, M. LATITUDE AND LONGITUDE CORRELATIONS IN SOUTHERN AFRICAN VAALOGONOPODIDAE VERHOEFF, 1940A. Int. j. eng. sci. invention res. dev. 2025; 12(3): 4798-4866.
- COOPER, M. I. TEMPERATURE IS RELATED TO LATITUDE IN SOUTHERN AFRICAN VAALOGONOPODIDAE VERHOEFF, 1940A. Int. j. eng. sci. invention res. dev. 2025; 12(3): 4729-4797.
- COOPER, M. Summary of normality of 25 factors in the millipede genus *Antiphonus* Attems, 1901. Int. j. eng. sci. invention res. dev. 2025; 12(3): 4589-4658 (no page numbers).
- COOPER, M. Summary of normality of 28 factors in the millipede genus *Centrobolus* Cook, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(3): 4659-4728.
- COOPER, M. Summary of normality of 25 factors in the millipede order Polyxenida. Int. j. eng. sci. invention res. dev. 2025; 12(3): 4519-4588.
- COOPER, M. Summary of normality of 25 factors in the millipede family Sphaerotheriidae Brandt, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 4449-4518.
- COOPER, M. Summary of normality of 25 factors in the millipede genus *Aulodesmus* Cook, 1896a. Int. j. eng. sci. invention res. dev. 2025; 12(3): 4379-4448.
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO FEMALE BODY SIZE AND MINIMUM TEMPERATURE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 4304-4378.
- COOPER, M. MINIMUM TEMPERATURE IS A SEX-SPECIFIC FACTOR RELATED TO FEMALE BODY SIZE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 4230-4303.
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO SEXUAL SIZE DIMORPHISM IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 4157-4229.
- COOPER, M. HIGHEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO SEXUAL SIZE DIMORPHISM IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 4084-4156.
- COOPER, M. MINIMUM TEMPERATURE IS RELATED TO BODY SIZE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 4010-4083.
- COOPER, M. MAXIMUM TEMPERATURE IS RELATED TO SEXUAL SIZE DIMORPHISM IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(3): 3937-4009.
- COOPER, M. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO LATITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(2): 3871-3936.
- COOPER, M. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(2): 3805-3870.
- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(2): 3676-3804.

- COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(2): 3607-3675.
- COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. Int. j. eng. sci. invention res. dev. 2025; 12(2): 3542-3606.
- COOPER, M. I. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN ODONTOPYGIDAE ATTEMS, 1909C. Int. j. eng. sci. invention res. dev. 2025; 12(2): 3477-3541.
- COOPER, M. TEMPERATURE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(2): 3413-3476.
- COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(2): 3356-3412.
- COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(2): 3298-3355.
- COOPER, M. TEMPERATURE IS RELATED TO LATITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(2): 3234-3297.
- COOPER, M. LONGITUDINAL SPECIES RICHNESS IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2025; 12(2): 3170-3233.
- COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2025; 12(2): 3106-3169.
- COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(2): 3043-3105.
- COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833 WITH PACHYBOLIDAE COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2980-3042.
- COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833 WITH GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2917-2979.
- COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833 WITH DALODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2854-2916.
- COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833 WITH PARADOXOSOMATIDAE DADAY, 1889. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2791-2853.
- COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2734-2796.
- COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815 WITH PACHYBOLIDAE COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2671-2733.
- COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833 WITH VAALOGONOPODIDAE VERHOEFF, 1940A. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2608-2670.
- COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815 WITH SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2545-2607.
- COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN THREE FAMILIES OF SOUTHERN AFRICAN DIPLOPODA. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2482-2544.
- COOPER, M. PERCENTAGE DIFFERENCES IN COMPARISON OF LATITUDINAL TO LONGITUDINAL SPECIES RICHNESS IN NINETEEN SOUTHERN AFRICAN

- DIPLOPODA FAMILIAL AND SUPERFAMILIAL TAXA. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2419-2481.
- COOPER, M. COMPARISON OF LATITUDINAL AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN VAALOGONOPODIDAE VERHOEFF, 1940A. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2356-2418.
 - COOPER, M. COMPARISON OF LATITUDINAL AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2293-2355.
 - COOPER, M. COMPARISON OF LATITUDINAL AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2230-2292.
 - COOPER, M. COMPARISON OF LATITUDINAL AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN JULIFORMIA ATTEMPS, 1926. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2167-2229.
 - COOPER, M. COMPARISON OF LATITUDINAL AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN MEROCHETA COOK, 1895. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2104-2166.
 - COOPER, M. COMPARISON OF LATITUDINAL AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN HELMINTHOMORPHA POCOCK, 1887. Int. j. eng. sci. invention res. dev. 2025; 12(2): 2041-2103.
 - COOPER, M. COMPARISON OF LATITUDINAL AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN CHILOGNATHA LATREILLE, 1802/1803. Int. j. eng. sci. invention res. dev. 2025; 12(2): 1978-2040.
 - COOPER, M. COMPARISON OF LATITUDINAL AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. Int. j. eng. sci. invention res. dev. 2025; 12(2): 1915-1977.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN THREE FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833 WITH JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2025; 12(1): 1529-1586.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815 WITH SPIROSTREPTIDA BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(1): 1471-1528.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN MEROCHETA COOK, 1895 WITH JULIFORMIA ATTEMPS, 1926. Int. j. eng. sci. invention res. dev. 2025; 12(1): 1413-1470.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN THREE FAMILIES OF SOUTHERN AFRICAN DIPLOPODA. Int. j. eng. sci. invention res. dev. 2025; 12(1): 1355-1412.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815 WITH SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(1): 1297-1354.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815 WITH PACHYBOLIDAE COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(1): 1239-1296.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN TWO INFRACLASSES OF SOUTHERN AFRICAN DIPLOPODA (HELMINTHOMORPHA AND PENTAZONIA). Int. j. eng. sci. invention res. dev. 2025; 12(1): 1181-1238.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815 WITH POLYXENIDAE LUCAS, 1840. Int. j. eng. sci. invention res. dev. 2025; 12(1): 1124-1180.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. Int. j. eng. sci. invention res. dev. 2025; 12(1): 1067-1123.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833 WITH

- POLYXENIDAE LUCAS, 1840. Int. j. eng. sci. invention res. dev. 2025; 12(1): 1010-1066.
- COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833 WITH VAALOGONOPODIDAE VERHOEFF, 1940A. Int. j. eng. sci. invention res. dev. 2025; 12(1): 953-1009.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833 WITH PARADOXOSOMATIDAE DADAY, 1889. Int. j. eng. sci. invention res. dev. 2025; 12(1): 896-952.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833 WITH GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2025; 12(1): 839-895.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833 WITH DALODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2025; 12(1): 782-838.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833 WITH PACHYBOLIDAE COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(1): 725-781.
 - COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833 WITH SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(1): 668-724.
 - COOPER, M. COMPARISON OF LATITUDINAL SPECIES RICHNESS IN FOUR FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833 WITH SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(1): 611-667.
 - COOPER, M. AIR PRESSURE IS RELATED TO ALTITUDE IN *JULOMORPHA* PORAT, 1872. Int. j. eng. sci. invention res. dev. 2025; 12(1): 550-610.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO ALTITUDE IN *JULOMORPHA* PORAT, 1872. Int. j. eng. sci. invention res. dev. 2025; 12(1): 489-549.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IS RELATED TO AIR PRESSURE IN *JULOMORPHA* PORAT, 1872. Int. j. eng. sci. invention res. dev. 2025; 12(1): 428-488.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO AIR PRESSURE IN *JULOMORPHA* PORAT, 1872. Int. j. eng. sci. invention res. dev. 2025; 12(1): 367-427.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IS RELATED TO LATITUDINAL SPECIES RICHNESS IN *JULOMORPHA* PORAT, 1872. Int. j. eng. sci. invention res. dev. 2025; 12(1): 306-366.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN *JULOMORPHA* PORAT, 1872. Int. j. eng. sci. invention res. dev. 2025; 12(1): 245-305.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN *JULOMORPHA* PORAT, 1872. Int. j. eng. sci. invention res. dev. 2025; 12(1): 184-244.
 - COOPER, M. LONGITUDE IS AIR PRESSURE IN *JULOMORPHA* PORAT, 1872. Int. j. eng. sci. invention res. dev. 2025; 12(1): 123-183.
 - COOPER, M. LATITUDE IS RELATED TO LONGITUDE IN *JULOMORPHA* PORAT, 1872. Int. j. eng. sci. invention res. dev. 2025; 12(1): 62-122.
 - COOPER, M. INTERGENERIC COMPARISON OF LATITUDINAL AND LONGITUDINAL SPECIES RICHNESS IN EIGHTEEN GENERA OF SOUTHERN AFRICAN DIPLOPODA. Int. j. eng. sci. invention res. dev. 2025; 12(1): 1-61.
 - COOPER, M. TEMPERATURE IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN HARPAGOPHORIDAE ATTEMPS, 1909. Int. j. eng. sci. invention res. dev. 2025; 11(12): 10340-10396.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN HARPAGOPHORIDAE ATTEMPS, 1909. Int. j. eng. sci. invention res. dev. 2025; 11(12): 10283-10339.
 - COOPER, M. LONGITUDE IS RELATED TO TEMPERATURE IN *PODOCHRESIMUS* ATTEMPS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(12): 10225-10282.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN *PODOCHRESIMUS* ATTEMPS, 1926. Int. j.

- eng. sci. invention res. dev. 2025; 11(12): 10167-10224.
- COOPER, M. LONGITUDINAL SPECIES RICHNESS IN *PODOCHRESIMUS* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(12): 10109-10166.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN *PODOCHRESIMUS* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(12): 10051-10108.
 - COOPER, M. ALTITUDE IS RELATED TO AIR PRESSURE IN *PODOCHRESIMUS* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9994-10050.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *SPINOTARSUS* ATTEMS, 1909A. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9919-9976.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *SPINOTARSUS* ATTEMS, 1909A. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9861-9918.
 - COOPER, M. LATITUDE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN *SPINOTARSUS* ATTEMS, 1909A. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9803-9860.
 - COOPER, M. LATITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *SPINOTARSUS* ATTEMS, 1909A. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9745-9802.
 - COOPER, M. ALTITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *SPINOTARSUS* ATTEMS, 1909A. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9686-9743.
 - COOPER, M. AIR PRESSURE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *SPINOTARSUS* ATTEMS, 1909A. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9627-9685.
 - COOPER, M. AIR PRESSURE IS RELATED TO ELEVATION IN SOUTHERN AFRICAN *SPINOTARSUS* ATTEMS, 1909A. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9569-9626.
 - COOPER, M. ALTITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *DALODESMIDAE* COOK, 1896. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9510-9568.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS CORRELATION IN SOUTHERN AFRICAN *PACHYBOLIDAE* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9453-9509.
 - COOPER, M. COOPER, M. LONGITUDINAL SPECIES RICHNESS IN *PLATYTARRUS* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9402-9452.
 - COOPER, M. ALTITUDE IS RELATED TO AIR PRESSURE IN *PLATYTARRUS* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9345-9401.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *HELMINTHOMORPHA* POCOCK, 1887. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9284-9344.
 - COOPER, M. ALTITUDE IS RELATED TO LATITUDE IN SOUTHERN AFRICAN *HELMINTHOMORPHA* POCOCK, 1887. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9226-9283.
 - COOPER, M. AIR PRESSURE IS RELATED TO LATITUDE IN SOUTHERN AFRICAN *HELMINTHOMORPHA* POCOCK, 1887. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9169-9225.
 - COOPER, M. TEMPERATURE IS RELATED TO LATITUDE IN SOUTHERN AFRICAN *HELMINTHOMORPHA* POCOCK, 1887. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9111-9167.
 - COOPER, M. TEMPERATURE IS RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN *HELMINTHOMORPHA* POCOCK, 1887. Int. j. eng. sci. invention res. dev. 2025; 11(12): 9054-9110.
 - COOPER, M. ALTITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *HELMINTHOMORPHA* POCOCK, 1887. Int. j. eng. sci. invention res. dev. 2025; 11(12): 8997-9053.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *JULIFORMIA* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8940-8996.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN *JULIFORMIA* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8889-8939.
 - COOPER, M. TEMPERATURE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN *ZINOPHORA* CHAMBERLAIN, 1927. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8840-8888.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *ZINOPHORA* CHAMBERLAIN, 1927. Int. j.

- eng. sci. invention res. dev. 2025; 11(11): 8791-8831.
- COOPER, M. ALTITUDE IS RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN *ZINOPHORA* CHAMBERLAIN, 1927. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8742-8790.
 - Cooper, M. CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF BANDULA, MOZAMBIQUE. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8688-8741.
 - COOPER, M. ALTITUDE IS RELATED TO TEMPERATURE IN *RHOPALOSKELUS* ATTEMS, 1940. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8643-8687.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDE IN *RHOPALOSKELUS* ATTEMS, 1940. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8598-8642.
 - COOPER, M. LONGITUDE IS RELATED TO LATITUDE IN *RHOPALOSKELUS* ATTEMS, 1940. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8553-8597.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN *RHOPALOSKELUS* ATTEMS, 1940. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8507-8552.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN *RHOPALOSKELUS* ATTEMS, 1940. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8459-8506.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS CORRELATION IN SOUTHERN AFRICAN *PACHYBOLIDAE* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8410-8458.
 - COOPER, M. ALTITUDE IS RELATED TO AIR PRESSURE IN *AULODESMUS* COOK, 1896A. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8362-8409.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDE IN *ALLAWRENCIUS* VERHOEFF, 1939A. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8313-8361.
 - COOPER, M. LATITUDE IS RELATED TO LONGITUDE IN *ALLAWRENCIUS* VERHOEFF, 1939A. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8265-8312.
 - COOPER, M. LATITUDE IS RELATED TO SPECIES RICHNESS IN *ALLAWRENCIUS* VERHOEFF, 1939A. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8216-8264.
 - COOPER, M. AIR PRESSURE IS RELATED TO ALTITUDE IN *ANTIPHONUS* ATTEMS, 1901. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8165-8212.
 - COOPER, M. AIR PRESSURE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN *ANTIPHONUS* ATTEMS, 1901. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8117-8164.
 - COOPER, M. AIR PRESSURE IS RELATED TO LATITUDE IN *ANTIPHONUS* ATTEMS, 1901. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8069-8116.
 - COOPER, M. AIR PRESSURE IS RELATED TO TEMPERATURE IN *ANTIPHONUS* ATTEMS, 1901. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8018-8068.
 - COOPER, M. LATITUDE IS RELATED TO ALTITUDE IN *ANTIPHONUS* ATTEMS, 1901. Int. j. eng. sci. invention res. dev. 2025; 11(11): 7970-8017.
 - COOPER, M. LATITUDE RELATED TO ALTITUDE IN SOUTHERN AFRICAN *DIPLOPODA* DE BLAINVILLE IN GERVAIS, 1844. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7671-7723.
 - COOPER, M. PRECIPITATION (MINIMUM) IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7629-7670.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *JULIFORMIA* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7580-7628.
 - COOPER, M. ALTITUDE IS RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN *HELMINTHOMORPHA* POCKOCK, 1887. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7528-7579.
 - COOPER, M. LATITUDE RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN *DIPLOPODA* DE BLAINVILLE IN GERVAIS, 1844. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7475-7527.
 - COOPER, M. ALTITUDE RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN *DIPLOPODA* DE BLAINVILLE IN GERVAIS, 1844. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7422-7474.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *POLYDESMIDA* LEACH, 1815. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7372-7421.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *HELMINTHOMORPHA* POCKOCK, 1887. Int.

- j. eng. sci. invention res. dev. 2025; 11(10): 7324-7371.
- COOPER, M. LATITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7271-7323.
 - COOPER, M. ALTITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7218-7270.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7171-7217.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS CORRELATION IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7124-7170.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS CORRELATION IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7077-7123.
 - COOPER, M. ALTITUDE RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7029-7076.
 - COOPER, M. LATITUDE RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. Int. j. eng. sci. invention res. dev. 2025; 11(10): 6984-7028.
 - COOPER, M. TEMPERATURE IS RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(10): 6934-6983.
 - COOPER, M. ALTITUDE IS RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(10): 6884-6933.
 - COOPER, M. ALTITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(10): 6834-6883.
 - COOPER, M. LATITUDE IS RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(10): 6784-6833.
 - COOPER, M. LATITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(10): 6734-6783.
 - COOPER, M. LATITUDE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(10): 6684-6733.
 - COOPER, M. POSSIBILITY ABUNDANCE IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6643-6683.
 - COOPER, M. IAN. HYPOTHETICAL LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6602-6642.
 - COOPER, M. HIGHEST RELATIVE HUMIDITY IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6561-6601.
 - Cooper, M. Ian. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *HARPAGOPHORA* ATTEMS, 1909. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6517-6560.
 - Cooper, M. DURATION OF SUNLIGHT (AVERAGE MONTHLY) IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6476-6516.
 - COOPER, M. LATITUDE IS RELATED TO ALTITUDE IN *CAMARICOPROCTUS* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6433-6475.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN *CAMARICOPROCTUS* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6389-6432.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDE IN *CAMARICOPROCTUS* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6345-6388.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN *CAMARICOPROCTUS* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6301-6344.
 - COOPER, M. CORRECTION: AIR PRESSURE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *PATINATIUS*

- ATTEMS, 1928. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6260-6300.
- COOPER, M. IAN. HYPOTHETICAL AVERAGE TEMPERATURE VARIATION IS RELATED TO LENGTH AND SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5740-5782.
 - COOPER M. IAN. POSSIBILITY MATING FREQUENCIES ARE RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5699-5739.
 - Cooper, M. DEFINED WIDTH IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5658-5698.
 - COOPER, M. IAN. HYPOTHETICAL COLDEST TEMPERATURE IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5617-5657.
 - Cooper, M. PRECIPITATION IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5577-5616.
 - Cooper, M. DEFINED LENGTH IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5536-5576.
 - COOPER, M. IAN. HYPOTHETICAL MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO LENGTH, WIDTH, VOLUME AND PRECIPITATION IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5493-5535.
 - COOPER, M. IAN. DAILY HOURS OF SUNSHINE (HIGHEST NUMBER) IN A MONTH IS RELATED TO MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5452-5492.
 - Cooper, M. POSSIBILITY MATING FREQUENCIES ARE RELATED TO MAXIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5411-5451.
 - Cooper, M. DEFINED ABUNDANCE IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES
 - CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5370-5410.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN *DORATOGONUS* ATTEMS, 1914B. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5329-5369.
 - COOPER, M. CORRECTION: LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5285-5328.
 - COOPER, M. AIR PRESSURE, TEMPERATURE, LATITUDE, LONGITUDE, AND SPECIES RICHNESS CORRELATIONS IN SOUTHERN AFRICAN SPIROSTREPTIDAE POCOCK, 1894. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5235-5284.
 - COOPER, M. LATITUDE, LONGITUDE, AIR PRESSURE, ALTITUDE, AND SPECIES RICHNESS CORRELATIONS IN SOUTHERN AFRICAN VAALOGONOPIDAE VERHOEFF, 1940A. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5290-5334.
 - COOPER, M. LATITUDE, LONGITUDE, AND SPECIES RICHNESS IN SOUTHERN AFRICAN SIPHONOPHORA NEWPORT, 1844 AND POLYZONIIDA GERVAIS, 1844. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5247-5289.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(7): 4923-4965.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN JULIFORMIA ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(7): 4880-4922.
 - COOPER, M. LATITUDINAL SPECIES DISTRIBUTION IN INTRODUCED SPECIES OF SOUTHERN AFRICAN DIPLOPODA. Int. j. eng. sci. invention res. dev. 2025; 11(7): 4839-4879.
 - COOPER, M. LATITUDE IS RELATED TO LONGITUDE IN INTRODUCED SPECIES OF SOUTHERN AFRICAN DIPLOPODA. Int. j. eng. sci. invention res. dev. 2025; 11(7): 4798-4838.
 - COOPER, M. LONGITUDINAL SPECIES DISTRIBUTION IN INTRODUCED SPECIES OF SOUTHERN AFRICAN DIPLOPODA. Int. j. eng. sci. invention res. dev. 2025; 11(7): 4757-4797.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IS SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. Int.

- j. eng. sci. invention res. dev. 2025; 11(7): 4716-4776.
- COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. Int. j. eng. sci. invention res. dev. 2025; 11(7): 4675-4715.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. Int. j. eng. sci. invention res. dev. 2025; 11(7): 4632-4674.
 - COOPER, M. ALTITUDE IS RELATED TO LATITUDE IS SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. Int. j. eng. sci. invention res. dev. 2025; 11(7): 4591-4631.
 - COOPER, M. AIR PRESSURE IS RELATED TO LATITUDE IS SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. Int. j. eng. sci. invention res. dev. 2025; 11(7): 4550-4590.
 - COOPER, M. AIR PRESSURE IS RELATED TO ALTITUDE IS SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. Int. j. eng. sci. invention res. dev. 2025; 11(7): 4509-4549.
 - COOPER, M. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN PARADOXOSOMATIDAE DADAY, 1889. Int. j. eng. sci. invention res. dev. 2025; 11(7): 4468-4508.
 - COOPER, M. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. Int. j. eng. sci. invention res. dev. 2024; 11(6): 4416-4467.
 - COOPER, M. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. Int. j. eng. sci. invention res. dev. 2024; 11(6): 4371-4415.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815. Int. j. eng. sci. invention res. dev. 2024; 11(6): 4328-4370.
 - COOPER, M. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(6): 4281-4327.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(6): 4234-4280.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(6): 4186-4233.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(6): 4138-4185.
 - COOPER, M. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN HARPAGOPHORIDAE ATTEMPS, 1909. Int. j. eng. sci. invention res. dev. 2024; 11(6): 4096-4137.
 - Cooper, Mark I MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO THE MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3296-3334.
 - Cooper, Mark I MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO FEMALE SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3253-3295.
 - Cooper, Mark I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MALE SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3214-3252.
 - Cooper, Mark I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3172-3213.
 - Cooper, Mark I LATITUDINAL SPECIES RICHNESS IS RELATED TO ALTITUDE IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3132-3171.
 - Cooper, Mark I LATITUDINAL SPECIES RICHNESS IS RELATED TO AIR PRESSURE IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3092-3131.
 - Cooper, Mark I LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3053-3091.
 - Cooper, Mark I LONGITUDINAL SPECIES RICHNESS IN GOMPHODESMIDAE COOK,

- 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3013-3052.
- Cooper, Mark I LATITUDINAL SPECIES RICHNESS IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2973-3012.
- Cooper, Mark I ALTITUDE IS RELATED TO TEMPERATURE IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2933-2972.
- Cooper, Mark I ALTITUDE IS RELATED TO AIR PRESSURE IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2893-2932.
- Cooper, Mark I MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO LOWEST DURATION OF SUNSHINE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2854-2892.
- Cooper, Mark I MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO HIGHEST DURATION OF SUNSHINE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2815-2853.
- Cooper, Mark I MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2772-2814.
- Cooper, Mark I MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2733-2771.
- Cooper, Mark I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2691-2732.
- Cooper, Mark I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2552-2690.
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2611-2652.
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2572-2610.
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(6): 2533-2571.
- COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LONGITUDE IN FOREST PILL MILLIPEDES *SPHAEROTHERIIDAE* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2180-2217.
- COOPER, MARK I. PRESSURE (AIR) IS RELATED TO LONGITUDE IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2142-2179.
- COOPER, MARK I. PRESSURE (AIR) IS RELATED TO LATITUDE IN FOREST PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2110-2147.
- COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LONGITUDE IN FOREST PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2069-2109.
- COOPER, MARK. PRESSURE (AIR) IS marginally related to LONGITUDE IN SOUTHERN AFRICAN KEELED MILLIPEDES *GNOMESKELUS* ATTEMPS, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2031-2068.
- COOPER, MARK. SPECIES RICHNESS IS RELATED TO LONGITUDE AND AIR PRESSURE IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1993-2030.
- COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1955-1992.
- COOPER, MARK. PRESSURE (AIR) IS RELATED TO LATITUDE IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1917-1954.
- COOPER, MARK IAN. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MALE LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897.

- Int. j. eng. sci. invention res. dev. 2024; 11(5): 1876-1916.
- COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LATITUDINAL SPECIES RICHNESS IN FOREST PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1838-1875.
 - COOPER, MARK. PRESSURE (AIR) IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN FOREST PILL MILLIPEDES PHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1800-1837.
 - COOPER, MARK. PRESSURE (AIR) IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1762-1799.
 - COOPER, MARK I. PRESSURE (AIR) IS RELATED TO LATITUDINAL SPECIES RICHNESS IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1720-1761.
 - COOPER, MARK I. LONGITUDE IS RELATED TO LATITUDE IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1682-1719.
 - COOPER, MARK I. LONGITUDE IS RELATED TO LATITUDE IN FOREST PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1644-1681.
 - COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN KEELED MILLIPEDES GNOMESKELUS ATTEMPS, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1602-1643.
 - COOPER, MARK I. LONGITUDE IS RELATED TO LATITUDE AND AIR PRESSURE IN SOUTHERN AFRICAN KEELED MILLIPEDES GNOMESKELUS ATTEMPS, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1562-1601.
 - COOPER, MARK. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERNAFRI CAN KEELED MILLIPEDES GNOMESKELUS ATTEMPS, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1518-1561.
 - Cooper, Mark I PRESSURE (AIR) IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN KEELED MILLIPEDES GNOMESKELUS ATTEMPS, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1480-1517.
 - COOPER, MARK IAN. LONGITUDE IS RELATED TO LATITUDE IN SOUTHERN A FRI CAN KEELED MILLIPEDES GNOMESKELUS ATTEMPS, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1441-1479.
 - COOPER, MARK I. PRESSURE (AIR) IS RELATED TO LATITUDE IN SOUTHERN A FRICAN KEELED MILLIPEDES GNOMESKELUS ATTEMPS, 1926. Int. j. eng. sci. invention res. dev. 2024; 11(5): 1403-1440.
 - COOPER, MARK. DALODESMIDAE COOK, 1896A LATITUDE IS RELATED TO SPECIES RICHNESS. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1376-1402.
 - COOPER, MARK I. DALODESMIDAE COOK, 1896A LONGITUDE IS RELATED TO SPECIES RICHNESS. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1351-1375.
 - COOPER, MARK I. PRESSURE (AIR) IS RELATED TO LATITUDINAL SPECIES RICHNESS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1326-1350.
 - COOPER, MARK. LONGITUDE IS RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1301-1325.
 - COOPER, MARK IAN. DALODESMIDAE COOK, 1896A LONGITUDINAL SPECIES RICHNESS IS RELATED TO AIR PRESSURE. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1274-1300.
 - COOPER, MARK IAN. PRESSURE (AIR) IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1249-1273.
 - COOPER, M. IAN. CENTROBOLUS COOK, 1897 LATITUDE IS RELATED TO LONGITUDE. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1048-1071.
 - Cooper, Mark I SPHAEROTHERIIDAE BRANDT, 1833 LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1022-1047.
 - COOPER, M. IAN. DALODESMIDAE COOK, 1896A LATITUDE IS RELATED TO LONGITUDE. Int. j. eng. sci. invention res. dev. 2024; 11(4): 996-1021.

- COOPER, M. IAN. HIGHEST OCEAN WATER TEMPERATURES NEAR COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IS RELATED TO FOURTEEN FACTORS. Int. j. eng. sci. invention res. dev. 2024; 11(3): 814-846.
- COOPER, M. IAN. *PHOENICULUS DAMARENSIS* - *P. PURPUREUS* LATITUDINAL AS WELL AS LONGITUDINAL GRADIENTS IN MANTLE IRIDOSOME DIAMETERS WHEN CONTROLLING FOR BODY MASS. Int. j. eng. sci. invention res. dev. 2024; 11(3): 811-813.
- COOPER, M. IAN. MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IS RELATED TO HIGHEST OCEAN WATER TEMPERATURE. Int. j. eng. sci. invention res. dev. 2024; 11(3): 788-810.
- COOPER, M. IAN. MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IS RELATED TO SIXTEEN FACTORS. Int. j. eng. sci. invention res. dev. 2024; 11(3): 755-787.
- COOPER, M. IAN. MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IS RELATED TO SEVENTEEN FACTORS. Int. j. eng. sci. invention res. dev. 2024; 11(3): 720-754.
- Cooper, M. FIFTEEN FACTORS RELATED TO THE AVERAGE MONTHLY DURATION OF SUNLIGHT IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(3): 687-719.
- COOPER, M. IAN. MINIMUM TEMPERATURE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 664-686.
- COOPER, MARK IAN. Male surface area to volume ratio tracks average temperature in pill millipedes *Sphaerotherium* Brandt, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(2): 641-663.
- COOPER, MARK IAN. Surface area-to-volume ratio correlates with the month with the lowest daily hours of sunshine in pill millipedes *Sphaerotherium* Brandt, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(2): 618-640.
- COOPER, MARK IAN. Surface area-to-volume ratio correlates with the month with the most daily hours of sunshine in pill millipedes *Sphaerotherium* Brandt, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(2): 595-617.
- COOPER, MARK. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 435-456.
- COOPER, M. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 414-434.
- COOPER, MARK. SPECIES RICHNESS IS NOT RELATED TO DISTANCE TO THE NEAREST AIRPORT IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 392-413.
- COOPER, MARK I. TEMPERATURE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 371-391.
- COOPER, MARK I. PRECIPITATION IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 349-370.
- COOPER, MARK I. PRECIPITATION IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 327-348.
- Cooper, M. Ian. COPULATION DURATION IS MODELLED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 307-326.
- Cooper, M. Ian. COPULATION DURATION IS RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 286-306.
- COOPER, MARK. ABUNDANCE IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 269-285.

- COOPER, MARK. MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 251-268.
- COOPER, MARK. LOWEST RELATIVE HUMIDITY IS RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 233-250.
- COOPER, MARK. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 215-232.
- Cooper, M. I. FEMALE SURFACE AREA-TO-VOLUME RATIO IS RELATED TO MINIMUM TEMPERATURE IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 197-214.
- Cooper, M. I. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO TEMPERATURE IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 179-196.
- Cooper, M. I. THE LOWEST AVERAGE TEMPERATURE AND POTENTIALLY ALSO SPECIES RICHNESS IN PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(1): 106-125.
- Cooper, M. I. MALE SURFACE AREA TO VOLUME RATIO CORRELATES WITH FEMALE SURFACE AREA TO VOLUME RATIO AND POTENTIALLY ALSO SPECIES RICHNESS IN PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(1): 85-105.
- Cooper, M. I. MALE SURFACE AREA TO VOLUME RATIO CORRELATES WITH THE LOWEST AVERAGE TEMPERATURE AND POTENTIALLY ALSO SPECIES RICHNESS IN PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(1): 61-84.
- Cooper, M. I. MEAN ANNUAL TEMPERATURE VARIES WITH THE HIGHEST AVERAGE TEMPERATURE IN DETERMINING THE SIZE OF FEMALE PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(1): 41-60.
- Cooper, M. I. MEAN ANNUAL TEMPERATURE VARIES WITH THE LOWEST AVERAGE TEMPERATURE IN DETERMINING THE SIZE OF FEMALE PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(1): 21-40.
- Cooper, M. I. THE DRIEST MONTHS VARIES WITH THE DISTANCE TO THE CLOSEST AIRPORT ACROSS THE DISTRIBUTION OF PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(1): 1-20.
- COOPER, M. I. THE WETTEST MONTHS VARY WITH THE DISTANCE TO THE CLOSEST AIRPORT ACROSS THE DISTRIBUTION OF PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3297-3316.
- COOPER, M. I. THE DIFFERENCE BETWEEN THE DRIEST AND WETTEST MONTHS VARY WITH THE DISTANCE TO THE CLOSEST AIRPORT ACROSS THE DISTRIBUTION OF PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3277-3296.
- COOPER, M. I. SURFACE AREA IS RELATED TO WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3256-3276.
- COOPER, M. I. SURFACE AREA IS RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3235-3255.
- COOPER, M. I. MOMENTS OF INERTIA ARE RELATED TO WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3215-3234.
- COOPER, M. LENGTH IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 3102-3129.
- COOPER, M. I. FEMALE WIDTH IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci.

- invention res. dev. 2024; 10(11): 3073-3101.
- COOPER, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IN A DAY IS RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 3044-3072.
 - COOPER, M. LENGTH IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 3015-3043.
 - COOPER, M. WIDTH IS RELATED HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2989-3014.
 - Cooper, M. CURVED SURFACE AREA IS RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2964-2988.
 - Cooper, M. CURVED SURFACE AREA IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2939-2963.
 - Cooper, M. CURVED SURFACE AREA IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2914-2938.
 - Cooper, M. CURVED SURFACE AREA IS RELATED TO AVERAGE TEMPERATURE VARIATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2883-2908.
 - Cooper, M. CURVED SURFACE AREA IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2857-2882.
 - Cooper, M. CURVED SURFACE AREA IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2831-2856.
 - COOPER, M. CURVED SURFACE AREA IS RELATED TO WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2806-2830.
 - COOPER, M. CURVED SURFACE AREA IS RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2780-2805.
 - COOPER, M. CURVED SURFACE AREA IS RELATED TO SEX RATIO IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2755-2779.
 - COOPER, MARK IAN. CURVED SURFACE AREA IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2523-2550.
 - COOPER, MARK. VOLUME IS CORRELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2496-2522.
 - COOPER, MARK. MASS IS CORRELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2470-2495.
 - COOPER, MARK IAN. MASS IS CORRELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2444-2469.
 - Cooper, Mark Ian. COPULATION DURATION IS MODELLED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2508-2534.
 - Cooper, M. IS MATING FREQUENCY RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 10(10): 2478-2507.

- Cooper, Mark Ian. IS MATING FREQUENCY RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 10(10): 2451-2477.
- Cooper, Mark Ian. IS MATING FREQUENCY RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 10(10): 2423-2450.
- Cooper, Mark Ian. IS MATING FREQUENCY RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 10(10): 2392-2422.
- Cooper, M. Ian. MOMENTS OF INERTIA ARE RELATED TO MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2358-2384.
- Cooper, M. Ian. IS MATING FREQUENCY RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 10(9): 2333-2357.
- Cooper, M. Ian. TEMPERATURE IS RELATED MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2308-2332.
- Cooper, M. Ian. IS MATING FREQUENCY RELATED HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 10(9): 2283-2307.
- Cooper, M. Ian. IS MATING FREQUENCY RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 10(9): 2259-2282.
- Cooper, M. Ian. TEMPERATURE IS RELATED MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2235-2258.
- Cooper, M. Ian. PRECIPITATION IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2211-2234.
- Cooper, M. Ian. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2187-2210.
- Cooper, M. Ian. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2163-2186.
- Cooper, M. Ian. COPULATION DURATION IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2138-2161.
- Cooper, M. Ian. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2114-2137.
- Cooper, M. Ian. HIGHEST TOTAL HOURS OF SUNSHINE THROUGHOUT A MONTH ARE RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2090-2113.
- Cooper, M. Ian. HOURS OF SUNSHINE THROUGHOUT THE YEAR ARE RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2066-2089.
- Cooper, M. AIR PRESSURE IS NOT RELATED TO SPECIES RICHNESS IN PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1553-1556.
- Cooper, M. HIGH AIR PRESSURE IS RELATED TO LOW SPECIES RICHNESS IN GNOMESKELUS ATTEMPS, 1926. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1548-1551.

- Cooper, M. I. AIR PRESSURE IS (INVERSELY) RELATED TO SPECIES RICHNESS IN DALODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1543-1547.
- Cooper, M. NO AIR PRESSURE-SPECIES RICHNESS RELATIONSHIP IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2023; 10 (6): 1540-1542.
- COOPER M. CURVED SURFACE AREA IS RELATED TO AT LEAST TWENTY FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1438-1509.
- Cooper M. VOLUME IS RELATED TO OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1410-1437.
- Cooper M. FACTORS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1376-1409.
- COOPER M. MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IS RELATED TO AT LEAST FOUR FACTORS AND MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IS RELATED TO FIVE FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1355-1375.
- COOPER M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO TIME IN RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1354.
- Cooper M. I. AIR PRESSURE IS RELATED TO AT LEAST SEVEN FACTORS AND DISTANCE TO THE NEAREST AIRPORT IS RELATED TO AT LEAST THREE FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1330-1354.
- Cooper M. SURFACE AREA, SURFACE AREA TO VOLUME RATIO, AND CLIMATIC CORRELATES IN PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1299-1329.
- Cooper Mark. DOES EJACULATE VOLUME, MASS AND COLEOPOD SPINE LENGTH AND NUMBER VARY WITH MOMENTS OF INERTIA AND SEX RATIO IN CENTROBOLUS COOK, 1897? Int. j. eng. sci. invention res. dev. 2023; 10(6): 1282- 1298.
- Cooper M. STERNITE PROMINENCE AND OCEAN WATER TEMPERATURE ARE RELATED TO ABUNDANCE IN CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1266-1281.
- Cooper M. FACTORS RELATED TO SUNSHINE IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1146-1265.
- Cooper M. I. MASS IS RELATED TO NINE FACTORS IN FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1126-1142.
- Cooper M. LOWEST RELATIVE HUMIDITY IS RELATED TO HIGHEST RELATIVE HUMIDITY, HIGHEST OCEAN WATER TEMPERATURE, STERNITE PROMINENCE AND MOMENTS OF INERTIA AND HIGHEST RELATIVE HUMIDITY IS RELATED TO ABUNDANCE, MINIMUM AND MAXIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES CENTROBOLUS COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1104-1125.
- Cooper M. CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF 23 LOCALITIES IN SOUTHERN AFRICA. Int. j. eng. sci. invention res. dev. 2023; 10(5): 820-992.
- Cooper M. FEMALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 1-19.
- Cooper, Mark. (2022). Total Body Rings Increase with Latitude and Decrease with Precipitation in Forest Millipedes *Centrobolus* Cook, 1897. *New Visions in Biological Science Vol. 9*, 96-101.
- Cooper, Mark. (2022). The Latitudinal Gradient in Dalodesmidae Cook, 1896a Species Richness. *New Visions in Biological Science Vol. 9*, 89-95.
- Cooper, Mark. (2022). The Inverse Latitudinal Gradient in Species Richness of Forest Millipedes: *Centrobolus* Cook, 1897. *New Visions in Biological Science Vol. 9*, 82-88.
- Cooper, Mark. (2022). Bergmann's Rule: Size Correlates with Longitude and Temperature in

- Forest Millipedes *Centrobolus* Cook, 1897. *New Visions in Biological Science Vol. 9*, 68-81.
- Cooper, Mark. (2022). Why Sexual Size Dimorphism Increases with Longitude, Precipitation and Temperature and Decreases with Latitude in Forest Millipedes *Centrobolus* Cook, 1897. *New Visions in Biological Science Vol. 9*, 58-67.
 - Cooper, Mark. (2022). The Relationships between Sexual Size Dimorphism and Precipitation and Female Size and Temperature in *Sphaerotherium* Brandt, 1833. *New Visions in Biological Science Vol. 9*, 52-57.
 - Cooper, Mark. (2022). Mating Order Establishes Male Size Advantage in the Polygynandrous Millipede *Centrobolus inscriptus* Attems, 1928. *New Visions in Biological Science Vol. 9*, 46-51.
 - Cooper, Mark. (2022). Length and Width Correlations in *Centrobolus* Cook, 1897. *New Visions in Biological Science Vol. 9*, 39-45.
 - Cooper, Mark. (2022). The Copulation duration Allometry in Worm-like Millipedes (Diplopoda: Chilognatha: Helminthomorpha). *New Visions in Biological Science Vol. 9*, 29-38.
 - Cooper, Mark. (2022). The Copulation duration Allometry in *Centrobolus* (Diplopoda: Spirobolida: Pachybolidae). *New Visions in Biological Science Vol. 9*, 21-28.
 - Cooper, Mark. (2022). Assessment of Latitudinal Gradient in Species Richness of *Sphaerotherium*. *New Visions in Biological Science Vol. 9*, 14-20.
 - Cooper, Mark. (2022). Study About Size Dimorphism and Directional Selection in Forest Millipedes. *New Visions in Biological Science Vol. 9*, 7-13.
 - Cooper, Mark. (2022). Behavioral ecology of *Centrobolus* (Diplopoda, Spirobolida, Pachybolidae) in Southern Africa. *New Visions in Biological Science Vol. 9*, 1-6.
 - Cooper, Mark. (2022). Study on Zoomorphic Variation with Copulation Duration in *Centrobolus*. *New Visions in Biological Science Vol. 8*, 144-149.
 - Cooper, Mark. (2022). Assessment of Latitudinal Gradient in *Gnomeskelus* Species Richness. *New Visions in Biological Science Vol. 8*, 136-143.
 - Cooper, Mark. (2022). A Study on *Centrobolus titanophilus* Size Dimorphism Shows Width-Based Variability. *New Visions in Biological Science Vol. 8*, 129-135.
 - Cooper, Mark. (2022). Xylophagous Millipede Surface Area to Volume Ratios are Size-dependent in Forests: A Brief Study. *New Visions in Biological Science Vol. 8*, 120-128.
 - Cooper, Mark. (2022). Study on Size Dimorphism in Six Juliform Millipedes. *New Visions in Biological Science Vol. 8*, 113-119.
 - Cooper, Mark. (2022). Study on Year-round Correlation between Mass and Copulation Duration in Forest Millipedes. *New Visions in Biological Science Vol. 8*, 107-112.
 - Cooper, Mark. (2022). Longer Males Determined with Positive Skew and Kurtosis in *Centrobolus* (Diplopoda: Spirobolida: Pachybolidae). *New Visions in Biological Science Vol. 8*, 102-106.
 - COOPER, M. 202 . LATITUDE PREDICTS SPECIES RICHNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. *International Journal of Recent Research in Life Sciences* 13(1): .
 - COOPER, M. SEXUAL SIZE DIMORPHISM IS DIAMETRICALLY RELATED TO MEAN OCEAN WATER TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 AND SEVEN FOREST PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. *Int. j. eng. sci. invention res. dev.* 2025; 12(6): 9388-9470.
 - COOPER, M. SEXUAL SIZE DIMORPHISM VARIES WITH FEMALE VOLUME (SIZE) AND NOT MALE VOLUME (SIZE) IN 28 SPECIES OF FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. *Int. j. eng. sci. invention res. dev.* 2025; 12(6): 9306-9387.
 - COOPER, M. CORRELATION OF SEXUAL SIZE DIMORPHISM WITH LATITUDINAL SPECIES RICHNESS IN 47 SPECIES OF SOUTHERN AFRICAN FOREST MILLIPEDES. *Int. j. eng. sci. invention res. dev.* 2025; 12(6): 9220-9305.
 - COOPER, M. HIGHEST RELATIVE HUMIDITY IS A DIRECT PREDICTOR OF SEXUAL SIZE DIMORPHISM IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. *Int. j. eng. sci. invention res. dev.* 2025; 12(6): 9217-9219.
 - COOPER, M. VERY STRONG COLLECTIVE SIGNIFICANT EFFECT BETWEEN COPULATION DURATION, PRECIPITATION, ALTITUDE, AND DISTANCE TO THE NEAREST AIRPORT IN SOUTHERN AFRICAN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897. *Int. j. eng. sci. invention res. dev.* 2025; 12(6): 9136-9216.
 - COOPER, M. STRONG COLLECTIVE SIGNIFICANT EFFECTS BETWEEN SEXUAL SIZE DIMORPHISM, LATITUDINAL SPECIES RICHNESS, AND MAXIMUM PRECIPITATION, (RANGE IN) LATITUDE, LONGITUDE, AND DISTANCE TO THE

- NEAREST AIRPORT IN SOUTHERN AFRICAN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 9051-9135.
- COOPER, M. STRONG COLLECTIVE SIGNIFICANT EFFECT BETWEEN COPULATION DURATION, LATITUDE, AND LONGITUDE IN SOUTHERN AFRICAN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 8970-9050.
 - COOPER, M. CORRELATION OF SEXUAL SIZE DIMORPHISM WITH LATITUDINAL SPECIES RICHNESS IN 54 SPECIES OF SOUTHERN AFRICAN MILLIPEDES. Int. j. eng. sci. invention res. dev. 2025; 12(6): 8887-8969.
 - COOPER, M. STRONG COLLECTIVE SIGNIFICANT EFFECT BETWEEN SEXUAL SIZE DIMORPHISM, LATITUDINAL SPECIES RICHNESS, AND HIGHEST NUMBER OF RAINY DAYS PER MONTH IN SOUTHERN AFRICAN FOREST MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(6): 8804-8886.
 - COOPER, M. SEXUAL SIZE DIMORPHISM IS NOT RELATED TO MALE VOLUME (SIZE) IN RED FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 8722-8803.
 - COOPER, M. SEXUAL SIZE DIMORPHISM IS RELATED TO HIGHEST OCEAN WATER TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 8640-8721.
 - COOPER, M. SEXUAL SIZE DIMORPHISM IS RELATED TO MEAN OCEAN WATER TEMPERATURE IN 40 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 8557-8639.
 - COOPER, M. FEMALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO ALTITUDE AND AIR PRESSURE IN 37 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 8472-8556.
 - COOPER, M. LATITUDINAL GRADIENT IN MEAN GROUP SIZE AND TERRITORY SIZE OF THE VIOLET WOODHOOPOE *PHOENICULUS DAMARENSIS* - GREEN WOODHOOPOE *PHOENICULUS PURPUREUS*. Int. j. eng. sci. invention res. dev. 2025; 12(6): 8388-8471.
 - COOPER, M. MALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO TOTAL HOURS OF SUNSHINE THROUGHOUT THE YEAR IN 32 FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(6): 8305-8387.
 - COOPER, M. COPULATION DURATION IS RELATIVELY DIFFERENT ACROSS CONTROLLED LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2025; 12(5): 8225-8304.
 - COOPER, M. REGRESSION OF SEXUAL SIZE DIMORPHISM ON LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN FOREST MILLIPEDES. Int. j. eng. sci. invention res. dev. 2025; 12(5): 8143-8224.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN MILLIPEDES IS CORRELATED WITH MINIMUM PRECIPITATION, MAXIMUM PRECIPITATION, MAXIMUM TEMPERATURE, PRECIPITATION VARIATION, LOWEST RELATIVE HUMIDITY, DISTANCE TO THE NEAREST AIRPORT, LATITUDE, LONGITUDE, AND LONGITUDINAL SPECIES RICHNESS. Int. j. eng. sci. invention res. dev. 2025; 12(5): 8048-8142.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN FOREST MILLIPEDES IS CORRELATED WITH MINIMUM PRECIPITATION, MAXIMUM PRECIPITATION, PRECIPITATION VARIATION, LOWEST RELATIVE HUMIDITY, MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS, DISTANCE TO THE NEAREST AIRPORT, LATITUDE, LONGITUDE, AND LONGITUDINAL SPECIES RICHNESS. Int. j. eng. sci. invention res. dev. 2025; 12(5): 1-8047.
 - COOPER, M. PRECIPITATION IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN FOREST MILLIPEDES. Int. j. eng. sci. invention res. dev. 2025; 12(5): 7888-7959.
 - COOPER, M. TEMPERATURE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN MILLIPEDES. Int. j. eng. sci. invention res. dev. 2025; 12(5): 7815-7887.
 - COOPER, M. TEMPERATURE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN SOUTH AFRICAN FOREST MILLIPEDES.

- Int. j. eng. sci. invention res. dev. 2025; 12(5): 7743-7814.
- COOPER, M. BODY SIZE, SEXUAL SIZE DIMORPHISM, AND THE REJECTION OF THE ALLOMETRIC RULE IN SPIROSTREPTIDA MILLIPEDES. Int. j. eng. sci. invention res. dev. 2025; 12(4): 7519-7597.
 - COOPER, M. Factors related to highest relative humidity in southern African Polyxenida. Int. j. eng. sci. invention res. dev. 2025; 12(4): 7441-7518.
 - COOPER, M. ALTITUDINAL RANGE IN LATITUDE RULE IN SOUTHERN AFRICAN FLAT-BACKED MILLIPEDES (PARADOXOSOMATIDAE). Int. j. eng. sci. invention res. dev. 2025; 12(4): 7362-7440.
 - COOPER, M. PRECIPITATION IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(4): 7284-7361.
 - COOPER, M. HIGHEST NUMBER OF RAINY DAYS PER MONTH IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(4): 7206-7283.
 - COOPER, M. LONGITUDE IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(4): 7128-7205.
 - COOPER, M. AVERAGE TEMPERATURE VARIATION IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(4): 7050-7127.
 - COOPER, M. PRECIPITATION VARIATION IS RELATED TO DISTANCE TO THE NEAREST AIRPORT IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6972-7049.
 - COOPER, M. LOWEST RELATIVE HUMIDITY IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(4): 6893-6970.
 - COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN THREE FAMILIES OF SOUTHERN AFRICAN SPIROSTREPTIDA BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(1): 1842-1904.
 - COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN POLYDESMIDA LEACH, 1815 WITH SPIROSTREPTIDA BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 12(1): 1779-1841.
 - COOPER, M. SEXUAL SIZE DIMORPHISM AND THE REJECTION OF RENSCH'S RULE IN WORM-LIKE MILLIPEDES. Int. j. eng. sci. invention res. dev. 2025; 12(1): 1714-1778.
 - COOPER, M. SEXUAL SIZE DIMORPHISM AND THE REJECTION OF RENSCH'S RULE IN PILL MILLIPEDES (*SPHAEROTHERIUM*). Int. j. eng. sci. invention res. dev. 2025; 12(1): 1650-1713.
 - COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN MEROCHETA COOK, 1895 WITH JULIFORMIA ATTEMPS, 1926. Int. j. eng. sci. invention res. dev. 2025; 12(1): 1587-1649.
 - COOPER, M. INTRAGENERIC COMPARISON OF LATITUDINAL AND LONGITUDINAL SPECIES RICHNESS IN EIGHTEEN GENERA OF SOUTHERN AFRICAN DIPLOPODA. Int. j. eng. sci. invention res. dev. 2025; 11(12). 59pp.
 - COOPER, M. COMPARISON OF LONGITUDINAL SPECIES RICHNESS IN TWO SUBCLASSES OF DIPLOPODA (PENCILLATA AND CHILOGNATHA). Int. j. eng. sci. invention res. dev. 2025; 11(12). 53pp.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 11(12). 60pp.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS CORRELATION IN SOUTHERN AFRICAN SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2025; 11(12). 60pp.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN HARPAGOPHORIDAE ATTEMPS, 1909. Int. j. eng. sci. invention res. dev. 2025; 11(11): 9264-9318.
 - Cooper, M. DETERMINED CORRELATION COEFFICIENT MATRIX FOR SEVEN FACTORS IN THE CLIMATE OF BEIRA,

- MOZAMBIQUE. Int. j. eng. sci. invention res. dev. 2025; 11(11): 9213-9263.
- COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *BICOXIDENS* ATTEMS, 1928. Int. j. eng. sci. invention res. dev. 2025; 11(11): 9155-9212.
 - COOPER, M. ALTITUDE IS RELATED TO TEMPERATURE IN *ULODESMUS* COOK, 1899B. Int. j. eng. sci. invention res. dev. 2025; 11(11): 9105-9154.
 - COOPER, M. ALTITUDE IS RELATED TO AIR PRESSURE IN *ULODESMUS* COOK, 1899B. Int. j. eng. sci. invention res. dev. 2025; 11(11): 9055-9104.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN *TRIAENOSTREPTUS* ATTEMS, 1914B. Int. j. eng. sci. invention res. dev. 2025; 11(11): 8997-9054.
 - COOPER, M. ALTITUDE IS RELATED TO LATITUDINAL SPECIES RICHNESS IN *ANTIPHONUS* ATTEMS, 1901. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7925-7969.
 - COOPER, M. LATITUDE IS RELATED TO TEMPERATURE IN *ANTIPHONUS* ATTEMS, 1901. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7880-7924.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN *ANTIPHONUS* ATTEMS, 1901. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7835-7879.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS CORRELATION IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7781-7834.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS CORRELATION IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7727-7780.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS CORRELATION IN SOUTHERN AFRICAN CHILOGNATHA LATREILLE, 1802/1803. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7773-7826.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS CORRELATION IN SOUTHERN AFRICAN CHILOGNATHA LATREILLE, 1802/1803. Int. j. eng. sci. invention res. dev. 2025; 11(10): 7724-7772.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *PHYGOXEROTES* VERHOEFF, 1939A. Int. j. eng. sci. invention res. dev. 2025; 11(9): 7070-7112.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *PHYGOXEROTES* VERHOEFF, 1939A. Int. j. eng. sci. invention res. dev. 2025; 11(9): 7027-7069.
 - COOPER, M. TEMPERATURE IS RELATED TO LATITUDE IN SOUTHERN AFRICAN *PHYGOXEROTES* VERHOEFF, 1939A. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6984-7026.
 - COOPER, M. TEMPERATURE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN *PHYGOXEROTES* VERHOEFF, 1939A. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6941-6983.
 - COOPER, M. AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN *PHYGOXEROTES* VERHOEFF, 1939A. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6898-6940.
 - COOPER, M. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN *PHYGOXEROTES* VERHOEFF, 1939A. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6855-6897.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IS RELATED TO LATITUDE IN SOUTHERN AFRICAN *CHALEPONCUS* ATTEMS, 1914B. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6812-6854.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *CHALEPONCUS* ATTEMS, 1914B. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6769-6811.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *CHALEPONCUS* ATTEMS, 1914B. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6725-6768.
 - COOPER, M. AIR PRESSURE IS RELATED TO ELEVATION IN SOUTHERN AFRICAN *CHALEPONCUS* ATTEMS, 1914B. Int. j. eng. sci. invention res. dev. 2025; 11(9): 6684-6724.
 - COOPER, M. AIR PRESSURE IS RELATED TO ELEVATION IN SOUTHERN AFRICAN *PATINATIUS* ATTEMS, 1928. Int. j. eng. sci. invention res. dev. 2025; 11(8): 6215-6259.
 - COOPER, M. AIR PRESSURE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN *PATINATIUS* ATTEMS, 1928. Int. j. eng. sci. invention res. dev. 2025; 11(8): 6170-6214.
 - COOPER, M. LATITUDE IS RELATED TO TEMPERATURE IN SOUTHERN AFRICAN

- PATINATIUS* ATTEMS, 1928. Int. j. eng. sci. invention res. dev. 2025; 11(8): 6125-6169.
- COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *PATINATIUS* ATTEMS, 1928. Int. j. eng. sci. invention res. dev. 2025; 11(8): 6080-6124.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *PATINATIUS* ATTEMS, 1928. Int. j. eng. sci. invention res. dev. 2025; 11(8): 6035-6079.
 - COOPER, M. ALTITUDE IS RELATED TO AIR PRESSURE IN SOUTHERN AFRICAN *HARPAGOPHORA* ATTEMS, 1909. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5990-6034.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *ORTHOPOROIDES* KRABBE, 1982. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5944-5989.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN *BICOXIDENS* ATTEMS, 1928. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5898-5942.
 - COOPER, M. LATITUDE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN *ORTHOPOROIDES* KRABBE, 1982. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5856-5897.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN *ORTHOPOROIDES* KRABBE, 1982. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5816-5855.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IS RELATED TO LATITUDE IN SOUTHERN AFRICAN *PATINATIUS* ATTEMS, 1928. Int. j. eng. sci. invention res. dev. 2025; 11(8): 5783-5815.
 - COOPER, M. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN *JULIFORMIA* ATTEMS, 1926. Int. j. eng. sci. invention res. dev. 2025; 11(7): 5204-5250.
 - COOPER, M. LATITUDE, LONGITUDE, LATITUDINAL SPECIES RICHNESS, LONGITUDINAL SPECIES RICHNESS, AIR PRESSURE, AND ALTITUDE CORRELATIONS IN SOUTHERN AFRICAN *POLYZONIIDA* GERVAIS, 1844. Int. j. eng. sci. invention res. dev. 2025; 11(7): 5157-5203.
 - COOPER, M. LATITUDE, LONGITUDE, AIR PRESSURE, ALTITUDE, AND SPECIES RICHNESS CORRELATIONS IN SOUTHERN AFRICAN *PENCILLATA* LATREILLE, 1831. Int. j. eng. sci. invention res. dev. 2025; 11(7): 5113-5156.
 - COOPER, M. LATITUDINAL SPECIES DISTRIBUTION, LONGITUDINAL SPECIES DISTRIBUTION, AIR PRESSURE, ALTITUDE AND TEMPERATURE CORRELATIONS IN INTRODUCED SPECIES OF SOUTHERN AFRICAN *DIPLOPODA*. Int. j. eng. sci. invention res. dev. 2025; 11(7): 5068-5112.
 - COOPER, M. LATITUDE, LONGITUDE, SPECIES RICHNESS, ALTITUDE, AND AIR PRESSURE CORRELATIONS IN SOUTHERN AFRICAN *POLYXENIDAE* LUCAS, 1840. Int. j. eng. sci. invention res. dev. 2025; 11(7): 5022-5067.
 - COOPER, M. AIR PRESSURE, ELEVATION, TEMPERATURE, LATITUDE, LONGITUDE, LATITUDINAL SPECIES RICHNESS, AND LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *ODONTOPYGIDAE* ATTEMS, 1909C. Int. j. eng. sci. invention res. dev. 2025; 11(7): 4965-5021.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *HELMINTHOMORPHA* POCKOCK, 1887. Int. j. eng. sci. invention res. dev. 2024; 11(6): 4046-4095.
 - COOPER, M. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN *HELMINTHOMORPHA* POCKOCK, 1887. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3991-4045.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *HELMINTHOMORPHA* POCKOCK, 1887. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3945-3990.
 - COOPER, M. LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN *MEROCHETA* COOK, 1895. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3900-3944.
 - COOPER, M. LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *MEROCHETA* COOK, 1895. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3857-3899.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *DIPLOPODA* DE BLAINVILLE IN GERVAIS, 1844. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3811-3856.
 - COOPER, M. LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN *MEROCHETA* COOK, 1895. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3768-3810.
 - Cooper, Mark I TEMPERATURE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN *HARPAGOPHORIDAE* ATTEMS, 1909. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3728-3767.

- Cooper, Mark I LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN CHILOGNATHA LATREILLE, 1802/1803. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3677-3726.
- Cooper, Mark I LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN CHILOGNATHA LATREILLE, 1802/1803. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3632-3676.
- Cooper, Mark I LONGITUDINAL SPECIES RICHNESS IN HARPAGOPHORIDAE ATTEMPS, 1909. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3592-3631.
- Cooper, Mark I LATITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN DIPLOPODA DE BLAINVILLE IN GERVAIS, 1844. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3547-3591.
- Cooper, Mark I LATITUDINAL SPECIES RICHNESS IN HARPAGOPHORIDAE ATTEMPS, 1909. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3507-3546.
- Cooper, Mark I AIR PRESSURE IS RELATED TO ALTITUDE IN SOUTHERN AFRICAN HARPAGOPHORIDAE ATTEMPS, 1909. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3463-3506.
- Cooper, Mark I (VISIBLE) SURFACE AREAS ARE DIFFERENT BETWEEN A PAIR OF APOSEMATICALLY COLOURED RED MILLIPEDES *CENTROBOLUS* (DIPLOPODA: PACHYBOLIDAE). Int. j. eng. sci. invention res. dev. 2024; 11(6): 3424-3462.
- Cooper, Mark I TEMPERATURE IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN HARPAGOPHORIDAE ATTEMPS, 1909. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3384-3423.
- Cooper, Mark I LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN CHILOGNATHA LATREILLE, 1802/1803. Int. j. eng. sci. invention res. dev. 2024; 11(6): 3335-3383.
- COOPER, M. IAN. LATITUDE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 AND SOUTHERN AFRICAN PACHYBOLIDAE COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2494-2532.
- COOPER, MARK. PRESSURE (AIR) IS RELATED TO LATITUDE IN FOREST PILL MILLIPEDES *SPHAEROTHERIIDAE* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2456-2493.
- Cooper, Mark I MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO A COMBINATION OF MALE AND FEMALE LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2415-2455.
- COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO MALE WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2377-2414.
- COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO FEMALE WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2339-2376.
- COOPER, M. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2301-2338.
- Cooper, Mark I MODEL OF MANTLE IRIDOSOME DIAMETER (VARIATION), BODY MASS, TERRITORY SIZES AND (FEMALE-BIASED) SEX RATIOS IN GREEN AND VIOLET WOODHOOPES (CORACIFORMES: PHOENICULIDAE). Int. j. eng. sci. invention res. dev. 2024; 11(5): 2295-2300.
- Cooper, Mark I LATITUDE IS RELATED TO LONGITUDE IN GOMPHODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2256-2294.
- COOPER, M. I. MINIMUM OCEAN WATER TEMPERATURES IS RELATED TO FEMALE LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(5): 2218-2259.
- Cooper, M. Ian. LATITUDINAL SPECIES RICHNESS TIES IN WITH LONGITUDINAL SPECIES RICHNESS IN FOREST RED MILLIPEDES (DIPLOPODA: PACHYBOLIDAE). ISAR Journal of Agriculture and Biology 2(10): 15-40. DOI : <https://doi.org/10.5281/zenodo.13896837>.
- COOPER, M. IAN. LATITUDE IS RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 CONFIRMED. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1224-1248.

- COOPER, M. IAN. SPECIES RICHNESS IS RELATED TO LATITUDE, LONGITUDE AND AIR PRESSURE IN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1199-1223.
- COOPER, M. IAN. BEHAVIOURAL ECOLOGY AND BODY MASS IN *PHOENICULUS DAMARENSIS* – *P. PURPUREUS*. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1197-1198.
- Cooper, Mark I DIFFERENCES BETWEEN LATITUDINAL DIVERSITY GRADIENTS IN (SOUTHERN AFRICAN) FOREST MILLIPEDES. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1172-1196.
- Cooper, Mark I LATITUDE IS RELATED TO LONGITUDE IN SOUTHERN AFRICAN PACHYBOLIDAE COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1148-1171.
- COOPER, M. IAN. LONGITUDE IS RELATED TO LATITUDE AND AIR PRESSURE IN FOREST PILL MILLIPEDES SPHAEROTHERIUM BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1124-1147.
- COOPER, M. IAN. LONGITUDE IS RELATED TO LATITUDE AND AIR PRESSURE IN FOREST PILL MILLIPEDES SPHAEROTHERIIDAE BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1100-1123.
- COOPER, M. IAN. LATITUDINAL SPECIES RICHNESS IS RELATED TO LONGITUDINAL SPECIES RICHNESS IN SOUTHERN AFRICAN JULOMORPHIDAE VERHOEFF, 1924. Int. j. eng. sci. invention res. dev. 2024; 11(4): 1072-1099.
- COOPER, M. IAN. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO MINIMUM OCEAN WATER TEMPERATURES AND MONTH WITH THE LOWEST NUMBER OF RAINY DAYS IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(3): 972-995.
- COOPER, M. IAN. PRESSURE (AIR) IS RELATED TO LATITUDE IN MILLIPEDES DALODESMIDAE COOK, 1896A. Int. j. eng. sci. invention res. dev. 2024; 11(3): 947-971.
- COOPER, M. IAN. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO SPINE LENGTH, SPINE NUMBER AND STERNITE PROMINENCE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(3): 920-946.
- COOPER, M. IAN. DURATION OF COPULATION IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IS RELATED TO MONTH WITH THE LOWEST NUMBER OF RAINY DAYS. Int. j. eng. sci. invention res. dev. 2024; 11(3): 896-919.
- COOPER, M. IAN. COPULATION DURATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897 IS RELATED TO DISTANCE TO THE NEAREST AIRPORT. Int. j. eng. sci. invention res. dev. 2024; 11(3): 872-895.
- COOPER, M. IAN. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(3): 847-871.
- COOPER, MARK IAN. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO THE MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 572-594.
- COOPER, MARK IAN. STERNITE PROMINENCE IS RELATED TO ABUNDANCE IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 548-571.
- COOPER, MARK IAN. DISTANCE TO THE NEAREST AIRPORT IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 525-547.
- COOPER, MARK IAN. IS MATING FREQUENCY RELATED TO DISTANCE TO THE NEAREST AIRPORT IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 11(2): 502-524.
- COOPER, MARK IAN. THE HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(2): 479-501.
- COOPER, MARK IAN. IS MATING FREQUENCY RELATED TO HIGHEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2024; 11(2): 449-478.

- invention res. dev. 2024; 11(2): 457-478.
- Cooper, M. I. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 161-178.
 - Cooper, M. I. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO HOURS OF SUNSHINE THROUGHOUT THE YEAR IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 143-160.
 - Cooper, M. I. STERNITE PROMINENCE IS RELATED TO LOWEST RELATIVE HUMIDITY IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 11(1): 126-142.
 - COOPER, M. I. MOMENTS OF INERTIA ARE RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3195-3214.
 - COOPER, M. I. WIDTH MODELS WITH MATING FREQUENCY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3175-3194.
 - COOPER, M. I. FEMALE WIDTH IS RELATED TO LOWEST NUMBER OF HOURS OF SUNSHINE IN A DAY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3154-3174.
 - Cooper, M. CLIMATIC CORRELATES IN PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 10(12): 3130-3153.
 - COOPER, M. COPULATION DURATION IS RELATED TO CURVED SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2731-2754.
 - COOPER, M. CURVED SURFACE AREA IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2706-2730.
 - COOPER, M. CURVED SURFACE AREA IS RELATED TO MASS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2681-2705.
 - COOPER, M. CURVED SURFACE AREA IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2655-2680.
 - COOPER, M. CURVED SURFACE AREA IS RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2630-2654.
 - COOPER, M. CURVED SURFACE AREA IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2605-2629.
 - COOPER, M. CURVED SURFACE AREA IS RELATED TO LOWEST HOURS OF SUNSHINE IN A DAY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(11): 2580-2604.
 - COOPER, M. CURVED SURFACE AREA IS RELATED TO HIGHEST HOURS OF SUNSHINE THROUGHOUT A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2556-2579.
 - COOPER, MARK IAN. MASS IS INVERSELY CORRELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2418-2443.
 - Cooper, M. MASS IS CORRELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(10): 2392-2417.
 - Cooper, M. Ian. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2040-2065.
 - Cooper, M. Ian. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 2014-2039.
 - Cooper, M. Ian. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 1988-2013.
 - Cooper, M. Ian. LOWEST RELATIVE HUMIDITY IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES

- CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 1962-1987.
- Cooper, M. Ian. COPULATION DURATION IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 1936-1961.
 - Cooper, M. Ian. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(9): 1912-1935.
 - Cooper, M. AIR PRESSURE IS NOT RELATED TO SPECIES RICHNESS IN PILL MILLIPEDES *SPHAEROTHERIIDAE* BRANDT, 1833. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1908-1911.
 - Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO LONGITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1884-1907.
 - Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MASS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1860-1883.
 - Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1836-1859.
 - Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO LATITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1810-1835.
 - Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1784-1809.
 - Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO TOTAL HOURS OF SUNSHINE IN A YEAR IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1758-1783.
 - Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO
- MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1734-1757.
- Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1710-1733.
 - Cooper, M. HOURS OF SUNSHINE THROUGHOUT THE YEAR IS RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1684-1709.
 - Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1660-1683.
 - Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1636-1659.
 - Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1610-1635.
 - Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO SPECIES VOLUME IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1584-1608.
 - Cooper, M. LOWEST NUMBER OF DAILY HOURS OF SUNSHINE IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2024; 10(8): 1557-1582.
 - COOPER, M. I. FAVOURABLE RESULT OF A COMPLEX MODEL TO ACCOUNT FOR THE IRIDESCENT COLOURS IN WOODHOPOE FEATHERS THROUGH GRADIENTS WITH CLIMATE II. ALTITUDE AND AIR PRESSURE. Int. j.

- eng. sci. invention res. dev. 2023; 10(6): 1535-1537.
- Cooper, M. AIR PRESSURE IS RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1510-1534.
 - COOPER M. I. ABUNDANCE IS RELATED TO AT LEAST SEVEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1088-1103.
 - Cooper M. VOLUMES AND CURVED SURFACE AREAS ARE DIFFERENT BETWEEN THE SEXES OF A PAIR OF SYMPATRIC FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1074-1087.
 - Cooper M. FACTORS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1039-1073.
 - COOPER M. I. PROBABLE SOLUTION OF RAINY DAY VARIATIONS FOR SET MATING FREQUENCIES AND MALE AND FEMALE WIDTHS IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 1026-1038.
 - Cooper, M. SURFACE AREA IS NOT RELATED TO MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS, PRECIPITATION OR MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int.j. eng. sci. invention res. dev. 2023; 10(6): 1008-1025.
 - Cooper M. I. COPULATION DURATION IS RELATED TO AT LEAST EIGHT FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(6): 993-1007.
 - COOPER M. I. SURFACE AREA IS RELATED TO AT LEAST ELEVEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 792-819.
 - COOPER M. I. WIDTH IS RELATED TO AT LEAST ELEVEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 759-791.
 - COOPER M. LENGTH IS RELATED TO AT LEAST THIRTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 727-758.
 - Cooper M. AVERAGE TEMPERATURE, MINIMUM TEMPERATURE, MAXIMUM TEMPERATURE, PRECIPITATION, HUMIDITY, RAINY DAYS, AND AVERAGE SUN HOURS ACROSS THE DISTRIBUTION OF *CENTROBOLUS* IN SOUTHERN AFRICA. Int. j. eng. sci. invention res. dev. 2023; 10(5): 700-726.
 - Cooper M. SEXUAL SIZE DIMORPHISM IS CORRELATED TO MAXIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 673-699.
 - Cooper M. I. MATING FREQUENCY MAY BE RELATED TO AT LEAST SIXTEEN FACTORS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 646-672.
 - Cooper M. HIGHEST DURATION OF SUNSHINE IS RELATED TO MALE SECOND POLAR MOMENTS OF INERTNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 621-641.
 - Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MATING FREQUENCIES, SPECIES VOLUME AND SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 593-620.
 - Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE DIFFERENT IN AND BETWEEN TWO PAIRS OF FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(5): 573-592.
 - Cooper M. SEXUAL SIZE DIMORPHISM IS CORRELATED TO MEAN OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 554-572.
 - Cooper M. MALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 535-553.
 - Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO AVERAGE TEMPERATURE VARIATION IN

- FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 515-534.
- Cooper M. SURFACE AREA-TO-VOLUME RATIO IS RELATED TO SPECIES RICHNESS IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 491-508.
 - Cooper M. SPECIES RICHNESS IS marginally RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 473-490.
 - Cooper M. SPECIES RICHNESS IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 456-472.
 - Cooper M. SPECIES RICHNESS IS RELATED TO HIGHEST OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 439-455.
 - Cooper M. SPECIES RICHNESS IS RELATED TO LOWEST RELATIVE HUMIDITY IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 421-438.
 - Cooper M. SPECIES RICHNESS IS RELATED MAXIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 403-420.
 - Cooper M. SPECIES RICHNESS IS RELATED TO MEAN OCEAN WATER TEMPERATURE NEAR FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 386-402.
 - Cooper M. SPECIES RICHNESS IS RELATED TO MINIMUM OCEAN WATER TEMPERATURE IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 368-385.
 - Cooper M. SPECIES RICHNESS IS RELATED TO PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 349-367.
 - Cooper M. CURVED SURFACE AREA IS RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(4): 330-348.
 - Cooper M. SEXUAL SIZE DIMORPHISM IS CORRELATED TO MINIMUM OCEAN WATER TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 302-320.
 - Cooper M. MINIMUM OCEAN WATER TEMPERATURE IS RELATED TO ALTITUDE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 283-301.
 - Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MINIMUM OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 266-282.
 - Cooper M. SURFACE AREA-TO-VOLUME RATIO ARE RELATED TO SECOND POLAR MOMENTS OF INERTNESS IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 249-265.
 - Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 231-248.
 - Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MEAN OCEAN WATER TEMPERATURES IN COASTAL FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 214-230.
 - Cooper M. STERNITE PROMINENCE IS RELATED TO SECOND POLAR MOMENTS OF INERTNESS IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 198-213.
 - Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO LENGTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 181-197.
 - Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO WIDTH IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 164-180.
 - Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MINIMUM PRECIPITATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK,

1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 147-163.
- Cooper M. CURVED SURFACE AREA IS RELATED TO SECOND POLAR MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 130-146.
- Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MINIMUM TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 129-145.
- Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO SPECIES RICHNESS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(3): 113-128.
- Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO ABUNDANCE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(2): 89-99.
- Cooper M. MALE SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO COPULATION DURATION IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(2): 77-88.
- Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO (MALE) MASS IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(2): 66-76.
- Cooper M. SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO MOMENTS OF INERTIA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(2): 54-65.
- Cooper M. SURFACE AREA IS RELATED TO TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(2): 37-53.
- Cooper M. (FEMALE) SECOND POLAR MOMENTS OF INERTNESS ARE RELATED TO SEXUAL SIZE DIMORPHISM IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(2): 24-36.
- COOPER, MARK. AN INVERSE LATITUDINAL GRADIENT IN SPECIES RICHNESS OF FOREST RED MILLIPEDES *CHERSASTUS* ATTEMS, 1926 AND *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 10(2): 5-23.
- Cooper M. Update: Random time-activity budgets in captive Southern Ground Hornbill *Bucorvus leadbeateri* [S Afr J Sci. 2013;109(7/8), Art. #a0028]. S Afr J Sci. 2023;119(7/8), Art. #a0028U.
- COOPER, MARK. THE INVERSE LATITUDINAL GRADIENT IN SPECIES RICHNESS OF FOREST MILLIPEDES: *PACHYBOLIDAE* COOK, 1897. International Journal of Scientific Research, Technology & Innovation in Multidisciplinary Studies. 9th April 2023. Volume 4, pp. 80-89.
- COOPER, MARK. MATING FREQUENCIES VARY WITH RAINY DAYS IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 9(8): 263-270.
- COOPER, MARK. ABUNDANCE VARIES WITH MINIMUM TEMPERATURE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 9(8): 258-262.
- Cooper, Mark I. SEXUAL SIZE DIMORPHISM MAY BE RELATED TO SEX RATIOS IN *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2023; 9(8): 252-257.
- Cooper M. CURVED SURFACE AREAS IN *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2023; 3(8): 00-00.
- Cooper M. SECOND POLAR MOMENTS OF INERTNESS WITH TEMPERATURE IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2023; 3(8): 11-32.
- Cooper, Mark I. 2023. SECOND POLAR MOMENTS OF AREA IN MALE AND FEMALE *CENTROBOLUS* COOK, 1897. *Munis Entomol. Zool.*, 18(1): 643-646.
- Cooper, Mark I. 2023. QUASIPROBABLE SOLUTION OF RAINY DAY VARIATIONS FOR SET MATING FREQUENCIES AND MALE AND FEMALE LENGTHS IN *CENTROBOLUS* COOK, 1897. *Munis Entomol. Zool.*, 18(1): 620-624.
- Cooper Mark I. 2023. IS MASS CORRELATED WITH LENGTH AMONG RED MILLIPEDES *CENTROBOLUS* COOK, 1897? *Munis Entomol. Zool.*, 18(1): 404-408.

- Cooper Mark I. 2023. THE HIGHEST DAILY HOURS OF SUNSHINE ARE RELATED TO LONGITUDE ACROSS THE DISTRIBUTION OF PILL MILLIPEDES *SPHAEROTHERIUM BRANDT*, 1833. *Munis Entomol. Zool.*, 18(1): 385-387.
- Cooper Mark I. 2023. DOES SEXUAL SIZE DIMORPHISM VARY WITH THE FEWEST DAILY HOURS OF SUNSHINE IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897? *Munis Entomol. Zool.*, 18(1): 373-375.
- Cooper Mark I. 2023. PRECIPITATION DURING THE DRIEST MONTH IS marginally RELATED TO LONGITUDE ACROSS THE DISTRIBUTION OF RED MILLIPEDES *CENTROBOLUS COOK*, 1897. *Munis Entomol. Zool.*, 18(1): 339-341.
- COOPER, MARK IAN. THE SURFACE AREA IS RELATED TO MATING FREQUENCIES ACROSS SYMPATRIC *CENTROBOLUS ANULATUS* (ATTEMPS, 1934) AND *C. INSCRIPTUS* (ATTEMPS, 1928). *Universe Int. J. Interdiscip. Res.* 2022; 3(7): 11-20. DOI NO.: 08.2020-25662434
- Cooper, Mark I. VOLUME IS RELATED TO SURFACE-AREA-TO-VOLUME ACROSS *CENTROBOLUS COOK*, 1897. *Universe Int. J. Interdiscip. Res.* 2022; 3(6): 83-91.
- Cooper, M. HEIGHT DYNAMICS WITH LATITUDE AND LONGITUDE IN MODERN HUMANS *HOMO SAPIENS* LINNAEUS, 1758. *Universe Int. J. Interdiscip. Res.* 2022; 3(6): 77-82.
- Cooper, Mark. SEX RATIO VARIES WITH AVERAGE SUN HOURS IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897. *Int. j. eng. sci. invention res. dev.* 2022; 9(6): 204-207.
- Cooper, Mark. SEX RATIO VARIES WITH RAINY DAYS IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897. *Int. j. eng. sci. invention res. dev.* 2022; 9(6): 199-203.
- Cooper, Mark. SEX RATIO VARIES WITH PRECIPITATION IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897. *Int. j. eng. sci. invention res. dev.* 2022; 9(6): 189-193.
- Cooper, Mark. SEX RATIO VARIES WITH HUMIDITY IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897. *Int. j. eng. sci. invention res. dev.* 2022; 9(6): 194-198.
- Cooper, Mark. SEX RATIO VARIES WITH MAXIMUM TEMPERATURE IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897. *Int. j. eng. sci. invention res. dev.* 2022; 9(6): 184-188.
- Cooper, Mark. SEX RATIO VARIES WITH MINIMUM TEMPERATURE IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897. *Int. j. eng. sci. invention res. dev.* 2022; 9(6): 179-183.
- Cooper, Mark. SEX RATIO VARIES WITH AVERAGE TEMPERATURE IN RED MILLIPEDES *CENTROBOLUS COOK*, 1897. *Int. j. eng. sci. invention res. dev.* 2022; 9(6): 174-178.
- Cooper, Mark I. SURFACE-AREA-TO-VOLUME IS RELATED TO SEXUAL SIZE DIMORPHISM ACROSS *CENTROBOLUS COOK*, 1897. *Universe Int. J. Interdiscip. Res.* 2022; 3(6): 34-42.
- Cooper, Mark. TARSAL PAD LENGTHS ARE RELATED TO SURFACE-AREA-TO-VOLUME RATIOS IN *CENTROBOLUS COOK*, 1897. *Universe Int. J. Interdiscip. Res.* 2022; 3(6): 27-33.
- COOPER, MARK I. MOMENTS OF INERTIA COVARY WITH SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS COOK*, 1897. *Int. j. eng. sci. invention res. dev.* 2022; 9(5): 168-173.
- COOPER, MARK I. ARE SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIO RELATED TO LATITUDE AND LONGITUDE IN *CENTROBOLUS COOK*, 1897? *Int. j. eng. sci. invention res. dev.* 2022; 9(5): 162-167.
- COOPER, MARK I. MATING FREQUENCY IS RELATED TO SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIOS IN *CENTROBOLUS COOK*, 1897. *Int. j. eng. sci. invention res. dev.* 2022; 9(5): 155-161.
- Cooper, Mark I. DOES EJACULATE VOLUME VARY WITH SURFACE AREA AND SURFACE AREA TO VOLUME RATIO IN *CENTROBOLUS COOK*, 1897? *Int. j. eng. sci. invention res. dev.* 2022; 9(5): 152-154.
- COOPER, MARK I. ARE SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIO RELATED TO COPULATION DURATION IN *CENTROBOLUS COOK*, 1897? *Int. j. eng. sci. invention res. dev.* 2022; 9(4): 146-151.
- COOPER, MARK I. ARE SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIO

- RELATED TO SEX RATIOS IN CENTROBOLUS COOK, 1897? Int. j. eng. sci.invention res. dev. 2022; 9(5): 140-145.
- Cooper, Mark I. ABUNDANCE IS RELATED TO SURFACE AREA AND SURFACE-AREA-TO-VOLUME RATIOS IN *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(5): 231-240.
 - Cooper, M. A Latitudinal Gradient in Species Richness of Subgenus *Tetraconasoma* Verhoeff, 1924, not *Sphaerotherium* Brandt, 1833 (Diplopoda: Sphaerotheriida)? Int. j. zool. animal
 - Cooper, M. I. *PHOENICULUS DAMARENSIS* – *P. PURPUREUS* LATITUDINAL GRADIENT IN MANTLE IRIDOSOME DIAMETERS. Int. j. eng. sci. invention res. dev. 2022; 9(4): 138-139.
 - COOPER, MARK I. MASS COVARIES WITH SURFACE AREA IN FOREST RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(4): 133-138.
 - COOPER, MARK IAN. SURFACE AREA IS RELATED TO SPECIES RICHNESS ACROSS *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(4): 126-132.
 - Cooper, Mark Ian. IS MASS CORRELATED WITH LENGTH AMONG RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Universe Int. J. Interdiscip. Res. 2022; 3(5): 98-103.
 - COOPER, MARK. PREDICTED SPECIES RICHNESS VARIATION WITH TIME IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(5): 80-88.
 - Cooper, Mark I. PREDICTED MATING FREQUENCIES FOR CALCULATED AND CONTROLLED MASSES AT DISTANT LATITUDES AND LONGITUDES IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(5): 9-17.
 - Cooper, Mark I. NO LONGITUDINAL SPECIES DIVERSITY GRADIENT IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(5): 1-8.
 - Cooper, M. Converse of Rensch's rule is Probably true in Millipedes. International Journal of Zoology and Animal Biology. 2022; 5(5): 000410. DOI: 10.23880/izab-16000410.
 - COOPER, MARK I. Mass variation with time in red millipedes *Centrobolus* Cook, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(3): 119-125.
 - COOPER, MARK I. PREDICTED ABUNDANCES FOR CALCULATED AND CONTROLLED SEXUAL SIZE DIMORPHISM AT DISTANT LATITUDES AND LONGITUDES IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(3): 113-118.
 - COOPER, MARK. MOMENTS OF INERTIA LINK TO MALE SIZE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. j. eng. sci. invention res. dev. 2022; 9(3): 107-112.
 - Cooper, Mark. MOMENTS OF INERTIA ARE RELATED TO SPECIES RICHNESS IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 4(3): 193-200.
 - Cooper, Mark. CORRELATION COEFFICIENT MATRIX FOR SIXTEEN FACTORS IN THE MATING SYSTEMS OF RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(4): 148-155.
 - Cooper, Mark I. DOES SEXUAL SIZE DIMORPHISM VARY WITH FEWEST DAILY HOURS OF SUNSHINE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Universe Int. J. Interdiscip. Res. 2022; 3(4): 33-36.
 - Cooper, Mark. DOES (PREDICTED) MASS CORRELATE WITH MATING FREQUENCIES IN *CENTROBOLUS* COOK, 1897? Universe Int. J. Interdiscip. Res. 2022; 3(4): 14-19.
 - Cooper, Mark I. DOES SEXUAL SIZE DIMORPHISM VARY WITH FEWEST DAILY HOURS OF SUNSHINE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Universe Int. J. Interdiscip. Res. 2022; 3(3): 89-92.
 - COOPER, MARK IAN. IS A PROMINENT STERNITE RELATED TO SEX RATIOS AND ABUNDANCE IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(3): 103-106.
 - COOPER, MARK. IS SIZE OR SSD RELATED TO ABUNDANCE IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(3): 96-102.
 - Cooper, Mark. 2022. DOES SEXUAL SIZE DIMORPHISM VARY WITH BODY MASS IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897? Munis Entomol. Zool. Suppl. 17(supplement): 1621-1624.

- Cooper, Mark. 2022. DOES SEXUAL SIZE DIMORPHISM VARY WITH THE HIGHEST TOTAL HOURS OF SUNSHINE IN A MONTH IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897? Munis Entomol. Zool. 17(supplement): 1596-1602.
- Cooper, Mark. 2022. DOES SEXUAL SIZE DIMORPHISM VARY WITH FEMALE WIDTH IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897? Munis Entomol. Zool. 17(supplement): 1562-1565.
- COOPER, Mark I. ARE MATING FREQUENCIES RELATED TO EJACULATE VOLUMES IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(2): 93-95.
- Cooper, M. SIZE ACROSS WEATHER GRADIENTS IN PILL MILLIPEDES (DIPLOPODA): III. FEMALE VOLUME AND LOWEST NUMBER OF DAILY HOURS OF SUNSHINE (TOTAL), WARMEST MONTH OF THE YEAR, COOLEST MONTH IN THE YEAR, AVERAGE ANNUAL TEMPERATURE, AND MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS. Int. j. eng. sci. invention res. dev. 2022; 9(2): 88-92.
- Cooper, M. I. SIZE ACROSS WEATHER GRADIENTS IN PILL MILLIPEDES (DIPLOPODA): I. FEMALE VOLUME AND PRECIPITATION. Int. j. eng. sci. invention res. dev. 2022; 9(2): 84-87.
- Cooper, M. I. SIZE ACROSS WEATHER GRADIENTS IN PILL MILLIPEDES (DIPLOPODA): II. FEMALE VOLUME AND LOWEST NUMBER OF DAILY HOURS OF SUNSHINE (AVERAGE). Int. j. eng. sci. invention res. dev. 2022; 9(2): 80-83.
- Cooper, M. Ian. THE MOMENTS OF INERTIA TIE-UP WITH FEMALE SIZE, HOURS OF SUNSHINE THROUGHOUT THE YEAR, LATITUDE, LONGITUDE, AND MINIMUM TEMPERATURE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(2): 6-12.
- Cooper, Mark. DOES EJACULATE VOLUME VARY WITH ABSOLUTE ABUNDANCE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(2): 77-79.
- Cooper, M. Ian. ARE MATING FREQUENCIES RELATED TO MALE AND FEMALE SIZE IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(2): 71-76.
- Cooper, Mark. ARE ABSOLUTE ABUNDANCES RELATED TO TARSAL PAD LENGTH IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(2): 68-70.
- Cooper, Mark. IS COPULATION DURATION RELATED TO TARSAL PAD LENGTH IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(2): 65-67.
- Cooper, M. Ian. ARE MATING FREQUENCIES RELATED TO TARSAL PAD LENGTH IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(2): 1-4.
- Cooper, Mark. ARE MATING FREQUENCIES RELATED TO MOMENTS OF INERTIA ACROSS THE SEXES IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 52-55.
- Cooper, M. Ian. ARE MATING FREQUENCIES RELATED TO SEXUAL SIZE DIMORPHISM IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 49-51.
- Cooper, M. Ian. ARE MATING FREQUENCIES RELATED TO SEX RATIO IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 45-48.
- Cooper, M. Ian. IS A PROMINENT STERNITE RELATED TO WEATHER IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 41-44.
- Cooper, M. Ian. DOES COPULATION DURATION VARY WITH SEX RATIO IN THE RED MILLIPEDE *CENTROBOLUS* INSCRIPTUS (ATTEMPS, 1928)? Int. j. eng. sci. invention res. dev. 2022; 9(1): 38-40.
- Cooper, M. Ian. ARE MATING FREQUENCIES RELATED TO ABSOLUTE ABUNDANCE IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 33-37.
- Cooper, Mark I. Is mass related to latitude, longitude, and weather in *Centrobolus* Cook, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 27-32.
- Cooper, M. I. Are coleopod spine length and number related to mass in *Centrobolus* Cook, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 24-26.
- Cooper, M. I. Are coleopod spine length and number related to weather in *Centrobolus* Cook, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 16-23.

- Cooper, M. Ian. Are a prominent sternite, coleopod spine length, and spine number related to mating frequencies in *Centrobolus* Cook, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 9-11.
- Cooper, M. Ian. Does copulation duration vary with absolute abundance in red millipedes *Centrobolus* Cook, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 9-11.
- Cooper, Mark Ian. Does sex ratio vary with absolute abundance in red millipedes *Centrobolus* Cook, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 5-8.
- Cooper, M. Ian. Is a prominent sternite related to mass in *Centrobolus* Cook, 1897? Int. j. eng. sci. invention res. dev. 2022; 9(1): 1-4.
- Cooper, Mark Ian. Sexual dimorphism across latitude in pill millipedes (Diplopoda). Zool. Entomol. Letrs. 2022; 2(2): 17-20.
- Cooper, M. Ian. 2022. COPULATION DURATION IS RELATED TO EJACULATING VOLUME IN *CENTROBOLUS* INSCRIPTUS (ATTEMPS, 1928). Int. j. eng. sci. invention res. dev. 2022; 8(12): 32-40.
- Cooper, M. Ian. IS COPULATION DURATION RELATED TO MOMENTS OF INERTIA IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 8(12): 29-31.
- Cooper, M. Ian. IS A PROMINENT STERNITE RELATED TO MOMENTS OF INERTIA IN *CENTROBOLUS* COOK, 1897? Int. j. eng. sci. invention res. dev. 2022; 8(12): 26-28.
- Cooper, M. THE TIE-IN OF MALE BODY WIDTH ON COPULATION DURATION IN *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2022; 3(1): 45-47.
- Cooper, M. I. FEMALE VOLUME, LOWEST HOURS OF SUNSHINE, MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS, RAINFALL, AND TEMPERATURES IN THE COOLEST AND WARMEST MONTHS OF THE YEAR ARE RELATED TO LATITUDE (AND LONGITUDE) ACROSS THE DISTRIBUTION OF PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Universe Int. J. Interdiscip. Res. 2022; 3(1): 11-22.
- Cooper, M. I. THE MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS, AVERAGE AND WARMEST TEMPERATURES, DAILY HOURS OF SUNSHINE, AND RAINFALL ACROSS THE DISTRIBUTION OF PILL MILLIPEDES *SPHAEROTHERIUM* BRANDT, 1833. Universe Int. J. Interdiscip. Res. 2022; 3(1): 1-10.
- Cooper, Mark Ian. Is mass correlated with width in *Centrobolus* millipedes *Centrobolus* Cook, 1897? Zool. Entomol. Lett. 2022; 2(1): 81-85.
- Cooper, Mark Ian. Do copulation duration and sexual size dimorphism vary with relative abundance in red millipedes *Centrobolus* Cook, 1897? Acta Entomol. Zool. 2022; 3(1): 06-09.
- Cooper, Mark Ian. Is a prominent sternite related to spine length, spine number, copulation duration, and male width in *Centrobolus* Cook, 1897? Acta Entomol. Zool. 2022; 3(2): 01-05.
- COOPER, M. IAN. FAVOURABLE RESULT OF A COMPLEX MODEL TO ACCOUNT FOR THE Iridescent COLOURS IN WOODHOOPE FEATHERS THROUGH GRADIENTS WITH CLIMATE. Int. J. Re. Res. Lif. Sci. 2022; 9(2): 92-100.
- Cooper, M. THE MOMENTS OF INERTIA TIE-UP WITH PRECIPITATION, NUMBER OF RAINY DAYS, LOWEST RELATIVE HUMIDITY, AND AVERAGE TEMPERATURE IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. J. Re. Res. Thesis Diss. 2022; 3(1): 130-145.
- Cooper, M. THE MOMENTS OF INERTIA TIE-UP WITH SEXUAL SIZE DIMORPHISM IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897. Int. J. Re. Res. Thesis Diss. 2022; 3(1): 127-129.
- Cooper, Mark Ian. DOES SEXUAL SIZE DIMORPHISM VARY WITH LOG SEXUAL SIZE DIMORPHISM IN RED MILLIPEDES *CENTROBOLUS* COOK, 1897? Universe Int. J. Interdiscip. Res. 2022; 2(12): 52-54.
- Cooper, Mark I. The inverse latitudinal gradients in species richness of Southern African millipedes. Int. J. Re. Res. Thesis Diss. 2022; 3(1): 91-112.
- Cooper, Mark I. Do copulation durations of sympatric red millipedes vary seasonally with mating frequencies? Int. J. Re. Res. Thesis Diss. 2022; 3(1): 85-90.
- Cooper, Mark. DOES SEXUAL SIZE DIMORPHISM VARY WITH PRECIPITATION IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897? Munis Entomology and Zoology. 17(2): 1185-1189.
- Cooper, Mark. DOES SEXUAL SIZE DIMORPHISM VARY WITH FEMALE LENGTH IN FOREST MILLIPEDES

- CENTROBOLUS COOK, 1897? Universe Int. J. Interdiscip. Res. 2(12): 1-7
- Cooper, Mark Ian. Do copulation duration and sexual size dimorphism vary with absolute abundance in red millipedes *Centrobolus* Cook, 1897? Acta Entomol. Zool. 2022; 3(1): 51-54.
 - Cooper, M. I. PHOENICULUS DAMARENSIS – P. PURPUREUS LATITUDINAL GRADIENT IN MANTLE IRIDOSOME DIAMETERS. Universe Int. J. Interdiscip. Res. 2022; 2(11): 114-117.
 - Cooper, Mark. Millipede mass: Intersexual differences. Zool. Entomol. Lett. 2022; 2(1): 69-70.
 - Cooper, Mark. Does sexual size dimorphism vary with sex ratio in red millipedes *Centrobolus* Cook, 1897? Zool. Entomol. Lett. 2022; 2(1): 66-68.
 - Cooper, Mark. Does sexual size dimorphism vary with maximum and minimum temperatures in red millipedes *Centrobolus* Cook, 1897? Zool. Entomol. Lett. 2022; 2(1): 60-65.
 - Cooper, Mark. Mating frequencies of sympatric red millipedes differ across substrate due to absolute abundances. Acta Entomol. Zool. 2022; 3(1): 34-39.
 - Cooper, Mark. Does sexual size dimorphism vary with time in red millipedes *Centrobolus* Cook, 1897? Zool. Entomol. Lett. 2(1): 30-35.
 - Cooper, Mark Ian. Five factors effecting copulation duration in the breeding season in forest millipedes *Centrobolus* Cook, 1897. Zool. Entomol. Lett. 2(1): 17-22.
 - Cooper, Mark. DOES SEXUAL SIZE DIMORPHISM VARY WITH SPECIES RICHNESS IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897? Universe Int. J. Interdiscip. Res. 2(10): 25-29.
 - Cooper, Mark. PAIR-WISE COMPARISON OF SEXUAL SHAPE DIMORPHISM AMONG FIFTEEN FACTORS IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2(10): 9-14.
 - Cooper, Mark. Does sexual size dimorphism vary with hours of sunshine throughout the year in forest millipedes *Centrobolus* Cook, 1897? Acta Entomol. Zool. 3(1): 19-25.
 - Cooper, Mark. Does sexual size dimorphism vary with female size in forest millipedes *Centrobolus* Cook, 1897? Acta Entomol. Zool. 3(1): 15-18.
 - Cooper, Mark. PAIR-WISE COMPARISON OF SEXUAL SIZE DIMORPHISM AMONG NINE FACTORS IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2(9): 31-33.
 - Cooper, Mark. DOES SEXUAL SIZE DIMORPHISM VARY WITH MONTH WITH THE HIGHEST NUMBER OF RAINY DAYS IN FOREST MILLIPEDES *CENTROBOLUS* COOK, 1897. Universe Int. J. Interdiscip. Res. 2(9): 9-14.
 - Cooper, M. I. PHENOTYPIC STATUS OF THE NAMIBIAN VIOLET WOODHOOPE PHOENICULUS DAMARENSIS AS DETERMINED BY MASS. Universe International Journal of Interdisciplinary Research 2(9): 7-8.
 - Cooper, Mark. Does sexual size dimorphism vary with temperature in forest millipedes *Centrobolus* Cook, 1897? Acta Entomol. Zool. 2022;3(1):08-11.
 - Cooper, Mark. Does sexual size dimorphism vary with latitude in forest millipedes *Centrobolus* Cook, 1897? Int. J. Re. Res. Thesis Diss. 2022; 3(1): 6-11.
 - Cooper, Mark. Does sexual size dimorphism vary with longitude in forest millipedes *Centrobolus* Cook, 1897? International Journal of Recent Research in Thesis and Dissertation. 2022; 3(1): 1-5.
 - Cooper, Mark. The copulation duration allometry in *Centrobolus* (Diplopoda: Spirobolida: Pachybolidae). J. Entomol. Zool. Stud. 2022;10(1):63-68.
 - Cooper, Mark. The inverse latitudinal gradient in species richness of forest millipedes: Pachybolidae Cook, 1897. J. Entomol. Zool. Stud. 2022;10(1):05-08.
 - Cooper, Mark. The inverse latitudinal gradient in species richness of forest millipedes: Pentazonia Brandt, 1833. J. Entomol. Zool. Stud. 2022;10(1):01-04.
 - Cooper, Mark. Mass covaries with volume in forest millipedes *Centrobolus* Cook, 1897. J. Entomol. Zool. Stud. 2021;9(6):190-192.
 - Cooper, Mark. Differences between latitudinal species diversity gradients in forest millipedes. *Arthropod.* (Accepted) (Unpublished).
 - Cooper, Mark. Correction: *Centrobolus dubius* (Schubart, 1966) Monomorphism. Int. J. Res. Stud. Zool. 2020, 6(2): 25-28.
 - Cooper, Mark. 2020. Latitudinal gradient in species richness of *Sphaerotherium*. *Arthropod.*, 9(4): 164-170.
 - Cooper, Mark. 2020. Latitudinal gradient in *Gnomeskelus* species richness. *Arthropod.*, 9(3): 104-111.

- Cooper Mark. : Longitudinal-size trend in eight species of *Centrobolus*. Intern. J. Zool. Invest. 6(1): 58-64, 2020.
- Cooper, Mark. Latitudinal-size trend in eight species of *Centrobolus*. J. Entomol. Zool. Stud. 2020;8(2):122-127.
- Cooper, Mark. 2020. Zoomorphic variation with copulation duration in *Centrobolus*. Arthropod., 9(2): 63-67.
- Cooper, Mark. 2020. Kurtosis and skew show longer males in *Centrobolus*. Arthropod., 9(1): 21-26.
- Cooper, Mark. 2020. Year-round correlation between mass and copulation duration in forest millipedes. Arthropod., 9(1): 15-20.
- Cooper, Mark. 2019. Size dimorphism in six juliform millipedes. Arthropod., 8(4): 137-142.
- Cooper, M. 2019. Precipitation-size trend in *Centrobolus*. Austra & Lian Journal of Animal Sciences.
- Cooper, M. 2019. Precipitation-size trend in *Sphaerotherium*. Austra & Lian Journal of Animal Sciences.
- Cooper, M. 2019. Temperature-size trend in *Centrobolus*. Austra & Lian Journal of Animal Sciences.
- Cooper, M. 2019. Latitudinal gradient in *Sphaerotherium* species richness. Austra & Lian Journal of Animal Sciences.
- Cooper, M. 2019. Latitudinal-size trend in *Sphaerotherium*. Austra & Lian Journal of Animal Sciences.
- Cooper, Mark. 2019. Xylophagous millipede surface area to volume ratios are size dependent in forests. Arthropod., 8(4): 127-136.
- Cooper, Mark. 2019. Size dimorphism and directional selection in forest millipedes. Arthropod., 8(3): 102-109.
- Cooper, Mark. Julid millipede and spirobolid millipede gonopod functional equivalents. J. Entomol. Zool. Stud. 2019;7(4):333-335. DOI: 10.22271/j.ento.2019.v7.i4f.5465
- Cooper, Mark. When is the change in sperm precedence in the millipede *Centrobolus inscriptus* (Attems, 1928) (Diplopoda, Pachybolidae)? J. Entomol. Zool. Stud. 2019;7(4):183-186.
- Cooper, Mark I Underlying sperm precedence pattern in the millipede *Centrobolus inscriptus* (Attems, 1928) (Diplopoda, Pachybolidae). J. Entomol. Zool. Stud. 2019;7(3):1066-1069.
- Cooper, Mark I Quasi-experimental determination of a mass standard in the forest millipede *Centrobolus inscriptus*. J. Entomol. Zool. Stud. 2019;7(3):772-774. DOI: 10.22271/j.ento.2019.v7.i3m.5269
- Cooper, Mark. Non-significant intersexual differences in millipede mass. J. Entomol. Zool. Stud. 2019;7(3):763-765. DOI: 10.22271/j.ento.2019.v7.i3m.5267
- Cooper, Mark. 2019. *Centrobolus titanophilus* size dimorphism shows width-based variability. Arthropod., 8(2): 80-86.
- Cooper, Mark I Lawrence's red millipede *Centrobolus lawrencei* shows length-based variability and size dimorphism. J. Entomol. Zool. Stud. 2019;7(2):1037-1039. DOI: 10.22271/j.ento.2019.v7.i2.9.07
- Cooper, M., Sewell, B., & Jaffer, M. (2019). IRIDESCENCE OF VIOLET WOODHOOPOE MANTLE FEATHERS. Biodiversity Observations, 10, 10.1:1-2.
- Cooper, Mark. 2019. A review on studies of behavioural ecology of *Centrobolus* (Diplopoda, Spirobolida, Pachybolidae) in southern Africa. Arthropod., 8(1): 38-44.
- Cooper, Mark. 2018. *Centrobolus silvanus* dimorphism based on tergite width. Glob. J. Zool. 3(1): 003-005.
- Cooper, Mark. *Centrobolus sagatinus* sexual size dimorphism based on differences in horizontal tergite widths. J. Entomol. Zool. Stud. 2018;6(6):275-277. DOI: 10.22271/j.ento.2018.v6.i6.3.05
- Cooper, Mark. 2018. Confirmation of twenty-one species of *Centrobolus* Cook (Diplopoda: Pachybolidae) based on length and width data.
- Cooper, Mark. 2018. *Centrobolus lawrencei*
- Cooper, Mark. *Centrobolus dubius* (Schubart, 1966) Monomorphism Int. J. Res. Stud. Zool. 2018, 4(3): 17-21.
- Cooper, Mark. 2018. *Centrobolus* size dimorphism breaks Rensch's rule. Arthropod., 7(3): 48-52.
- Cooper, Mark. Allometry in *Centrobolus*. J. Entomol. Zool. Stud. 2018;6(6):284-286. DOI: 10.22271/j.ento.2018.v6.i6.3.07
- Cooper, Mark. *Centrobolus anulatus* (Attems, 1934) reversed sexual size dimorphism. J. Entomol. Zool. Stud. 2018;6(4):1569-1572. DOI: 10.22271/j.ento.2018.v6.i4.13.16
- Cooper, Mark. A review of studies on the fire millipede genus *centrobolus* (diplopoda: trigoniulidae). J. Entomol. Zool. Stud. 2018;6(4):126-129. DOI: 10.22271/j.ento.2018.v6.i4.2.06
- Cooper, Mark Ian. 2018. Volumes of *Centrobolus albitarsus* (Lawrence, 1967). Int. J. Entomol. Res. 3(4): 20-21.
- Cooper, Mark Ian. Trigoniulid size dimorphism breaks Rensch. J. Entomol. Zool. Stud.

- 2018;6(3):1232-1234. DOI: 10.22271/j.ento.2018.v6.i3.9.09
- Cooper, Mark Ian. Sexual size dimorphism and the rejection of Rensch's rule in Diplopoda (Arthropoda). J. Entomol. Zool. Stud. 2018;6(1):1582-1587.
 - Cooper, Mark Ian. Sexual dimorphism in pill millipedes (Diplopoda). J. Entomol. Zool. Stud. 2018;6(1):91-96. DOI: 10.22271/j.ento.2018.v6.i1b.03
 - Cooper, Mark. Re-assessment of Rensch's rule in *Centrobolus*. J. Entomol. Zool. Stud. 2017;5(6):2408-2410. DOI: 10.22271/j.ento.2017.v5.i6ag.04
 - Cooper, Mark Ian. Allometry of copulation in worm-like millipedes. J. Entomol. Zool. Stud. 2017;5(6):2408-2410. DOI: 10.22271/j.ento.2017.v5.i6ag.04
 - Cooper, Mark I., Sewell, Bryan Trevor, Jaffer, Mohamed A. 2017. Differences between Violet and Green Woodhoopoe mantle feathers. Biodiversity Observations, Vol 8.46: 1-2. Published online: 14 September 2017.
 - Cooper, Mark Ian. Copulation and sexual size dimorphism in worm-like millipedes. J. Entomol. Zool. Stud. 2017;5(3):1264-1266.
 - Cooper Mark Ian. 2017. Omnivorous diets of Karoo Thrush and Dark-capped Bulbul. Biodivers. Obs., Vol 8.24: 1-1.
 - Cooper, Mark Ian. Relative sexual size dimorphism *Centrobolus ruber* (Attems) compared to 18 congeners. J. Entomol. Zool. Stud. 2017;5(3):180-182. DOI: 10.22271/j.ento.2017.v5.i3c.07
 - Cooper, Mark Ian. Relative sexual size dimorphism in *Centrobolus fulgidus* (Lawrence) compared to 18 congeners. J. Entomol. Zool. Stud. 2017;5(3):77-79. DOI: 10.22271/j.ento.2017.v5.i3b.01
 - Cooper, Mark Ian. Relative sexual size dimorphism in *Centrobolus digrammus* (Pocock) compared to 18 congeners. J. Entomol. Zool. Stud. 2017;5(2):1558-1560. DOI: 10.22271/j.ento.2017.v5.i2u.04
 - Cooper, Mark Ian. Size matters in myriapod copulation. J. Entomol. Zool. Stud. 2017;5(2):207-208. DOI: 10.22271/j.ento.2017.v5.i2c.10
 - Cooper, Mark Ian. The effect of female body width on copulation duration in *Centrobolus inscriptus* (Attems). J. Entomol. Zool. Stud. 2017;5(1):732-733. DOI: 10.22271/j.ento.2017.v5.i1j.10
 - Cooper, Mark Ian. Sexual conflict over the duration of copulation in *Centrobolus inscriptus* (Attems). J. Entomol. Zool. Stud. 2016;4(6):852-854. DOI: 10.22271/j.ento.2016.v4.i6l.04
 - Cooper, Mark Ian. The influence of male body mass on copulation duration in *Centrobolus inscriptus* (Attems). J. Entomol. Zool. Stud. 2016;4(6):804-805. DOI: 10.22271/j.ento.2016.v4.i6k.08
 - Cooper, Mark Ian. Do females control the duration of copulation in the aposematic millipede *Centrobolus inscriptus*? J. Entomol. Zool. Stud. 2016;4(6):623-625. DOI: 10.22271/j.ento.2016.v4.i6i.1396
 - Cooper, Mark Ian. The relative sexual size dimorphism of *Centrobolus inscriptus* compared to 18 congeners. J. Entomol. Zool. Stud. 2016;4(6):504-505. DOI: 10.22271/j.ento.2016.v4.i6h.1381
 - Cooper, Mark Ian. Syncopulatory mate-guarding affected by predation in the aposematic millipede *Centrobolus inscriptus* in a swamp forest. J. Entomol. Zool. Stud. 2016;4(6):483-484. DOI: 10.22271/j.ento.2016.v4.i6g.1376
 - Cooper, Mark Ian. Sperm dumping in *Centrobolus inscriptus* Attems (Spirobolida: Trigoniulidae). J. Entomol. Zool. Stud. 2016;4(4):394-395. DOI: 10.22271/j.ento.2016.v4.i4f.1067
 - Cooper, Mark Ian. Sperm storage in *Centrobolus inscriptus* Attems (Spirobolida: Trigoniulidae). J. Entomol. Zool. Stud. 2016;4(4):392-393. DOI: 10.22271/j.ento.2016.v4.i4f.1066
 - Cooper, Mark Ian. Confirmation of four species of *Centrobolus* Cook (Spirobolida: Trigoniulidae) based on gonopod ultrastructure. J. Entomol. Zool. Stud. 2016;4(4):389-391. DOI: 10.22271/j.ento.2016.v4.i4f.1065
 - Cooper, Mark Ian. Tarsal pads of *Centrobolus* Cook (Spirobolidae: Trigoniulidae). J. Entomol. Zool. Stud. 2016;4(3):385-386. DOI: 10.22271/j.ento.2016.v4.i3f.1008
 - Cooper, Mark Ian. Sexual bimaturism in the millipede *Centrobolus inscriptus* Attems (Spirobolida: Trigoniulidae). J. Entomol. Zool. Stud. 2016;4(3):86-87. DOI: 10.22271/j.ento.2016.v4.i3b.961
 - Cooper, Mark Ian. Heavier-shorter-wider females in the millipede *Centrobolus inscriptus* Attems (Spirobolida: Trigoniulidae). J. Entomol. Zool. Stud. 2016;4(2):509-510. DOI: 10.22271/j.ento.2016.v4.i2g.937
 - Cooper, Mark. Post-insemination associations between males and females in Diplopoda. J.

- Entomol. Zool. Stud. 2016;4(2):283-285. DOI: 10.22271/j.ento.2016.v4.i2d.908
- Cooper, Mark Ian. Darwin not a better name than Wallace. J. Entomol. Zool. Stud. 2016;4(2):198-199. DOI: 10.22271/j.ento.2016.v4.i2c.897.
 - Cooper, Mark Ian. Gonopod mechanics in *Centrobolus* Cook (Spirobolida: Trigoniulidae) II. Images. J. Entomol. Zool. Stud. 2016;4(2):152-154. DOI: 10.22271/j.ento.2016.v4.i2c.890
 - Cooper, Mark Ian. Instantaneous insemination in the millipede *Centrobolus inscriptus* (Spirobolida: Trigoniulidae) determined by artificially-terminated mating. J. Entomol. Zool. Stud. 2016;4(1):487-490. DOI: 10.22271/j.ento.2016.v4.i1g.847
 - Cooper, Mark Ian. Symmetry in ejaculate volumes of *Centrobolus inscriptus* Attems (Spiroboloidea: Trigoniulidae). J. Entomol. Zool. Stud. 2016;4(1):386-387. DOI: 10.22271/j.ento.2016.v4.i1f.833
 - Cooper, Mark Ian. Fire millipedes obey the female sooner norm in cross mating *Centrobolus* (Myriapoda). J. Entomol. Zool. Stud. 2016;4(1):173-174. DOI: 10.22271/j.ento.2016.v4.i1c.802.
 - Cooper, Mark Ian. Confirmation of four species of *Centrobolus* Cook (Spirobolida: Trigoniulidae) based on gonopod ultrastructure. Int. J. Entomol. Res. 2016; 1(3): 07-09.
 - Cooper, Mark Ian. Symmetry in ejaculate volumes of *Centrobolus inscriptus* Attems (Spiroboloidea: Trigoniulidae). Int. J. Entomol. Res., 2016; 1(2): 14-15.
 - Cooper, Mark Ian. Sperm storage in *Centrobolus* spp. and observational evidence for egg simulation. J. Entomol. Zool. Stud. 2016;4(1):127-129. DOI: 10.22271/j.ento.2016.v4.i1b.797
 - Cooper, Mark Ian. Elaborate gonopods in the myriapod genus *Chersastus* (Diplopoda: Trigoniulidae). J. Entomol. Zool. Stud. 2015;3(4):235-238. DOI: 10.22271/j.ento.2015.v3.i4d.573
 - Cooper, Mark Ian. Competition affected by re-mating interval in a myriapod. J. Entomol. Zool. Stud. 2015;3(4):77-78. DOI: 10.22271/j.ento.2015.v3.i4b.550
 - Cooper, Mark Ian. Sexual size dimorphism and corroboration of Rensch's rule in *Chersastus* millipedes (Diplopoda: Pachybolidae). J. Entomol. Zool. Stud. 2014;2(6):264-266. DOI: 10.22271/j.ento.2014.v2.i6e.452
 - Cooper, Mark Ian. 2014. Sex ratios, mating frequencies and relative abundance of sympatric millipedes in the genus *Chersastus* (Diplopoda: Pachybolidae). Arthropod., 3(4):
 - Cooper M, Jordan L. 2013. Random time-activity budgets in captive Southern Ground Hornbill *Bucorvus leadbeateri* (Vigors, 1825). Ornithological Observations, Vol 4:154-157.
 - Cooper, M., & Jordan, L. (2013). Random time-activity budgets in captive Southern Ground Hornbill *Bucorvus leadbeateri*. South African Journal of Science, 109(7/8), 2.
 - COOPER, MARK I. PILL MILLIPEDES. Afr. Wild. 2004, 58(2): 44.
 - COOPER, MARK I., CUNNINGHAM, MICHAEL, CHERRY, MICHAEL I. 2001. Taxonomic status of the Namibian Violet Woodhoopoe *Phoeniculus damarensis* as determined by mitochondrial DNA. Ibis 143(3): 572-579.
 - Cooper, M.I., Telford, S.R. Copulatory Sequences and Sexual Struggles in Millipedes. Journal of Insect Behavior 13, 217–230 (2000). <https://doi.org/10.1007/s10841-000-0000-0>
 - Cooper, M. I., du Plessis, M. A. 1998. Biodiversity hotspots in the developing world. Trends in Ecology & Evolution 13(10):409. DOI: 10.1016/S0169-5347(98)01469-4.
 - Cooper, Mark. MILLIPEDES AND THE "MINIATURE FIVE MILLION". Afr. Wild., 1998, 52(5): 30-31.
 - Cooper, Mark. 05/08/2021. 원과 같은 밀리페드의 교화 지속 시간 변화 (줄리포미아). Globe Edit, Latvia. 1-52. ISBN: 978-620-0-62533-5.
 - Cooper, Mark. 24/05/2021. 蠕蟲狀千足蟲의複製持續時間變化. 1-52. Goldenlight publishing, Republic of Moldova. ISBN: 978-620-2-41290-2.
 - Cooper, Mark. 18/05/2021. A pázás időtartama a fereg-szerű millipedek változása. Globe Edit, Latvia. 1-52. ISBN: 978-620-0-62261-7.
 - Cooper, Mark. 2021. Woodhoopoe massa viola, dimorfismo sessuale e piume del mantello. Publisher: Edizioni Sapienza. ISBN: 978-620-3-68655-5.
 - Cooper, Mark. 2021. Woodhoopoe violet mass, sexual dimorphism and mantle feathers. Publisher: Our Knowledge Publishing, ISBN: 978-620-3-68653-1.
 - Cooper, Mark. 2021. Masse violette de la grive des bois, dimorphisme sexuel et plumes du manteau. Publisher: Editions Notre Savoir. ISBN: 978-620-3-68654-8.

- Cooper, Mark. 2021. Massa de violeta Woodhoopoe, dimorfismo sexual e penas de manto. Publisher: Edições Nosso Conhecimento. ISBN: 978-620-3-68658-6.
- Cooper, Mark. 2021. Boshop violet massa, sexueel dimorfisme en mantelveren. Publisher: Uitgeverij Onze Kennis. ISBN: 978-620-3-68656-2.
- Cooper, Mark. 2021. Woodhoopoe violette Masse, sexueller Dimorphismus und Mantelfedern. Publisher: Verlag Unser Wissen. ISBN: 978-620-3-68652-4.
- Cooper, Mark. 2021. Fiolek leśny, dymorfizm płciowy i pióra płaszczka: (Phoeniculidae). Publisher: Wydawnictwo Nasza Wiedza. ISBN: 978-6203686579.
- Купер, Марк. Фиолетовая масса Вудхупе, сексуальный диморфизм и мантийные перья. Edition: Russian Publisher: Sciencia Scripts. ISBN: 978-6203686593.
- Cooper, Mark. 11/05/2021. Variația duratei copulării în milipelele asemănătoare viermilor. Globe Edit, Latvia. 1-56. ISBN: 978-620-0-62255-6.
- Cooper, Mark. 11/05/2021. Parittelun keston vaihtelu matomaisten millipedes. Globe Edit, Latvia. 1-52. ISBN: 978-620-0-62259-4.
- Cooper, Mark. 11/05/2021. ワーム様ミリペデスにおける交尾期間変動. Globe Edit, Latvia. 1-56. ISBN: 978-620-0-62260-0.
- Cooper, Mark. 2021. Variation de durée de copulation dans les mille-pattes vermifuges. 1-52. Publisher: Presses Académiques Francophones. ISBN: 978-3-8416-3326-2.
- Cooper, Mark. 03/05/2021. Kopuleringsstidsvariation i maskliknande millipeder. Globe Edit, Latvia. 1-52. ISBN: 978-620-0-62277-8.
- Cooper, Mark. 27/04/2021. İçeriği *Centrobolus Cook* boyut aralığı, 1897 (Diplopoda: Pachybolidae). LAP LAMBERT Academic Publishing, Mauritius. 1-56. ISBN: 978-620-3-83963-0.
- Cooper, Mark. 26/04/2021. Variatie in copulatieduur in wormachtige duizendpoten. Globe Edit, Latvia. 1-52. ISBN: 978-620-0-62258-7.
- Cooper, Mark. 26/04/2021. Variation i kopulationsvarighed i ormelignende tusindben. Globe Edit, Latvia. 1-56. ISBN: 978-620-0-62257-0.
- Cooper, Mark. 23/04/2021. Copulation duration variation in worm-like millipedes. Scholars' Press, Mauritius. 1-52. ISBN: 978-3-639-66208-5.
- Cooper, Mark. 23/04/2021. Zmiana czasu trwania kopulacji w krocionogach przypominających robaki. Globe Edit, Latvia. 1-56. ISBN: 978-620-0-62248-8.
- Cooper, Mark. 23/04/2021. Variasjon i kokulasjonsvariasjon i ormlignende millipeder. Globe Edit, Latvia. 1-52. ISBN: 978-620-0-62250-1.
- Cooper, Mark. 2021. Verandering in copulatieduur bij wormduizendpoten. Publisher: Uitgeverij Onze Kennis. ISBN: 978-620-3-62160-0.
- Cooper, Mark. 2021. Veränderung der Kopulationsdauer bei Wurmtausendfüßern. Publisher: Verlag Unser Wissen. ISBN: 978-620-3-62156-3.
- Cooper, Mark. 2021. Copulation duration variation in worm-like millipedes. Publisher: Our Knowledge Publishing. ISBN: 978-620-3-62157-0.
- Cooper, Mark. 2021. Alteração na duração da cópula nas centopeias de minhocas. Publisher: Edicoes Nosso Conhecimento. ISBN: 9786203621624.
- Cooper, Mark. 2021. Modifica della durata della copulazione nei millepiedi vermi. Publisher: Edizioni Sapienza. ISBN: 978-620-3-62159-4.
- Cooper, Mark. 2021. Verandering der copulatieduur bij wormduizendpoten. Publisher: Verlag Unser Wissen. ISBN: 978-620-3-62156-3.
- Cooper, Mark. 2021. Modification de la durée de la copulation chez les millipedes vermiformes. Publisher: Editions Notre Savoir. ISBN: 978-620-0-62258-7.
- Cooper, Mark. 2021. Zmiana czasu trwania kopulacji w krocionogach przypominających robaki. Publisher: Wydawnictwo Nasza Wiedza. ISBN: 978-620-3-62161-7.
- Cooper, Mark. 2021. Assortiment de tailles chez *Centrobolus Cook*, 1897. Publisher: Editions Notre Savoir. ISBN: 978-620-3-59603-8.
- Cooper, Mark. 2021. Asortyment wielkości u *Centrobolus Cook*, 1897 (Diplopoda: Pachybolidae). Publisher: Wydawnictwo Nasza Wiedza. ISBN: 978-620-3-59607-6.

- Cooper, Mark. 2021. Groottesortering bij Centrobolus Cook, 1897. Publisher: Uitgeverij Onze Kennis. ISBN: 978-620-3-59605-2.
- Cooper, Mark. 2021. Assortimento di dimensioni in Centrobolus Cook, 1897. Publisher: Edizioni Sapienza. ISBN: 978-620-3-59604-5.
- Cooper, Mark. 2021. Größensortierung bei Centrobolus Cook, 1897. Publisher: Verlag Unser Wissen. ISBN: 978-620-3-59601-4.
- Cooper, Mark. 2021. Size assortment in Centrobolus Cook, 1897. Publisher: Our Knowledge Publishing. ISBN: 978-620-3-59602-1.
- Cooper, Mark. 2021. Sortimento de tamanhos em Centrobolus Cook, 1897. Publisher: Edições Nosso Conhecimento. ISBN: 978-620-3-59608-3.
- Cooper, Mark. Размерный ассортимент в Centrobolus Cook, 1897 г. Publisher: Scienca Scripts. ISBN: 978-620-3-59606-9.
- Cooper, Mark. 06/04/2021. Variation de durée de copulation dans les mille-pattes vermifuges. Presses Académiques Francophones, Mauritius. 1-52. ISBN: 978-3-8416-3326-2.
- Cooper, Mark. 02/04/2021. Woodhoopoe nero-nero, dimorfismo sessuale e molle per cappotto. Edizioni Accademiche Italiane, Mauritius. 1-52. ISBN: 978-620-0-83950-3.
- Cooper, Mark. 2021. Assortiment de taille chez Centrobolus Cook, 1897 (Diplopoda : Pachybolidae). Publisher: Editions Notre Savoir. ISBN: 978-620-3-59603-8.
- Cooper, Mark. 2021. Assortiment de taille chez Centrobolus Cook, 1897. ISBN: 978-620-3-54957-7.
- Cooper, Mark. 2021 . El surtido de tamaños en Centrobolus Cook, 1897 (Diplopoda: Pachybolidae). Publisher: Scienca Scripts. ISBN: 978-620-3-54956-0.
- Cooper, Mark. 2021. Größen-Sortierung bei Centrobolus Cook, 1897 (Diplopoda: Pachybolidae). Publisher: Scienca Scripts. ISBN: 978-620-3-54955-3.
- Cooper, Mark. 2021 . Asortyment wielkościowy u Centrobolus Cook, 1897 (Diplopoda: Pachybolidae). Publisher: Scienca Scripts. ISBN: 978-620-3-54960-7.
- Cooper, Mark. 2021 . Квартира по размеру в Центроболус Повар, 1897 (Диплопода: Пахибол). Publisher: Scienca Scripts ISBN: 978-620-3-54962-1.
- Cooper, Mark. 2021. Sortido de tamanho em Centrobolus Cook, 1897 (Diplopoda: Pachybolidae). Publisher: Scienca Scripts. ISBN: 978-620-3-54961-4.
- Cooper, Mark. 2021. Dimensione-assortimento in Centrobolus Cook, 1897 (Diplopoda: Pachybolidae). Publisher: Scienca Scripts. ISBN: 978-620-3-54958-4.
- Cooper, Mark. 31/03/2021. Cambio en la duración de la cópula en ciempiés gusano. Editorial Académica Española, Mauritius. 1-56. ISBN: 978-620-3-03965-8.
- Cooper, Mark. 2021 . Groottesortering bij Centrobolus Cook, 1897 (Diplopoda: Pachybolidae). Publisher: Scienca Scripts. ISBN: 978-620-3-54959-1.
- Коопер, Марк. Фиолетовая масса Вудхупе, сексуальный диморфизм и мантийные перья. Publisher: Scienca Scripts. ISBN: 978-620-3-54466-4.
- Cooper, Mark. 29/03/2021. Fiolek leśny masa, dymorphism płciowy i pióra płaszcza. Scienca Scripts, Mauritius. 1-52. ISBN: 978-620-3-54464-0.
- Cooper, Mark. 2021. La masa de la abubilla violeta, el dimorfismo sexual y las plumas del manto. Publisher: Scienca Scripts. ISBN: 978-620-3-54460-2.
- Cooper, Mark. 29/03/2021. Masa violeta woodhoopoe, dimorfismo sexual y plumas de manto. Editorial Académica Española, Letonia, Unión Europea. 1-52. ISBN: 978-620-3-03964-1.
- Cooper, Mark. 29/03/2021. Massa viola Woodhoopoe, dimorfismo sessuale e piume del mantello. Edizioni Sapienza, Scienca Scripts, Mauritius. 1-52. ISBN: 978-620-3-54462-6.
- Cooper, Mark. 29/03/2021. Masse de la grive violette, dimorphisme sexuel et plumes du manteau. Scienca Scripts, Mauritius. 1-52. ISBN: 978-620-3-54461-9.
- Cooper, Mark. 29/03/2021. Surtido de tamaño en Centrobolus Cook, 1897. Editorial Académica Española, Mauritius. 1-56. ISBN: 978-620-3-03960-3.
- Cooper, Mark. 29/03/2021. Variação da duração da cópula em milípedes semelhantes a vermes. Novas Edições Acadêmicas, Mauritius. 1-56. ISBN: 978-620-3-46666-9.
- Cooper, Mark. 2021. Violet Woodhoopoe massa, sexueel dimorfisme en mantelveren. Publisher: Scienca Scripts ISBN: 978-620-3-54463-3.
- Cooper, Mark. 2021. Violeta Woodhoopoe massa, dimorfismo sexual e penas de manto. Publisher: Scienca Scripts. ISBN: 978-620-3-54465-7.

- Cooper, Mark. 2021. Violetter Wiedehopf Masse, Sexualdimorphismus und Mantelfedern. Publisher: Scienia Scripts. ISBN: 978-620-3-54459-6.
- Cooper, Mark. 29/03/2021. Woodhoopoe violetmasse, dimorphisme sexuel et ressorts de manteau. Presses Académiques Francophones. 1-52. ISBN: 978-3-8416-3325-5.
- Cooper, Mark. 25/03/2021. Eski dünya ormanında latitudinal ve boyuna gradyanlar kırkayaklar. LAP LAMBERT Academic Publishing, Mauritius. 1-140. ISBN: 978-620-3-58136-2.
- Cooper, Mark. 2021. Variación de tamaño intrasexual e intersexual en *Centrobolus Cook*, 1897. Publisher: Scienia Scripts. ISBN: 978-620-3-50728-7.
- Cooper, Mark. 2021. Intraseksuele en interseksuele groottevariatie bij *Centrobolus Cook*, 1897. Publisher: Scienia Scripts. ISBN: 978-620-3-50732-4.
- Cooper, Mark. 2021. Variação de tamanho intrasexual e intersexual no *Centrobolus Cook*, 1897. Publisher: Scienia Scripts. ISBN: 978-620-3-50735-5.
- Cooper, Mark. 2021. Интрасексуальные и интерсексуальные различия в размерах в *Centrobolus Cook*, 1897 г. Publisher: Scienia Scripts. ISBN: 978-620-3-50734-8.
- Cooper, Mark. 2021. Variazione di taglia intrasessuale e intersessuale in *Centrobolus Cook*, 1897. Publisher: Scienia Scripts. ISBN: 978-620-3-50731-7.
- Cooper, Mark. 2021. Variation de taille intrasexuelle et intersexuelle chez *Centrobolus Cook*, 1897. Publisher: Scienia Scripts. ISBN: 978-620-3-50730-0.
- Cooper, Mark. 2021. Wewnętrzna i międzypłciowa zmienność wielkości u *Centrobolus Cook*, 1897. Publisher: Scienia Scripts. ISBN: 978-620-3-50733-1.
- Cooper, Mark. 2021. Size-assortment in *Centrobolus Cook*, 1897 (Diplopoda: Pachybolidae). Publisher: Scholars' Press. ISBN: 978-613-8-95105-6.
- Купер, Марк. 25/03/2021. Диапазон размеров в *Centrobolus Cook*, 1897. LAP LAMBERT Academic Publishing, Mauritius. 1-56. ISBN: 978-620-3-58131-7.
- Cooper, Mark. 2021. Intrasexuelle und intersexuelle größenvariation bei *Centrobolus Cook*, 1897. Publisher: Scienia Scripts. ISBN: 978-620-3-50729-4.
- Cooper, Mark. 23/03/2021. Variedade de tamanhos no *Centrobolus Cook*, 1897. Novas Edições Acadêmicas, Mauritius. 1-52. ISBN: 978-620-3-46650-8.
- Cooper, Mark. 2021. Size-assortment in *Centrobolus Cook*, 1897. Publisher: Scholars' Press. ISBN: 978-613-8-95118-6.
- Cooper, Mark. 19/03/2021. Violet Woodhoopoe mass, sexual dimorphism and mantle feathers. Scholars' Press, Mauritius. 1-52. ISBN: 978-613-8-95107-0.
- Cooper, Mark. 17/03/2021. Intrasexual and intersexual size variation in *Centrobolus Cook*, 1897. Scholars' Press, Mauritius. 1-56. ISBN: 978-613-8-95101-8.
- Cooper, Mark. 2021. Latitudinal and longitudinal gradients in Old World forest millipedes. LAP LAMBERT Academic Publishing: 77 pp. ISBN: 978-620-3-02454-8.
- Cooper, Mark. 2021. Variazione della durata della copulazione nei millepiedi simili a verm. Publisher: Edizioni Accademiche Italiane. ISBN: 978-620-0-83957-2.
- Cooper, Mark. Вариация продолжительности копуляции в черве - как миллипеды. Publisher: Lambert Academic Publishing. ISBN: 978-620-3-86155-6.
- Cooper, Mark. 2020. Paina kytäntä, seksuaalista dimorfismia ja takin höyheniä. ISBN: 978-620-0-62336-2.
- Cooper, Mark. 2020. Größen-sortiment in *Centrobolus Cook*, 1897 (Diplopoda: Pachybolidae). ISBN: 978-620-2-32349-9.
- Cooper, Mark. 29/05/2020. Behavioural ecology of *Centrobolus*. LAP LAMBERT Academic Publishing, Mauritius. 1-520. ISBN: 978-620-0-50406-7.
- Cooper, Mark. 29/05/2020. Mating dynamics of South African forest millipedes. LAP LAMBERT Academic Publishing, Mauritius. 1-164. ISBN: 978-620-0-58569-1.
- Cooper, Mark. 30/04/2020. Studies of behavioural ecology of *Centrobolus*. LAP LAMBERT Academic Publishing, Mauritius. 1-420. ISBN: 978-620-2-52046-1.
- Cooper, Mark. 02/04/2020. Status of the Namibian Violet Woodhoopoe. LAP LAMBERT Academic Publishing, Mauritius. 1-56. ISBN: 978-620-0-30351-6.
- Cooper, Mark. 30/08/2018. *Centrobolus* size dimorphism breaks Rensch's rule. Scholars' Press, Mauritius. 1-48. ISBN: 978-3-659-83990-0.
- Cooper, M., Van der Bank, M. Moteetee, A., Powell, M. 2011. DNA fingerprinting in *Colophospermum mopane* and *Imbrasia belina*. Conference: South African Society for Systematic Biology IX, p. 27.

- Rossouw, AS, Furniss, DG, Annegarn, HJ, Weiersbye, IM, Ndolo, U & Cooper, M 2009, 'Evaluation of a 20–40 year old gold mine tailings rehabilitation project on the Witwatersrand, South Africa', in AB Fourie & M Tibbett (eds), Mine Closure 2009: Proceedings of the Fourth International Conference on Mine Closure, Australian Centre for Geomechanics, Perth, pp. 123-136,
 - Cooper, M. I., Sewell, B. T., Jaffer, M. A. 2001. Failure of a simple model to account for the iridescent colours of woodhoopoe feathers. MSSA proceedings 31: 82.
 - COOPER, MARK I., CUNNINGHAM, MICHAEL, CHERRY, MICHAEL I. Taxonomic status of the Namibian Violet Woodhoopoe *Phoeniculus damarensis* as determined by mitochondrial DNA. Conference of the Southern African Society for Systematic Biology: Multidisciplinary Approaches to Systematics. At: Mtunzini Chalets, Mtunzini, South Africa. Volume: 2. July 2000.
 - Cooper, M. 1999. P2 or not P2? 29th Symposium of the Zoological Society of Southern Africa.
 - Cooper, M. I. "Indiscriminate male mating behaviour in spirobolid millipedes," 27th Symposium of the Zoological Society of Southern Africa, University of Cape Town, Cape Town, 7-11 July, p. 105, 1997.
 - Cooper, Mark I. 1997. Ectoparasite-mediated sexual selection in spirobolid millipedes. In: Robertson, Hamish (ed.) Proceedings of the joint congress of the Entomological Society of Southern Africa (11th congress) and the African Association of Insect Scientists (12th congress), Stellenbosch, 30 June-4 July, 223-224. ISBN : WISC:89058769605.
 - Cooper, M. I., S. R. Telford, "Sperm competition in three *Chersastus* millipedes (Diplopoda, Trigoniulidae)," 26th Symposium of the Zoological Society of Southern Africa (Integrating Zoology: Subdisciplines and the Subcontinent), University of Pretoria, Pretoria, 8-12 July, p. 13, 1996. ISBN: 1- 86854-059-6.
 - COOPER, MARK IAN. 1998. MATING DYNAMICS OF SOUTH AFRICAN FOREST MILLIPEDES *CENTROBOLUS* (DIPLOPODA: PACHYBOLIDAE). THE UNIVERSITY OF CAPE TOWN, 1-141.
 - COOPER, MARK. Sperm competition in the millipede *Chersastus ruber* Attems (Diplopoda: Spirobolidae): An investigation into the underlying mechanisms of mate-guarding behaviour. University of Cape Town, 1-29.
- APPENDIX 1.** Maximum temperature (degrees Celsius) across the range of *Centrobolus* Cook, 1897.
- | |
|------|
| 24.7 |
| 20.9 |
| 25.4 |
| 20.1 |
| 23.7 |
| 24.3 |
| 25.6 |
| 15.7 |
| 16.6 |
| 24.3 |
| 25.5 |
| 29.0 |
| 25.0 |
| 25.5 |
| 24.8 |
| 22.1 |
| 26.4 |
| 24.8 |
| 20.3 |
| 20.1 |
| 15.7 |
| 25.6 |
| 25.5 |

24.6	16.9
26.4	19.7
19.7	
27.9	
26.1	
23.2	
22.9	
24.3	
24.8	
26.4	
24.3	
23.2	
28.3	
29.5	
19.4	
19.4	
24.2	

APPENDIX 2. Average temperature (degrees Celsius)
across the range of *Centrobolus* Cook, 1897.

15.9
16.6
20.4
16.4
20.0
20.9
16.6
16.4
16.9
20.9
21.9
22.8
19.5
16.6
16.7
18.1
23.7
17.0
16.6
16.4
16.4
19.5
21.9
20.1
23.7
15.8
22.0
18.6
16.9
19.4
20.9
19.0
23.7
20.9
19.7
17.0
17.0
15.0